DOCUMENTACION E INFORMACION AGRICOLA No. 23

BIBLIOGRAFIA SOBRE FRIJOL DE COSTA

(Vigna sinensis)

Convenio IICA/ZN–ROCAP

IICA

CENTRO INTERAMERICANO DE DOCUMENTACION E INFORMACION AGRICOLA IICA–CIDIA
Turrialba, Costa Rica
1973

IICA
DIA-23 Castillo de Bonilla, Margarita, comp.
Bibliografía sobre frijol de costa (*Vigna sinensis*). Turrialba, Costa Rica, IICA, Centro Interamericano de Documentación e Información Agrícola, 1973.
70 p. (IICA. Documentación e Información Agrícola, no. 23)

1. Frijol de costa - Bibliografía. I. Título. II. Serie.

633.33016

DOCUMENTACION E INFORMACION AGRICOLA No. 23

BIBLIOGRAFIA SOBRE
FRIJOL DE COSTA
(Vigna sinensis)

Compilada por:

Margarita Castillo de Bonilla

IICA-CIDIA

Convenio IICA/ZN–ROCAP

INSTITUTO INTERAMERICANO DE CIENCIAS AGRICOLAS DE LA OEA
CENTRO INTERAMERICANO DE DOCUMENTACION E INFORMACION AGRICOLA IICA–CIDIA
Turrialba, Costa Rica
1973

DOCUMENTACION E INFORMACION AGRICOLA

1. Colección de referencia de la Biblioteca Conmemorativa Orton. 2 ed. 1967.
2. Publicaciones periódicas de la Biblioteca Conmemorativa Orton; una lista descriptiva. 1964.
3. Tesis de la Escuela para Graduados 1947-1968; resúmenes. 2 ed. rev. y ampl. 1969.
4. Redacción de referencias bibliográficas; normas de estilo oficiales del IICA. 1972.
5. Directorio de bibliotecas agrícolas en América Latina. 1964.
6. Catálogo de publicaciones periódicas de la Biblioteca Conmemorativa Orton. 2 ed. rev. y ampl. 1970.
7. Estado actual de bibliotecas agrícolas en América del Sur; resultados de una encuesta personal. 1966.
8. Administración de bibliotecas agrícolas. 1966.
9. Guía de publicaciones periódicas agrícolas de América Latina. 1966.
10. Bibliografía de bibliografías agrícolas de América Latina. 2 ed. rev. y ampl. 1969.
11. I Mesa Redonda sobre el Programa Interamericano de Desarrollo de Bibliotecas Agrícolas. Lima, 1968.
12. Contribuciones del IICA a la literatura de las ciencias agrícolas. 2 ed. rev. y ampl. 1972.
13. Directorio de siglas en ciencias agrícolas. 2 ed. 1971.
14. Guía básica para bibliotecas agrícolas. (ed. en portugués e inglés) 1969.
15. II Mesa Redonda sobre el Programa Interamericano de Desarrollo de Bibliotecas Agrícolas. Bogotá, 1969.
16. Recursos de bibliotecas agrícolas en América Latina. 1969.
17. 2000 libros en ciencias agrícolas en castellano. 1969.
18. III Mesa Redonda sobre el Programa Interamericano de Desarrollo de Bibliotecas Agrícolas. Río de Janeiro, 1969.
19. Publicaciones periódicas y seriadas agrícolas de América Latina. 1971.
20. Indice Latinoamericano de tesis agrícolas. 1972.
21. Trópico americano: situación de los servicios bibliotecarios y documentación agrícola. 1972.
22. 3000 libros agrícolas en español. 1973.

La Serie 'Documentación e Información Agrícola'
está constituida por la fusión de la Serie
'Bibliotecología y Documentación' y la Serie 'Bibliografías'

TABLA DE CONTENIDO

	Pág.
INTRODUCCION	v
BIBLIOGRAFIAS	1
GENERAL	1
LA PLANTA	1
Historia, Origen y Evolución	1
Anatomía, Morfología y Citología	1
Taxonomía	2
Fisiología	3
Absorción y Traslado	3
Composición química	3
Efecto de los factores físicos ambientales	5
Fotosíntesis, Fotoperíodo, Respiración, Transpiración y Metabolismo	6
Nodulación	8
Nutrición mineral	10
Relación entre planta y agua	12
Rendimiento	12
Reproducción, Crecimiento y Reguladores de Crecimiento	12
CITOGENETICA, GENETICA Y MEJORAMIENTO	14
Citogenética y Genética	14
Hibridación e Inducción de mutaciones	16
Mejoramiento	17
Selección en general	17
Selección para resistencia a enfermedades	18
Selección para resistencia a insectos	19
Selección para resistencia a nemátodos	19
VARIEDADES: DESCRIPCION Y PRUEBAS DE RENDIMIENTO	19
PRACTICAS DE CULTIVO	24
General	24
Epoca de siembra	27
Método de siembra y Espaciamiento	27
Fertilizantes y Coberturas	28
Riego y Control de humedad del suelo	30
Control de malas hierbas y herbicidas	31
Recolección o cosecha	32
Rotación y siembras intercaladas	32

Pág.

SUELOS 33

General 33
Abono verde 34

SEMILLA 35

General 35
Tratamiento 36
Análisis químico 36

ENFERMEDADES Y PLAGAS 37

Enfermedades Parasíticas

General 37
Bacterias 37
Hongos 37
Virus 40
Control 48

Insectos 48

General 48
Insectos del grano almacenado 51
Control 51

Nemátodos 54

TECNICA EXPERIMENTAL DE CAMPO 54

ALIMENTACION HUMANA Y ESTUDIOS NUTRICIONALES 54

TECNOLOGIA DEL ALIMENTO 55

NUTRICION ANIMAL 57

ALMACENAMIENTO DEL GRANO 58

INVESTIGACIONES Y PROGRAMAS 59

ECONOMIA DE LA PRODUCCION 61

INDICE DE AUTORES 62

TABLE OF CONTENTS

	Page
INTRODUCTION	v
BIBLIOGRAPHIES	1
GENERAL	1
THE PLANT	1
History, Origin, and Evolution	1
Anatomy, Morphology, and Cytology	1
Taxonomy	2
Physiology	3
Absorption and Translocation	3
Chemical composition	3
Environment	5
Photosynthesis, Photoperiod, Respiration, Transpiration, and Metabolism	6
Nodulation	8
Mineral nutrition	10
Plant and water relationship	12
Yield	12
Reproduction, Growth, and Growth Regulators	12
CYTOGENETICS, GENETICS, AND BREEDING	14
Cytogenetics and Genetics	14
Hybridization and Induction of Mutations	16
Breeding	17
Selection in general	17
Selection for resistance to diseases	18
Selection for resistance to insects	19
Selection for resistance to nematodes	19
VARIETIES: DESCRIPTION AND YIELD TESTS	19
CULTURAL PRACTICES	24
General	24
Planting date	27
Planting method and Spacing	27
Fertilizers and mulches	28
Irrigation and soil moisture control	30
Weed control and herbicides	31
Harvesting	32
Rotation and intercropping	32

	Page
SOILS	33
General	33
Green manure	34
SEED	35
General	35
Treatment	36
Chemical analysis	36
DISEASES AND PESTS	37
Parasitic diseases	
General	37
Bacterias	37
Fungus	37
Virus	40
Control	48
Insects	48
General	48
Insects of stored grain	51
Control	51
Nematodes	54
FIELD PLOT TECHNIQUE	54
HUMAN NUTRITION AND NUTRITIONAL STUDIES	54
FOOD TECHNOLOGY	55
ANIMAL NUTRITION	57
GRAIN STORAGE	58
RESEARCH AND PROGRAMS	59
ECONOMICS OF PRODUCTION	61
AUTHOR INDEX	62

INTRODUCCION

Durante la XI Reunión Anual del Programa Cooperativo Centroamericano para el Mejoramiento de Cultivos Alimenticios (PCCMCA), realizada en Panamá en marzo de 1965, los países miembros solicitaron al IICA la coordinación del Programa de Frijol. Más tarde este Programa se amplió a otras leguminosas de grano.

La Zona Norte del Instituto Interamericano de Ciencias Agrícolas, coordina desde entonces los esfuerzos que realizan los gobiernos centroamericanos, impulsando vigorosamente el mejoramiento de la producción de frijol común, y la difusión de innovaciones tecnológicas, que traen como consecuencia un mayor rendimiento por unidad de superficie, generando mayores ingresos a los agricultores, mejorando en esta forma su economía y bienestar familiar.

En el afán de colaborar en la difusión de la investigación, el IICA ha publicado bibliografías sobre varios cultivos. En el campo de las leguminosas de grano, en 1972 se publicó la bibliografía de frijol común (*Phaseolus spp.*) que contiene 5.946 referencias bibliográficas.

La literatura sobre Frijol de Costa (*Vigna sinensis*) es escasa y se encuentra dispersa. Con el fin de poner al alcance de los investigadores toda la información sobre este cultivo, se ha realizado una investigación exhaustiva para identificar y analizar la literatura aparecida de 1940 a 1972 y producir la presente bibliografía.

La bibliografía es de alcance internacional y contiene 1.200 referencias bibliográficas organizadas en base a un esquema de clasificación desarrollado especialmente para analizar aspectos específicos de esta leguminosa. Cuenta, al final, con un índice de autores. En la redacción de las referencias bibliográficas se han seguido las "Normas Oficiales del IICA".

La realización de este trabajo ha sido posible gracias al conocimiento y esfuerzo de la Sra. Margarita Castillo de Bonilla, Asistente en Documentación del IICA-CIDIA, y al generoso apoyo económico del Convenio IICA/ZONA NORTE-ROCAP para la publicación.

Turrialba, Costa Rica
Junio 1973

Heleodoro Miranda
Especialista en Investigación
Agrícola, IICA/ZONA NORTE

BIBLIOGRAFIAS
(BIBLIOGRAPHIES)

COMMONWEALTH BUREAU OF SOILS. Bibliography on cowpea and some minor tropical legumes: nutrition, N fixation, soils (1967-1957). Harpenden, England, 1967. 26 p. (Commonwealth Bureau of Soils. Annotated Bibliography no. 1175) (1

GENERAL

BLACKHURST, H. T. Southern peas. Market Growers Journal 86:8-9. 1957. (2

COWPEA AND blackeye pea (*Vigna spp.*). Journal of the Jamaica Agricultural Society 43:406-408. 1939. (3

IRELAND, J. C. Old as Confucius but winning new favor. Southern Seedsman 6(4):14, 32. 1943. (4

LIGON, L. L. y MATLOCK, R. S. The versatile cowpea. Crops and Soils 12(2):12-13,26. 1959. (5

MATEO BOX, J. M. Leguminosas de grano. Barcelona, Salvat, 1961. 550 p. (6

Vigna sp. pp. 300-314.

MISSINGHAM, L. J. The long bean. Queensland Agricultural Journal 83(11):621-623. 1957. (7

RODALE, R. Power-packed plants. Organic Gardening and Farming 2:16-19. 1955. (8

SELLSCHOP, J. P. F. Cowpeas, *Vigna unguiculata* (L.) Walp. Field Crop Abstracts 15(4):259-266. 1962. (9

STANTON, W. R. et al. Grain legumes in Africa. Rome, FAO, 1966. 183 p. (10

Vigna sp. pp. 117-128.

VENEZUELA. MINISTERIO DE AGRICULTURA Y CRIA. Guía agrícola 1968. Caracas, 1969. 1 v., p. irr. (11

Vigna sinensis pp. 74-75.

LA PLANTA
(THE PLANT)

Historia, Origen y Evolución
(History, Origin and Evolution)

FARIS, D. G. The origin and evolution of the cultivated forms of *Vigna sinensis*. Canadian Journal of Genetics and Cytology 7(3):433-452. 1965. (12

LEON, J. Fundamentos botánicos de los cultivos tropicales. San José, Costa Rica, IICA, 1968. 487 p. (13

Vigna spp. pp. 307-309.

Anatomía, Morfología y Citología
(Anatomy, Morphology and Cytology)

Véase también: Reproducción, crecimiento y reguladores de crecimiento.

See also: Reproduction, growth, and growth regulators.

BARANOV, M. P. The structure of the embryos and seedlings in 3 cv. of *Vigna sinensis* (En ruso). Vest. Leningrado Univ. Biol. no. 1:43-54. 1970. (14

Sumario en inglés

EZEDINMA, F. O. C. Some studies on the vegetative and reproductive patterns in cowpeas (*Vigna unguiculata* (L.) Walp.) in southern Nigeria. Nigeria Agricultural Journal 2(1): 32-34. 1965. (15

HANAWA, J. Formation of adventitious roots on the isolated cotyledons of *Vigna sinensis* (En japonés). Botanical Magazine 68:363-368. 1955. (16

HOTTA, Y. Morphogenetical studies in *Vigna sesquipedalis*. II. Role of the cotyledon in the morphological differentiation of bean seedlings. (En japonés). Botanical Magazine 70(833-834):383-390. 1957. (17

IIJINA, T. Morphological differences between kidney beans and asparagus beans (cowpeas) (En japonés). Journal of the Horticultural Association of Japan 18:202-212. 1949. (18

LEON, J. Fundamentos botánicos de los cultivos tropicales. San José, Costa Rica, IICA, 1968. 487 p. (19

caupí pp. 307-309.

MARECHAL, R. Cytological data on species of the sub-tribe Papilionaceae-Phaseoleae-Phaseolinae. II. Bulletin du Jardin Botanique National de Belgique 40(4):307-348. 1970. (20

PAVLOVA, A. M. New data on morphological variabilities in mung bean, cowpea and chickpea (En ruso). Trudy po Prikl. Bot. Genet. i Selek. 34(1):192-196. 1962. (21

Sumario en inglés

ROTHSCHILD, D. I. DE. Anatomy of the root nodule of some cultivated legumes (En español). Revista del Instituto Municipal de Botánica de Buenos Aires (Argentina) 3(1):1-32. 1963. (22

SEN, N. K. y BHOWAL, J. G. Cytotaxonomic studies on *Vigna*. Cytologia 25(2):195-207. 1960. (23

SHAH, G. L. y GOPAL, B. V. Stomatal ontogeny of the vegetative and floral organs of some Papilionaceae. Australian Journal of Botany 17(1): 81-87. 1969. (24

TANAKA, N. Studies on root system formation in leguminous crop plants. I. Three types of root system formation in main roots (En japonés). Crop Science Society of Japan. Proceedings 33(1):17-24. 1964. (25

Sumario en inglés

_____, FUJII, Y. y SOEJIMA, M. Studies on root system formation in leguminous crop plants. VI. On the growth of hypocotyl roots in summer legumes. Crop Science Society of Japan. Proceedings 38(3):547-553. 1968. (26

TAYLOR, H. M. y GARDNER, H. R. Relative penetrating ability of different plant roots. Agronomy Journal 2(10):579-581. 1960. (27

WITTMANN, W. Anatomical investigations on root-nodule development in legumes (En alemán). Pflanzenschutzberichte 37(1-3):1-13. 1968. (28

Taxonomía (Taxonomy)

BRITTINGHAM, W. H. A key to the horticultural groups of varieties of the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 48:478-480. 1946. (29

_____. Problems of nomenclature and classification in southern cowpeas. In Southern Seedsmens Association, 47th Annual Convention, 1966. Report. s.n.t. pp. 79-83. (30

CHEVALIER, A. Espèces nouvelles d'Afrique Occidentale Française. Revue Internationale de Botanique Appliquée et d'Agriculture Tropicale 30:263-272. 1950. (31

HEPPER, F. N. New taxa of Papilionaceae from West Tropical Africa. Kew Bulletin 1:112. 1956. (32

MARECHAL, R. Données cytologiques sur les espèces de la sous-tribu des Papilionaceae-Phaseoleae-Phaseolinae. Bulletin du Jardin Botanique National de Belgique 39(2):125-165. 1969. (33

_____. Cytological data on species of the sub-tribe Papilionaceae-Phaseoleae-Phaseolinae. II. Bulletin du Jardin Botanique National de Belgique 40(4):307-348. 1970. (34

OHWI, J. y OHASHI, H. Adzuki beans of Asia (En japonés). Japanese Journal of Botany 44(1):29-31. 1969. (35

PELLEGRIN, F. *Vigna* (Papilionées) de l'Oubangui. Bulletin de la Societé de Botanique 91:73-75. 1944. (36

_____. *Vigna tisserantiana* et *Vigna tisseranti*. Bulletin de la Societé Botanique de France 101:343. 1954. (37

RABECHAULT, H. Recueil iconographique des espèces comestibles de légumineuses africaines. Riz et Riziculture and Cultures Vivrieres Tropicales 7(4):150-160. 1961. (38

SEN, N. K. y BHOWAL, J. G. Cytotaxonomic studies on *Vigna*. Cytologia 25(2):195-207. 1960. (39

SENE, D. Survey of the principal cowpea (*Vigna unguiculata*) varieties grown in Senegal (En francés). Agronomie Tropicale 21(8):927-933. 1966. (40

UNIVERSITE CATHOLIQUE DE LOUVAIN. FACULTE DES SCIENCES AGRONOMIQUES. Rapport d'activité 1966. Agricultura Louvain no. 4:139-222. 1967. (41

Incluye estudios sobre polen del género *Phaseolus* y *Vigna* en el Congo.

VALLAEYS, G. Le 'Coix Lacryma-Jobi". Bulletin Agricole du Congo Belge 39:247-304. 1948. (42

Vigna sp.

VERDCOURT, B. The identities of *Dolichos trilobus* L. and *Dolichos trilobatus* L. Taxon 17(2):170-173. 1968. (43

Incluye *Vigna trilobata* L.

VIGUIER, R. Leguminosae madagascarienses novae. Notulae System 14:168-187. 1951. (44

Incluye *Vigna sp.*

WHYTE, R. O. y TRUMBLE, H. C. Las leguminosas en la agricultura. FAO. Estudios Agropecuarios no. 21. 1955. 405 p. (45

Vigna sp. pp. 382-384.

WILCZEK, R. Groupes nouveaux des Phaseoleae-Phaseoline du Congo Belge et du Ruanda-Urundi. Bulletin du Jardin Botanique de l'Etat 24: 405-450. 1954. (46

Incluye *Vigna sp.*

Fisiología (Physiology)

Absorción y Traslado (Absorption and Translocation)

Véase también: Nutrición mineral

See also: Mineral nutrition

MORGAN, P. W. y GAUSMAN, H. W. Effect of ethylene on auxin transport. Plant Physiology 41:45-52. 1966. (47

PANDEY, R. M. Changes in nitrogenous fractions of certain crop plants as affected by phosphorus deficiency. Flora (Alemania) 159(4):299-306. 1968. (48

ROBERTS JUNIOR, H. y MENZEL, R. G. Availability of exchangeable and non-exchangeable strontium-90 to plants. Journal of Agriculture and Food Chemistry 9(2):95-98. 1961. (49

SIEV, D. y KATZ, H. Soil moisture and deficient iron uptake by cowpeas. (En hebreo). Hassadeh 33:318-319. 1953. (50

Fisiología

Composición química (Chemical composition

BAGNI, N. Spermine and spermidine in seeds. Giornale Botanico Italiano 102(1):67-72. 1968. (51

BURNS, E. E. y WINZER, J. W. Pigment characteristics of the southern pea (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 80:449-456. 1962. (52

BUSSON, F. Etude de la fraction protidique des graines de *Vigna unguiculata* Walp. Qualitas Plantarum et Materiae Vegetabilis 6(1):11-15. 1959. (53

COLLINS, J. L. Pectin methyl esterase activity in southern peas (*Vigna sinensis*). Journal of Food Science 35:1-4. 1970. (54

DAS, N. K. y MUKHERJEE, P. Protein synthesis in plant mitochondria. III. Characterization of mitochondria and the microsomal fraction of the seedlings of *Vigna sinensis*. Biochimica et Biophysica Acta 93(2):304-310. 1964. (55

GANAPATHI, S. et al. Supplementary relations of the proteins of horse gram and cowpea to those of Italian millet (*Setaria italica*). Food Science 7(1):7-8. 1958. (56

GARCHA, J. S., KAWATRA, B. L. y WAGLE, D. S. Evaluation of different leaf protein concentrates for some essential amino-acids. Current Science 39(12):269-270. 1970. (57

GARCIA CADIZ, T. The occurrence and persistence of L-ascorbic acid in the southern pea (*Vigna sinensis* Endl.). Dissertation Abstracts 24(5):1975-1976. 1963. (58

HALVERSON, J.O. y SHERWOOD, F.W. Vitamin A activity and the vitamin B_1 content of soybeans and cowpeas. Journal of Agricultural Research 60:141-144. 1940. (59

HIPP, B. W. y COWLEY, W. R. Influence of 2,3,5-triiodobenzoic acid and gibberellin on growth, yield, and nutrient content of southern peas. American Society for Horticultural Science. Journal 94:269-271. 1969. (60

HOOVER, M. W. Correlation of certain physical and chemical changes in the southern pea, *Vigna sinensis*, with six stages of maturity. Dissertation Abstracts 14:759. 1954. (61

_____. y DENNISON, R. A. A study of certain biochemical changes occurring in the southern pea, *Vigna sinensis*, at six stages of maturity. American Society for Horticultural Science. Proceedings 63:402-408. 1954. (62

_____. Influence of maturity and storage treatments upon the ascorbic acid content of the seeds of southern peas. Food Research 20: 469-473. 1955. (63

JENKINS, W.F. Post-harvest changes in refrigerated and non-refrigerated southern peas. American Society for Horticultural Science. Proceedings 64:327-330. 1954. (64

JOHNSON, R.M. y RAYMOND, W.D. The chemical composition of some tropical food plants. II. Pigeon peas (*Cajanus cajan*) and cowpeas (*Vigna unguiculata*). Tropical Science 6(2):68-73. 1964. (65

KLIMENKOV, V.G., BEREZOVIKOV, A. D. y LEONOV, G. B. Change in the composition of proteins in ripening seed of lentil, cowpea and chickpea. Biokhimiya 29(4):596-601. 1964. (Translation no. 14971) (66

_____. y PLATSYNDA, V.A. Chromatographic and electrophoretic behaviour of proteins of seeds of some cowpea varieties (*Vigna sinensis* (Stickm.) Savi). (En ruso). Nauch. Dokl. Vysshei. Shkoly. Biol. Nauk. 12:74-79. 1971. (67

KLYDZHEV, V.K. Protein fractions and amino acids in some pulses (En ruso). Doklady Akad. Nauk 26(4):81-84. 1970. (68

KRAMER, M., KOZAK, M. y LANG, I. Effect of potassium metaphosphate on the dry-matter yield and the nutrient uptake of rye seedlings, cowpea (*Vigna sinensis* L.) and tobacco plants in pot experiments. Agrokém. Talajt. 17(Suppl.):55-62. 1968. (69

MAHESHWARI, M.L. y RANJHAN, S.K. Yield, chemical composition and outturn of nutrients of various varieties of cowpea fodder. Indian Journal of Dairy Science 22(3):200-201. 1969. (70

MUNSELL, H. E. Composition of food plants of Central America. Food Research 14:144-164; 15:16-52,263-296,355-365,379-404,421-453. 1949-1950. (71

OGUNMODEDE, B.K. y OYENUGA, V.A. Estimation of vitamins A, D and E values of varieties of cowpea (*Vigna unguiculata* (L.) Walp.) grown in Nigeria. Nigeria Agricultural Journal 5(2): 65-67. 1968. (72

_____. y OYENUGA, V.A. Vitamin B content of cowpeas (*Vigna unguiculata* Walp.). I. Thiamine, riboflavin and niacin. Journal of the Science of Food and Agriculture 20(2):101-103. 1969. (73

OGUNMODEDE, B.K. y OYENUGA, V.A. Vitamin B content of cowpeas (*Vigna unguiculata* Walp.). II. Pyridoxine, pantothenic acid, biotin and folic acid. Journal of the Science of Food and Agriculture 21(2):87-91. 1970. (74

OMUETI, J.O. y OYENUGA, V.A. Effect of phosphorus fertilizer on the protein and the essential components of the ash of groundnuts and cowpeas. West African Journal of Biology and Applied Chemistry 13(1):14-19. 1970. (75

REDER, R. Effect of fertilizer and environment on the calcium, phosphorus, and iron content of cowpeas. Georgia Agricultural Experiment Station. Southern Cooperative Ser. Bulletin no. 4. 1946. 16 p. (76

REID, M.E. Variations in ascorbic acid and dry matter content of cowpea plants at different times of day. Bulletin of the Torrey Botanical Club 69(7):522-527. 1942. (77

SAMBANDAM, R., RAJAGOPALAN, C. K. y Devakumar, L.P. A note on the quality of pods in vegetable cowpea. Madras Agricultural Journal 52(1):35-36. 1965. (78

SHEMETAITE, L.B. On the proteins of the seeds of *Caragana arborescens* and *Vigna sinensis* (En ruso). Moscow. Glav. Bot. Sa. Trudy 8:47-59. 1961. (79

_____. On the activity and quality of peptidase of seeds of the Siberian pea-shrub and the common cowpea (En ruso). Moscow. Glav. Bot. Sad. B. 45:84-87. 1962. (80

SINGH, S., SINGH, H.D. y SIKKA, K. C. Distribution of nutrients in the anatomical parts of common Indian pulses. Cereal Chemistry 45(1): 13-18. 1968. (81

STEWART, F.B. y REED, M. Effect of fertilization on yield, growth and mineral composition of southern peas. Journal of the American Society for Horticultural Science 94:258-260. 1969. (82

TOLMASQUIM, E., CORREA, A. M. N. y TOLMASQUIM, S. T. New starches. Properties of five varieties of cowpea starch. Cereal Chemistry 48(2):132-139. 1971. (83

VENTURA, M.M. y FILHO, J.X. A trypsin and chymotrypsin inhibitor from black-eyed pea (*Vigna sinensis*). I. Purification and partial characterization. Anais da Académia Brasileira de Ciencias 38(3-4):553-566. 1966. (84

VIDAL, A.A. Determinación de lecitina y cefalina en semillas de leguminosas. Revista de la Facultad de Agronomía de La Plata (Argentina) 34(1):81-90. 1958. (85

VILJOEN, N. J. The organic nitrogen content of cowpeas. Farming in South Africa 15:368. 1940. (86

Fisiología

Efecto de los factores físicos ambientales (Environment)

ALLISON, F.E. et al. Relationship between evapotranspiration and yields of crops grown in lysimeters receiving natural rainfall. Agronomy Journal 50(9):506-511. 1958. (87

ARCHIBONG, D. The effect of pot size on the development of cowpea (*Vigna unguiculata* Walp.). Nigeria Agricultural Journal 2(1):29-31. 1965. (88

BOWERS, J. L. Southern pea planting dates and rates. Arkansas Farm Research 7:10. 1958. (89

DART, P.J. y MERCER, F.V. The effect of growth temperature, level of ammonium nitrate and light intensity on the growth and nodulation of cowpea (*Vigna sinensis* Endl.). Australian Journal of Agricultural Research 16(3):321-345. 1965. (90

EZEDINMA, F.O.C. Some observations on the effect of time of planting on the cowpea (*Vigna unguiculata* (L.) Walp.) in southern Nigeria. Tropical Agriculture (Trinidad) 43(1): 83-87. 1966. (91

_____. Seasonal variations in the growth of cowpea (*Vigna unguiculata* (L.) Walp.) seedlings in the humid tropical environment of southern Nigeria. Journal of West African Scientific Association 12(1):45-49. 1967. (92

GHISLENI, P.L. Contributo alla conoscenza degli effetti degli ultrasouni sui vegetali superiori. Ann. Accad. Agric. Torino 98:46. 1955-1956. (93

Sumario en inglés

HOOVER, M.W. Some effects of temperature upon the growth of southern peas (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 66:308-314. 1955. (94

KNAPP, R. Effect of various temperatures on the germination of tropical and subtropical plants (En alemán). Angew. Bot. 39(6):230-241. 1966. (95

LINAGRE, E. T. Further notes on a feature of leaf and air temperatures. Arch. Met. Geophys. Bioklim. Series B, 15(4):422-436. 1967. (96

NJOKU, E. An analysis of plant growth in some West African species. I. Growth in full daylight. Journal of the West African Scientific Association 5(1):37-56. 1959. (97

_____. An analysis of plant growth in some West African species. II. The effects of shading. Journal of the West African Scientific Association 6(1):1-17. 1960. (98

OKAMOTO, H. On the distribution of electric potential on the seedling of *Vigna sesquipedalis* and its change by the light stimulation. Botanical Magazine 68:1-13. 1955. (99

PHILPOTTS, H. The effect of soil temperature on nodulation of cowpeas (*Vigna sinensis*). Australian Journal of Experimental Agriculture and Animal Husbandry 7(27):372-376. 1967. (100

RAO, P.S., PATEL, G.J. y MISTRY, P. D. Effect of interaction of temperature and photoperiod on flower initiation in cowpea (*Vigna sinensis* (L.) Savi ex Hassk.). Indian Journal of Agricultural Science 42(2):109-111. 1972. (101

SIEV, D. y KATZ, H. Soil moisture and deficient iron uptake by cowpeas (En hebreo). Hassadeh 33:318-319. 1953. (102

SILL, W. H. The effect of temperature upon the local lesion response of cowpea inoculated with cucumber virus I. Kansas Academy of Sciences. Transactions 58:328-329. 1955. (103

VISSER, J. H. Root exudates of *Eragrostis curvula* as an ecological factor. In International Grassland Congress, 9th, Sao Paulo, Brazil, 1965. 5p. (104

YARWOOD, C. E. Translocated heat injury. Plant Physiology 36(6): 721-726. 1961. (105

_____. Acquired tolerance of leaves to heat. Science 134(3483):941-942. 1961. (106

Fisiología

Fotosíntesis, Fotoperíodo, Respiración, Transpiración y Metabolismo (Photosynthesis, Photoperiod, Respiration, Transpiration, and Metabolism)

ALLEN, T.J. The effect of 2,4-dichlorophenoxyacetic acid on the activity of phosphofructokinase in *Vigna unguiculata* (L.) Walp. leaf tissue. Ph.D. Thesis. College Station, Texas Agricultural and Mechanical University, 1969. 65 p. (107

BRANTLEY, B. B. Responses of southern pea to photoperiod and nitrogen. American Society for Horticultural Science. Proceedings 85:409-413. 1964. (108

CHATTERJEE, S.K., DAS, H.K. y ROY, S.C. Deoxyribonucleic acid and the synthesis of protein in plant mitochondria. IV. Biochimica et Biophysica Acta 114(2):349-354. 1966. (109

DAS, H. H. y ROY, S. C. Oxidation of some intermediates of the tricarboxylic acid cycle by a mitochondrial preparation from the germinating *Vigna sinensis*. Science and Culture 25(5):317-318. 1959. (110

_____, BANERJEE, A.K. y ROY, S. C. Tricarboxylic acid-cycle activity in mitochondria from *Vigna sinensis*. Biochimica et Biophysica Acta 65(3):434-442. 1962. (111

DAS, H. H. y MUKHERJEE, P. Protein synthesis in plant mitochondria. III. Characterization of mitochondria and the microsomal fraction of the seedlings of *Vigna sinensis*. Biochimica et Biophysica Acta 93(2): 304-310. 1964. (112

DOKU, E. V. Effect of day-length and water on nodulation of cowpea (*Vigna unguiculata* (L.) Walp.) in Ghana. Experimental Agriculture 6(1):13-18. 1970. (113

EZEDINMA, F.O.C. The distribution of dry weight changes among short components of semi-upright cowpeas (*Vigna unguiculata* (L.) Walp.) during vegetative development. Horticultural Research 6(2):91-99. 1966. (114

HEGWOOD, D.A. y HAMMETT, H.L. The effect of photoperiod upon the vegetative and reproductive phases of the southern pea (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 78:385-392. 1961. (115

KHATRI, H. L. y CHENULU, V. V. Metabolism of resistant and susceptible cowpea varieties infected with cowpea mosaic virus. II. Changes in peroxidase and catalase enzyme activity. Indian Phytopathology 23(3):553-557. 1970. (116

KLIMENKOV, V.G., BEREZOVIKOV, A. D. y LEONOV, G.B. Change in the composition of proteins in ripening seeds of lentil, cowpea, and chickpeas. Biokhimiya 29(4):596-601. 1964. (Translation 14971) (117

KNAPP, F. W. Studies of southern pea lipoxidase. Florida State Horticultural Society. Proceedings 77: 262-266. 1965. (118

LOPEZ, A., BOCKLET, M. F. y WOOD, C.B. Catalase and peroxidase activity in raw and blanched southern peas, *Vigna sinensis*. Food Research 24(5):548-551. 1959. (119

MARSH JUNIOR, H.V., EVANS, H. J. y MATRONE, G. Investigations of the role of iron in chlorophyll metabolism. I. Effect of iron deficiency on chlorophyll and heme content and on the activities of certain enzymes in leaves. Plant Physiology 38: 632-638. 1963. (120

MARSH JUNIOR, H. V., EVANS, H. J. y MATRONE, G. Investigations of the role of iron chlorophyll metabolism. II. Effect of iron deficiency on chlorophyll synthesis. Plant Physiology 38:638-642. 1963. (121

MATSUOKA, K. y KAWAKAMI, M. Studies on the leguminous crops introduced from tropical and subtropical regions. II. On the photoperiodic responses of genus *Vigna*. Japanese Journal of Tropical Agriculture 10(2):98-101. 1966. (122

MISHRA, D. y MOHANTY, B. A survey of the inhibitors of the cowpea leaf phosphatase. Turrialba (Costa Rica) 17(2):179-181. 1967. (123

_____. y MOHANTY, B. Diurnal variation of the acid phosphatase activity in the leaves of cowpea (*Vigna catjang*). Planta 75(3):239-242. 1967. (124

NAGANNA, B. et al. Occurrence of alkaline pyrophosphatase in vegetable tissues. Biochemical Journal 50(2):224-225. 1955. (125

NJOKU, E. The photoperiodic response of some Nigerian plants. Journal of the West African Scientific Association 4(2):99-111. 1958. (126

OHMACHI, K., TANIGUCHI, S. y EGAMI, F. The soluble and cytochrome-lacking nitrate reducing system in germinating cotyledons of bean seed embryos, *Vigna sesquipedalis*. Journal of Biochemistry 46(7):911-915. 1959. (127

OOTA, Y. y TAKATA, K. Changes in microsomal ribonucleoproteins in the time course of the germination stage as revealed by electrophoresis. Physiologia Plantarum 12(3): 518-525. 1959. (128

PETRUSHENKO, O.P. y SAEVICH, L. F. Synthesis of biologically active substances by nodule bacteria and the enzymatic activity of plants (En ruso). Uzbek. Biol. Zh. no. 1: 20-24. 1968. (129

RAO, P.S., PATEL, G.J. y MISTRY, P.D. Effect of interaction of temperature and photoperiod on flower initiation in cowpea (*Vigna sinensis* (L.) Savi ex Hassk.). Indian Journal of Agricultural Science 42(2):109-111. 1972. (130

RIMIKHANOV, A. A. The effect of reduced day-length on cowpea and *Phaseolus mungo* grown in the Karabackh plains, Azerbaidzhan SSR. (En ruso). Sb. Trud. Aspir. molod. Nauch. Sotr., Vses. Inst. Rasteniev. 8(12):171-176. 1967. (131

ROBERTS JUNIOR, H. y MENZEL, R. G. Availability of exchangeable and non-exchangeable strontium-90 to plants. Journal of Agricultural and Food Chemistry 9(2):95-98. 1961. (132

SCHOCH, P.G. y SANTOS CANDELARIO, L. Influencia de la sombra sobre el crecimiento y la productividad de las hojas de *Vigna sinensis* L. Turrialba (Costa Rica) 1973. (En preparación) (133

SUGIURA, M. y SUNOBE, Y. Phosphorus compounds and phytase in germinating bean, *Vigna sesquipedalis*. Botanical Magazine 75(884):63-71. 1962. (134

TAKAOKI, T. A simple volumetric method for measuring photosynthesis and respiration rates in higher plants. II. Botanical Magazine 82(972): 244-252. 1969. (135

TEWARI, G. P. A field study to investigate the photoperiodic response of three cowpea (*Vigna sinensis* L.) varieties in relation to flowers formation and grains yield. Journal of the West African Scientific Association 7(2):138-144. 1963. (136

WIENK, J. F. Photoperiodic effects in *Vigna unguiculata* (L.) Walp. Wageningen. Landbouwhogeschool. Mededelingen 63(3):1-82. 1963. (137

Fisiología

Nodulación (Nodulation)

ALLEN, E. K. Pseudonodulation of leguminous plants induced by 2-bromo-3,5-dichlorobenzoic acid. American Journal of Botany 40(6): 429-435. 1953. (138

BHIDE, V. P. Cross inoculation studies with some Rhizobia of the cowpea group. Indian Phytopathology 9(2): 198-201. 1956. (139

BURTON, J. C. Host specificity among certain plants in the cowpea cross-inoculation group. Proceedings of the Soil Science Society of America 16(4):356-358. 1952. (140

_____. Selection, propagation, and practical use of rhizobial cultures in the US. Recent Advances in Botany 1:596-600. 1961. (141

CLOONAN, M. J. y VINCENT, M. J. The nodulation of annual summer legumes sown on the far north coast of New South Wales. Australian Journal of Experimental Agriculture and Animal Husbandry 7(25):181-189. 1967. (142

CROFTS, F. C. y JENKINS, H.V. Root-nodule bacteria for cowpeas on the Red River basaltic soils of the Richmond River district of New South Wales. Journal of the Australian Institute of Agricultural Sciences 20(4):257-258. 1954. (143

DART, P.J. y MERCER, F.V. Effect of growth temperature, level of ammonium nitrate, and light intensity on the growth and nodulation of cowpea (*Vigna sinensis* Endl. ex Hassk.). Australian Journal of Agricultural Research 16(3):321-345. 1965. (144

_____. y MERCER, F.V. Fine structure of bacteroids (Rhizobium) in root nodules of *Vigna sinensis*, *Acacia longifolia*, *Viminaria juncea*, and *Lupinus angustifolius*. Journal of Bacteriology 91(3):1314-1319. 1966. (145

_____. y WILDON, D. C. Nodulation and nitrogen fixation by *Vigna sinensis* and *Vicia atropurpurea*; influence of concentration, form, and site of application of combined nitrogen. Australian Journal of Agricultural Research 21:45-56. 1970. (146

DAY, J.M. y DART, P. J. Temperature, nodulation and N fixation. In Rothamsted Experiment Station. Report for 1969. Harpenden, England, 1970. pt. 1, pp. 104-105. (147

DIATLOFF, A. Effect of soil moisture fluctuations on legume nodulation and nitrogen fixation in a black earth soil. Queensland Journal of Agricultural and Animal Science 24(3-4):315-321. 1967. (148

DOKU, E. V. Host specificity among five species in cowpea cross-inoculation group. Plant and Soil 30(1): 126-128. 1969. (149

_____. Effect of day-length and water on nodulation of cowpea (*Vigna unguiculata* (L.) Walp.) in Ghana. Experimental Agriculture 6(1):13-18. 1970. (150

_____. Effect of selfing and subsequent hybridization on nodulation of cowpea (*Vigna unguiculata* (L.) Walp.). Ghana Journal of Agricultural Science 5(2):145-149. 1970. (151

DOROSINSKII, L. M. y LAZAREVA, N. M. The activity and survival of nodule bacteria and their specificity to leguminous species. In USSR. Academy of Sciences. Institute of Microbiology. Symbiotically fixed nitrogen and its role in agriculture. Moscow, Nauka, 1967. pp. 88-95. (152

EFFECT OF sulphur application on nodule formation in legumes (cowpeas, peas, peanuts). Agricultural and Agro-Industrial Journal 5(1):11-12. 1972. (153

EZEDINMA, F.O.C. Effects of inoculation with local isolates of cowpea Rhizobium and application of nitrate-nitrogen on the development of cowpeas. Tropical Agriculture (Trinidad) 41(3):243-249. 1964. (154

_____. Notes on the distribution and effectiveness of cowpea Rhizobium in Nigerian soils. Plant and Soil 21(1):134-136. 1964. (155

GALLI, F. Inoculações cruzadas com bactérias dos nódulos de leguminosas tropicais. Revista de Agricultura (Brasil) 33(3):139-150. 1958. (156

GARGANTINI, H. y WUTKE, A. C. P. Fixação do nitrogênio do ar pelas bactérias que vivem associadas as raízes do feijão de porco e do feijão baiano. Bragantia (Brasil) 19(40):639-652. 1960. (157

HABISH, H.A. y KHAIRI, S.M. Nodulation of legumes in the Sudan: cross-inoculation groups and the associated rhizobium strains. Experimental Agriculture 4(3):227-234. 1968. (158

HALSEY, L. H. Influence of nitrogen fertilization and seed inoculation levels on yields of southern peas. American Society for Horticultural Science. Proceedings 75:517-520. 1960. (159

HAMDI, Y.A. y TEWFIK, M.S. Effect of the herbicide Trifluralin and nitrogen fixation in rhizobium and azotobacter and on nitrification. Acta Microbiologica Polonica BI(18):53-57. 1969. (160

ISWARAN, V., KAVIMANDAN, S. K. y KAMATH, M.B. Response of inoculated and uninoculated legumes to application of phosphate. Current Science 38(10):251-252. 1969. (161

IVANOFF, S. S. Chlorosis and nodulation of cowpeas as affected by trial sulphur applications to calcareous soil in the greenhouse. Plant Physiology 23:162-164. 1948. (162

KONDE, B.K. y MONIZ, L. Morphological and biochemical characteristics and nitrogen fixing ability of strains of nodule bacteria from wal (*Dolichos lablab* L.) and methi (*Trigonella foenumgraecum* L.). Indian Journal of Microbiology 7(4):112-118. 1967. (163

Incluye *Vigna sp.*

McKNIGHT, T. Efficiency of isolates of Rhizobium in the cowpea (*Vigna unguiculata*) group, with proposed additions to this group. Queensland Journal of Agricultural Science 6:61-76. 1949. (164

MASEFIELD, G. B. The nodulation of annual leguminous crops in Malaya. Empire Journal of Experimental Agriculture 25(98):137-150. 1957. (165

MISHRA, D. y MOHANTY, B. External effect of indolyl-3-acetic acid, benzimidazole and B-nine on nodulation of cowpea. Nature 214(5085): 320-321. 1967. (166

MOURSI, A. The use of dyes in a selective medium for counting rhizobia. Agricultural Research Review (Egipto) 46(2):29-34. 1968. (167

PATE, J.S. y DART, P.J. Nodulation studies in legumes. IV. The influence of inoculum strain and time of application of ammonium nitrate on symbiotic response. Plant and Soil 15(4):329-346. 1961. (168

PETRUSHENKO, O. P. y SAEVICH, L. F. Synthesis of biologically active substances by nodule bacteria and the enzymatic activity of plants (En ruso). Uzbek. Biol. Zh. no. 1: 20-24. 1968. (169

PHILPOTTS, H. The effect of soil temperature on nodulation of cowpeas (*Vigna sinensis*). Australian Journal of Experimental Agriculture and Animal Husbandry 7(27):372-376. 1967. (170

ROTHSCHILD, D.I. DE. Anatomy of the root nodule of some cultivated legumes (En español). Revista del Instituto Municipal de Botánica de Buenos Aires (Argentina) 3(1):1-32. 1963. (171

SIDHU, G.S., SINGH, N. y SINGH, R. Symbiotic nitrogen fixation by some summer (kharif) legumes of Punjab. I. Role of leghaemoglobin in nitrogen fixation. Journal of Research. Punjab Agricultural University 4(2):244-248. 1967. (172

SINGH, R., SINGH, N. y SIDHU, G. S. Symbiotic nitrogen fixation by some summer (kharif) legumes of Punjab. II. Effect of phosphate on nitrogen fixation. Journal of Research of the Punjab Agricultural University 5(1):88-94. 1968. (173

SUBRA-RAO, N. S. y SARMA, K. S. B. Pectin methyl esterase activity of root exudates of legumes in relation to rhizobia. Plant and Soil 28(3):407-412. 1968. (174

TAYLOR, H. M. y GARDNER, H. R. Relative penetrating ability of different plant roots. Agronomy Journal 52(10):579-581. 1960. (175

TEWARI, G. P. Note on a preliminary investigation of the efficiency of two introduced strains of cowpea rhizobium in the nodulation of a local cowpea variety at Ibadan, Western Nigeria. Empire Journal of Experimental Agriculture 30(118): 155-158. 1962. (176

_____. Effects of nitrogen, phosphorus and potassium on nodulation in cowpea. Experimental Agriculture 1(4):257-259. 1965. (177

_____. Effect of planting-date on nodulation and dry-matter yield of cowpea in Nigeria. Experimental Agriculture 2(1):45-47. 1966. (178

UEDA, H. y OYAMA, K. Studies on nodule bacteria of leguminous plants in a sand dune. I. Some conditions on the nodule formation of *Vigna* plants (En japonés). Proceedings of the Crop Science Society of Japan 28(2):247-249. 1959. (179

Sumario en inglés

Fisiología

Nutrición mineral (Mineral nutrition)

Véase también: Absorción y Traslado

See also: Absorption and Translocation

AGBOOLA, A. A. y FAYEMI, A. A. A. Fixation and excretion of nitrogen by tropical legumes (Calopo, cowpeas, mung beans). Agronomy Journal 64(4):409-412. 1972. (180

BAJPAI, P. N. y SINGH, M. Soyabean and cowpea in sand culture. Indian Journal of Horticulture 15(2):76-79. 1958. (181

BINGHAM, F. T. et al. Solution-culture studies of nitrite toxicity to plants. Soil Science Society of America. Proceedings 18(3):305-308. 1954. (182

BRANTLEY, B. B. Responses of southern pea to photoperiod and nitrogen. American Society for Horticultural Science. Proceedings 85:409-413. 1964. (183

DART, P.J. y MERCER, F. V. Effect of growth temperature,level of ammonium nitrate, and light intensity on the growth and nodulation of cowpea (*Vigna sinensis* Endl. ex Hassk.). Australian Journal of Agricultural Research 16(3):321-345. 1965. (184

_____. y WILDON, D. C. Nodulation and nitrogen fixation by *Vigna sinensis* and *Vicia atropurpurea*; influence of concentration, form, and site of application of combined nitrogen. Australian Journal of Agricultural Research 21:45-56. 1970. (185

FUKUI, H., MOTOYAMA, E. y KUBOTA, S. An experiment on the basic exchange capacity, and selective absorption of base, of forage crop root (En japonés). Shikoku Agricultural Experiment Station. Bulletin no. 10. 1964. pp. 123-128. (186

Sumario en inglés

GARG, K.P., SHARMA, A.K. y THAKUR, B.S. Studies on effect of different rates of phosphorus and molybdenum on growth and yield of cowpea fodder and residual effect on wheat. Indian Journal of Agronomy 16(2): 185-188. 1971. (187

HALSEY, L. H. Influence of nitrogen fertilization and seed inoculation levels on yields of southern peas (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 75:517-520. 1960. (188

HEIMANN, H. y RATNER, R. Experiments on the basis of the principle of the "balance of ionic environment" (field experiments with groundnuts and cowpeas). Monograph Biology 16:283-293. 1966. (189

HIPP, B. W. y COWLEY, W. R. Influence of 2,3,5-triiodobenzoic acid and gibberellin on growth, yield, and nutrient content of southern peas. Journal of the American Society for Horticultural Science 94:269-271. 1969. (190

IVANOFF, S. S. Chlorosis and nodulation of cowpeas as affected by trial sulphur applications to calcareous soil in the greenhouse. Plant Physiology 23:162-164. 1948. (191

JACQUINOT, L. Comparative growth and mineral nutrition of four varieties of cowpea (En francés). Agronomie Tropicale 22(6-7):575-640. 1967. (192

KRAMER, M., KOZAK, M. y LANG, I. Effect of potassium metaphosphate on the dry-matter yield and the nutrient uptake of rye seedlings, cowpea (*Vigna sinensis* L.) and tobacco plants in pot experiments. Agrokém. Talajt. 17(Suppl.):55-62. 1968. (193

KUMADA, H. The nitrate utilization in seed embryos of *Vigna sesquipedalis*. Journal of Biochemistry 40:439-450. 1953. (194

LAWTON, K. y COOK, R. L. Potassium in plant nutrition. III. Potassium deficiency symptoms. Field beans, soybeans, and cowpeas. Advances in Agronomy 6:263-264. 1954. (195

MAHAJAN, K. K. y KHANNA, S. S. Study on the recovery of added phosphorus in legume- wheat sequence. Journal of Research of the Punjab Agricultural University 5(4):545-548. 1968. (196

MEHLICH, A. y REED, J. F. Characterization of the plant factor in the cation requirement and contents of plants. Soil Science Society of America. Proceedings 14:203-208. 1948. (197

MENZEL, R. G. Competitive uptake by plants of potassium, rubidium, cesium, and calcium, strontium, barium from soils. Soil Science 77(6):419-425. 1954. (198

OMUETI, J. O. y OYENUGA, V. A. Effect of phosphorus fertilizer on the protein and the essential components of the ash of groundnuts and cowpeas. West African Journal of Biology and Applied Chemistry 13(1): 14-19. 1970. (199

PANDEY, R. M. Changes in nitrogenous fractions of certain crop plants as affected by phosphorus deficiency. Flora (Alemania) 159(4):299-306. 1968. (200

REDER, R. Effect of fertilizer and environment on the calcium, phosphorus and iron content of cowpeas. Georgia Agricultural Experiment Station. Southern Cooperative Series. Bulletin no. 4. 1946. 16 p. (201

SIEV, D. y KATZ, H. Soil moisture and deficient iron uptake by cowpeas (En hebreo). Hassadeh 33:318-319. 1953. (202

SINGH, R. M. y JAIN, T. C. Effect of phosphate and molybdate on the growth characters of Russian giant cowpea (*Vigna sinensis*). Allahabad Farmer 40(1):29-32. 1966. (203

_____. y JAIN, T. C. Effect of phosphate and molybdate on uptake of N and P by Russian giant cowpea. Annals of the Arid Zone 7(1):142-146. 1968. (204

TANAKA, S. Studies on citrus chlorosis in Japan (En japonés). Tokai-Kinki Agricultural Experiment Station. Special Bulletin no. 1. 1960. 83 p. (205

Vigna sinensis como planta indicadora de deficiencia de Zn.

TEWARI, G. P. Effects of nitrogen, phosphorus and potassium on nodulation in cowpeas. Experimental Agriculture 1(4):257-259. 1965. (206

THORNE, W. Zinc deficiency and its control. VI. Zinc toxicity. Advances in Agronomy 9:43-44. 1957. (207

cowpea p. 44.

Fisiología

Relación entre planta y agua
(Plant and water relationship)

TAKAOKI, T. Relationship between drought tolerance and aging in higher plants. II. Some enzyme activities. Botanical Magazine 81(960):297-309. 1968. (208

Fisiología

Rendimiento
Yield

GASKINS, M. H. Gibberellins and their effects on yield and quality of beans (*Phaseolus vulgaris*) and southern peas (*Vigna sinensis*). Dissertation Abstracts 19(5):927-928. 1958. (209

GULJAEV, E.I. y RONSAL', G. A. The effect of root secretions of annual legumes on the life processes of maize when these plants were grown together (En ruso). Bot. Z. 47(8): 1152-1159. 1962. (210

HIPP, B. W. y COWLEY, W. R. Influence of 2,3,5-triiodobenzoic acid and gibberellin on growth, yield and nutrient content of southern peas. Journal of the American Society for Horticultural Science 94:269-271. 1969. (211

MAHESHWARI, M. L. y RANJHAN, S. K. Yield, chemical composition and outturn of nutrients of various varieties of cowpea fodder. Indian Journal of Dairy Science 22(3):200-201. 1969. (212

OJEHOMON, O. O. Effect of continuous removal of open flowers on the seed yield of two varieties of cowpea (*Vigna unguiculata* (L.) Walp.). Journal of Agricultural Science 74(2):375-381. 1970. (213

Fisiología

Reproducción, Crecimiento y Reguladores de Crecimiento
(Reproduction, Growth and Growth Regulators)

Véase también: Anatomía y Morfología

See also: Anatomy and Morphology

ALLEN, E. K. Pseudonodulation of leguminous plants induced by 2-bromo-3,5-dichlorobenzoic acid. American Journal of Botany 40(6):429-435. 1953. (214

DART, P. J. y MERCER, F. V. The effect of growth temperature, level of ammonium nitrate, and light intensity on the growth and nodulation of cowpea (*Vigna sinensis* Endl. ex Hassk.). Australian Journal of Agricultural Research 16(3):321-345. 1965. (215

EDEY, J. M. y BYTH, D. E. The influence of 2,3,5-triiodobenzoic acid (TIBA) on vegetative and reproductive growth of legumes. Australian Journal of Experimental Agriculture and Animal Husbandry 10(47):732-739. 1970. (216

EZEDINMA, F.O.C. Some effects of removal of axillary branches on semi-upright cowpeas (*Vigna unguiculata* (L.) Walp.). Horticultural Research 5(2): 113-121. 1965. (217

_____. The influence of seed size and fertilizer on the development and yield of cowpea (*Vigna sinensis* Endl.). Nigeria Agricultural Journal 2(2):75-79. 1965. (218

EZEDINMA, F.O.C. The distribution of dry weight changes among shoot components of semi-upright cowpeas (*Vigna unguiculata* (L.) Walp.) during vegetative development. Horticultural Research 6(2):91-99. 1966. (219

_____. Seasonal variations in the growth of cowpea (*Vigna unguiculata* (L.) Walp.) seedlings in the humid tropical environment of southern Nigeria. Journal of the West African Scientific Association 12(1): 45-49. 1967. (220

GASKINS, M. H. Gibberellins and their effects on yield and quality of beans (*Phaseolus vulgaris*) and southern peas (*Vigna sinensis*). Dissertation Abstracts 19(5):927-928. 1958. (221

HENDRICKSEN, R. E. Effect of stage and intensity of defoliation on the growth of cowpea. Queensland Journal of Agricultural and Animal Science 22(3):343-345. 1965. (222

HIPP, B. W. y COWLEY, W. R. Influence of 2,3,5-triiodobenzoic acid, gibberellin and row spacing on yield and growth parameters of southern peas. HortScience 4(4):307-308. 1969. (223

_____. y COWLEY, W. R. Influence of 2,3,5-triiodobenzoic acid and gibberellin on growth, yield and nutrient content of southern peas. Journal of the American Society for Horticultural Science 94:269-271. 1969. (224

INDIRA, P. y RAMADASAN, A. Shoot formation from the callus tissue of hormone-treated cowpea leaves. Current Science 36(22):616-617. 1967. (225

JACQUINOT, L. Comparative growth and mineral nutrition of four varieties of cowpeas (*Vigna unguiculata* Walp.) (En francés). Agronomie Tropicale 22(6-7):575-640. 1967. (226

JORDAN MOLERO, F. y BLACKHURST, H. T. The effect of maleic hydrazide on controlling apical dominance in southern peas, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 67:416-420. 1956. (227

KARAS, J. G. Some aspects of growth regulator application to plants of *Zinnia elegans* and *Vigna sinensis* inoculated with tobacco ringspot virus. Dissertation Abstracts 23(5):1479-1480. 1962. (228

MEISSNER, R. Sobre la formación de una materia en las raíces del huésped que estimula la germinación, del parásito de raíces *Alectra vogelii* Benth. (En alemán). Phyton (Argentina) 3:90-94. 1951. (229

caupí usado como planta huésped

MISHRA, D. y MOHANTY, S. K. A note on the response of crop seeds to presowing treatment with B-nine. Tropical Agriculture (Trinidad) 43(4):347-349. 1966. (230

_____. y MOHANTY, B. External effect of indolyl-3-acetic acid, benzimidazole and B-nine on nodulation of cowpea. Nature 214(5085):320-321. 1967. (231

_____. y MOHANTY, B. B-nine reversal of benzimidazole - or IAA-induced inhibition of growth and yield of cowpea plants. Journal of Experimental Botany 19(60):567-574. 1968. (232

_____. y MISHRA, B. Effect of growth regulating chemicals on degradation of chlorophyll and starch in detached leaves of crop plants. Z. Pflanzenphysiologie 58(3):209-211. 1968. (233

MORGAN, P. W. y GAUSMAN, H. W. Effects of ethylene on auxin transport. Plant Physiology 41(1):45-52. 1966. (234

NJOKU, E. An analysis of plant growth in some West African species. I. Growth in full daylight. Journal of the West African Scientific Association 5(1):37-56. 1959. (235

_____. An analysis of plant growth in some West African species. II. The effects of shading. Journal of the West African Scientific Association 6(1):1-17. 1960 (236

OJEHOMON, O. O. A comparison of the vegetative growth, development and seed yield of three varieties of cowpea, *Vigna unguiculata* (L.) Walp. Journal of Agricultural Science 74(2):363-374. 1970. (237

_____. y SANYAOLU, M. O. Ovule formation, and embryo development in persisting and abortive fruits of cowpea, *Vigna unguiculata* (L.) Walp. Nigerian Journal of Science 4(1):31-40. 1970. (238

_____. Fruit abscission in cowpea, *Vigna unguiculata* (L.) Walp. I. Distribution of IAC (carbon)-assimilates in inflorescence, and comparative growth of ovaries from persisting and abscissing open flowers. Journal of Experimental Botany 23(76):751-759,761. 1972. (239

REID, M. E. Relation of vitamin C to cell size on the growing region of the primary root of cowpea seedlings. American Journal of Botany 28:410-415. 1941. (240

RUTLEDGE, A. D., GOWDA, P.M. y SWINGLE, H. D. Influence of Ethrel on yield, maturity, and shelling percentage of southern peas. Tennessee Farm and Home Science. Progress Report no. 73:18-19. 1970. (241

SAMBANDAM, R., RAJAGOPALAN, C. K. y DEVAKUMAR, J. P. A note on the quality of pods in vegetable cowpea. Madras Agricultural Journal 52(1):35-36. 1965. (242

SETHURAJ, M. R. Differential response of two varieties of cowpea (*Vigna sinensis* Endl.) to GA (gibberellic acid) and IAA (indoleacetic acid). Current Science 34(21):615-616. 1965. (243

STEWART, F. B. y REED, M. Effect of fertilization on yield, growth and mineral composition of southern peas. Journal of the American Society for Horticultural Science 94:258-260. 1969. (244

SUGIURA, M. y SUNOBE, Y. Phosphorus compounds and phytase in germinating bean, *Vigna sesquipedalis*. Botanical Magazine 75(884):63-71. 1962. (245

TERADA, S. Effect of method of applying organic matter on soil environment and plant growth in the Amazon region. Japanese Journal of Tropical Agriculture 15(1):11-19. 1971. (246

UPRETY, D. C. Effect of gamma irradiation on growth and development of *Vigna unguiculata* L. (Walp.) var. *phalguni*. Indian Journal of Agronomy 13(3):177-180. 1968. (247

CITOGENETICA, GENETICA Y MEJORAMIENTO (CYTOGENETICS, GENETICS, AND BREEDING)

Citogenética y Genética (Cytogenetics and Genetics)

ACOSTA, J. C. y PETRACHE, M. L. The transfer of the bushy character from cowpea (*Vigna sinensis* (L.) Savi) to sitao (*Vigna sesquipedalis* Fruw.). Philippine Agriculturist 43(9):535-547. 1960. (248

BALLON, F. B. y YORK, T. L. Crossing the common and scarlet bean (*Phaseolus spp.*) with *Vigna* species. Philippine Agriculturist 42(10): 454-455. 1959. (249

BANERJEE, S. N. y DATTA, R. M. Genesis of embryosac in *Vigna catjang* Endl. Indian Agriculture 4(2):90-94. 1960. (250

BLISS, F. A. y ROBERTSON, D. G. Genetics of host reaction in cowpea to cowpea yellow mosaic virus and cowpea mottle virus. Crop Science 11(2):258-262. 1971. (251

BRITTINGHAM, W. H. The inheritance of date of pod maturity, pod length, seed shape and seed size in the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 56:381-388. 1950. (252

BURNS, E. E. y WINZER, J. W. Pigment characteristics of the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 80:449-456. 1962. (253

CAPINPIN, J. M. e IRABAGON, T. A. A genetic study of pod and seed characters in *Vigna*. Philippine Agriculturist 33:263-277. 1950. (254

CIZEK, J., GIKIC, M. y PUCARIC, A. Analysis of some factors which affect formation of yields of different varieties of cowpeas (Se). Agron. Glas. 15(5-6):321-340. 1965. (255

CONSTANTIN, M. J. y LOVE, J. E. Seedling responses of *Vigna sinensis* (L.) Savi to gamma and neutron seed irradiation. Radiation Botany 7(6):497-506. 1967. (256

DeZEEUW, D. J. y BALLARD, J. C. Inheritance in cowpea of resistance to tobacco ringspot virus. Phytopathology 49(6):332-334. 1959. (257

_____. y CRUM, R. A. Inheritance of resistance to tobacco ringspot and cucumber mosaic viruses in black cowpea crosses. Phytopathology 53(3):337-340. 1963. (258

DOKU, E. V. Variability in local and exotic varieties of cowpea (*Vigna unguiculata* (L.) Walp.) in Ghana. Ghana Journal of Agricultural Science 5(2):139-143. 1970. (259

EZEDINMA, F.O.C. Some studies on the vegetative and reproductive patterns in cowpea (*Vigna unguiculata* (L.) Walp.) in Southern Nigeria. Nigeria Agricultural Journal 21:32-34. 1965. (260

FARIS, D. G. The chromosome number of *Vigna sinensis* (L.) Savi. Canadian Journal of Genetics and Cytology 6(3):255-258. 1964. (261

_____. Origin and evolution of the cultivated forms of *Vigna sinensis*. Canadian Journal of Genetics and Cytology 7:433-452. 1965. (262

FLORESCA, E.T., CAPINPIN, J. M. y PANCHO, J. V. A cytogenetic study of bush sitao and its parental types. Philippine Agriculturist 44(6):290-298. 1960. (263

FRAHM-LELIVELD, J. A. Cytological data on some wild tropical *Vigna* species and cultivars from cowpea and asparagus bean. Euphytica 14(3):251-270. 1965. (264

HIDAKA, Z. e ITO, T. Some characters of cowpea mosaic virus (En japonés). Kyushu Association of Plant Protection. Proceedings 15:54-56. 1969. (265

HOTTA, Y. Morphogenetical studies in *Vigna sesquipedalis*. II. Roles of the cotyledon in the morphological differentiation of bean seedlings. (En japonés). Botanical Magazine 70(833-834):383-390. 1957. (266

Sumario en inglés

KHERADNAM, M. y NIKNEJAD, M. Combining ability in cowpeas (*Vigna sinensis* L.). Zeitschrift für Pflanzenzüchtung 66(4):312-316. 1971. (267

LEFEBVRE, C. L. y SHERWIN, H. S. Inheritance of resistance to bacterial canker (*Xanthomonas vignicola*) in cowpea, *Vigna sinensis*. (Abs.) Phytopathology 40:17-18. 1950. (268

LIGON, L. L. Characteristics of cowpea varieties (*Vigna sinensis*). Oklahoma Agricultural Experiment Sta. Bulletin B-518. 1958. 47 p. (269

MEHNDIRATTA, P. D. y SINGH, K. B. Genetic diversity in respect of grain yield and its components in cowpea germplasm from Punjab. Indian Journal of Genetics and Plant Breeding 31(2):388-392. 1971. (270

MEHRA, K. L., SINGH, C.B. y KOHLI, K.S. Phenotypic diversity and breeding of forage cowpea. In International Grassland Congress, 11th, Surfers Paradise, 1970. Proceedings. Jhansi, India, 1970. pp. 293-296. (271

MORTENSEN, J.A. y BRITTINGHAM, W. H. The inheritance of pod color in the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 59:451-456. 1952. (272

OJOMO, O. A. Pollination, fertilization, and fruiting characteristics of cowpeas (*Vigna unguiculata* (L.) Walp.). Ghana Journal of Science 10(1):33-37. 1970. (273

_____. Inheritance of seed coat thickness in cowpeas. Journal of Heredity 63(3):147-149. 1972. (274

PREMSEKAR, S. A case of chimera in cowpea (*Vigna sinensis* L.). Madras Agricultural Journal 49(1):32-33. 1962. (275

REEDER, B.D., NORTON, J.D. y CHAMBLISS, O. L. Inheritance of bean yellow mosaic virus resistance in southern pea, *Vigna sinensis* (Torner) S. Journal of the American Society for Horticultural Science 97(2):235-237. 1972. (276

ROMERO CREDES, J. L. Estudio de algunas características cualitativas y cuantitativas del frijol (*Vigna sinensis* Endl.). Tesis Ing. Agr. Maracaibo, Venezuela, Universidad del Zulia, Facultad de Agronomía, 1967. 18 p. (277

ROY, R. S. y RICHARIA, R. H. Breeding and inheritance studies on cowpea, *Vigna sinensis*. Journal of the American Society of Agronomy 40:479-489. 1948. (278

SAUNDERS, A. R. Complementary lethal genes in the cowpea. South African Journal of Science 48:195-197. 1952. (279

_____. Inheritance in the cowpea (*Vigna sinensis* Endl.). I. Colour of the seed coat. South African Journal of Agricultural Science 2(3):285-307. 1959. (280

_____. Inheritance in the cowpea (*Vigna sinensis* Endl.). II. South African Journal of Agricultural Science 3(2):141-162. 1960. (281

_____. Inheritance in the cowpea (*Vigna sinensis* Endl.). III. Mutations and linkages. South African Journal of Agricultural Science 3(3):327-347. 1960. (282

SEN, N. K. y BHOWAL, J. G. Colchicine-induced tetraploids of six varieties of *Vigna sinensis*. Indian Journal of Agricultural Science 30(3): 149-161. 1960. (283

_____. y BHOWAL, J. G. Genetics of *Vigna sinensis* (L.) Savi. Genetica 32(3):247-266. 1961. (284

_____. y BHOWAL, J. G. A male-sterile mutant cowpea. Journal of Heredity 53(1):44-46. 1962. (285

SENE, D. Genetic determinism of earliness in *Vigna anguiculata* (L.) Walp.) (En francés). Agronomie Tropicale 22(3):309-318. 1967. (286

SINCLAIR, J. B. y WALKER, J. C. Inheritance of resistance to common cucumber mosaic virus in cowpea. Phytopathology 44:506. 1954. (287

SINCLAIR, J. B. y WALKER, J. C. Inheritance of resistance to cucumber mosaic virus in cowpea. Phytopathology 45:563-564. 1955. (288

SINGH, K. B. y MEHNDIRATTA, P. D. Genetic variability and correlation studies in cowpea. Indian Journal of Genetics and Plant Breeding 29(1):96-97. 1969. (289

SMITH, F. L. Inheritance of three seed-coat color genes in *Vigna sinensis* Savi. Hilgardia 24(11):279-296. 1956. (290

TER-AVANESJAN, D. V. One of the causes of mutation in cotton. Doklady Vsesojuz. Akad. S.-H. Nauk no. 1: 23-25. 1949. (291

UPRETY, D. C. Effect of gamma irradiation on growth and development of *Vigna unguiculata* (L.) Walp. var. *Phalguni*. Indian Journal of Agronomy 13(3):177-180. 1968. (292

YARNELL, S. H. Cytogenetics of the vegetable crops. IV. Legumes. Botanical Review 31(3):247-330. 1965. (293

Hibridación e Inducción de Mutaciones (Hybridization and Mutations Induction)

DOKU, E. V. Effects of selfing and subsequent hybridization on the nodulation of cowpea (*Vigna unguiculata* (L.) Walp.). Ghana Journal of Agricultural Science 5(2):145-149. 1970. (294

GARRISON, C. S. Technological advances in grass and legume seed production and testing. II. Insect pollination of forage legumes. Advances in Agronomy 12:41-125. 1960. (295

cowpea p. 87.

JONES, S. T. Radiation-induced mutations in southern peas. Journal of Heredity 56(6):273-276. 1965. (296

SHARMA, B. Chemically induced mutations in cowpea (*Vigna sinensis* L. Savi). Current Science 38(21):520-521. 1969. (297

Mejoramiento - Selección en General (Breeding - Selection in General)

AGUIRRE ESCOBAR, A. y PALENCIA O.,J.A. Evaluación de 35 variedades y selecciones de cowpea (*Vigna sinensis* L. Endl.) bajo las condiciones de la Estación Experimental "Sabana Grande". Agronomía (Guatemala) 2(6):27-42. 1967. (298

BOWERS, J. L. y SISTRUNK, W. A. Southern pea breeding and variety testing. Arkansas Farm Research 12(3):11. 1963. (299

_____. Breeding southern peas for mechanized harvest. Arkansas Farm Research 13(5):11. 1964. (300

FENNELL, J. L. New cowpeas resistant to mildew. Journal of Heredity 39(10):275-279. 1948. (301

También en: IICA. Reimpreso no. 28. 1948. 5 p.

HALSEY, L. H. Variety tests of commercial types and new breeding lines of southern pea. Florida State Horticultural Society. Proceedings 69:261-262. 1956. (302

HARE, W. W. Progress made in breeding disease resistant peas. Mississippi Farm Research 17(11):2,6. 1954. (303

_____. Mississippi Crowder, a new disease-resistant cowpea. Phytopathology 47(9):565-566. 1957.(304

HAWTHORNE, P. L. Breeding and improvement of edible cowpeas. American Society for Horticultural Science. Proceedings 42:562-564. 1943. (305

HORST, K. TER. Selection of pulses in Surinam. IV. *Vigna sinensis* Savi ex Hasskarl. (En holandés). Surinaamse Landbouw 10(1):19-26. 1962. (306

Sumario en inglés

JONES, S. T. Improvement of the southern pea with respect to plant characteristics, yield, and quality. Alabama Polytechnic Institute, Graduate School. Abs. Theses 49(4):119-121. 1954. (307

JONES, S. T. e ISBELL, C. L. Selection of varieties for use as parents in the breeding of the southern pea. American Society for Horticultural Science. Proceedings 67:412-415. 1956. (308

_____. Breedings southern peas for machine harvest. Highlights Agricultural Research 14(2):6. 1967. (309

KHERADNAM, M. y NIKNEJAD, M. Combining ability in cowpeas (*Vigna sinensis* L.). Zeitschrift für Pflanzenzüchtung 66(4):312-316. 1971. (310

LORZ, A. P. The development of new varieties of table legumes for production in Florida. Soil Science Society of Florida. Proceedings 13:64-70. 1953. (311

_____. Breeding objectives and the establishment of new breeding lines of southern peas. Florida State Horticultural Society. Proceedings 69:210-213. 1956. (312

_____. Breeding southern peas for processing. Florida State Horticultural Society. Proceedings 74: 282-284. 1961. (313

_____. Breeding activities concerning the improvement of cowpea varieties to supplement beans as a food crop for Central America. In Reunión Anual del Programa Cooperativo Centroamericano para el Mejoramiento de Cultivos Alimenticios, 17a, Panamá, 1971. Documento de discusión. Panamá, Ministerio de Agricultura y Ganadería, 1971. 11 p. (314

MEHRA, K.L., SINGH, C.B. y KOHLI, K. S. Phenotypic diversity and breeding of forage cowpea. In International Grassland Congress, 11th, Surfers Paradise, 1970. Proceedings. Jhansi, India, 1970. pp. 293-296. (315

PAVLOVA, A. M. Importance of *Vigna sesquipedalis* Pip. for breeding (En ruso). Trudy po Prikl. Bot. Genet. i Selek. 32(3):228-232. 1959. (316

ROY, R.S. y RICHHARIA, R.H. Breeding and inheritance studies on cowpea, *Vigna sinensis*. Journal of the American Society of Agronomy 40: 479-489. 1948. (317

SAUNDERS, A. R. y LAUBSCHER, F. X. Field experiments at Potchefstroom. A summary of investigations conducted during the period 1940-1945. South Africa. Department of Agriculture. Scientific Bulletin no. 246. 1945. 57 p. (318

SENE, D. y N'DIAYE, S. M. Work on cowpea improvement (*Vigna unguiculata*) at Bambey National Agricultural Research Center from 1959 to 1969 (En francés). Agronomie Tropicale 26(10):1031-1065. 1971. (319

SILVESTRE, P. y SOITOUT, M. Compte Rendu de la Premiere Réunion Technique sur l'Amélioration et la Production des Légumes et des Légumineuses a Graines en Afrique, Dakar, 1965. Agronomie Tropicale 20(8): 747-768. 1965. (320

cowpea pp. 749-752.

SKINNER, J. C. High yields from new cowpeas bred by Bureau. Queensland Bureau Sugar Experiment Station. Cane Growers' Quarterly Bulletin 27(1):28-30. 1963. (321

TEWARI, G. P. Note on a preliminary investigation of the efficiency of two introduced strains of a local cowpea variety at Ibadan, Western Nigeria. Empire Journal of Experimental Agriculture 30:155-158. 1962. (322

Selección para Resistencia a Enfermedades
(Breeding for Diseases Resistance)

ARMSTRONG, G. M. y ARMSTRONG, J. K. Biological races of the *Fusarium* causing wilt of cowpeas and soybeans. Phytopathology 40:181-193. 1950. (323

BARRIE, A. G. Cowpeas resistant to wilt. Queensland Bureau. Sugar Experiment Station. Cane Grower's Quarterly Bulletin 21(2):39-41. 1957. (324

DeZEEUW, D. J. y BALLARD, J. C. A test strain of black cowpea. Plant Disease Reporter 42(7):898. 1958. (325

_____. y BALLARD, J. C. Inheritance in cowpea of resistance to tobacco ringspot virus. Phytopathology 49(6):332-334. 1959. (326

DeZEEUW, D. J. y CRUM, R. A. Inheritance of resistance to tobacco ringspot and cucumber mosaic viruses in black cowpea crosses. Phytopathology 53(3):337-340. 1963. (327

ERWIN, D. C. y THOMASON, I. J. Wilt resistant blackeye beans. California Agriculture 10(5):6. 1956. (328

FENNELL, J. L. New cowpeas resistant to mildew. Journal of Heredity 39(10):275-279. 1948. (329

También en: IICA. Reimpreso no.28. 1948. 5 p.

HARE, W. W. Progress made in breeding disease resistant peas. Mississippi Farm Research 17(11):2,6. 1954. (330

_____. Resistance to *Fusarium* wilt in Brown Sugar Crowder cowpeas(Abs.) Phytopathology 45:347. 1955. (331

También en: Proceedings of the Association of Southern Agricultural Workers 52:148. 1955.

_____. Some characters identified in cowpeas segregating for resistance to *Fusarium* wilt. (Abs.) Phytopathology 46:14. 1956. (332

_____. Inheritance of resistance of *Fusarium* wilt in cowpeas. (Abs.) Phytopathology 47(5):312-313. 1957. (333

También en: Proceedings of the Association of Southern Agricultural Workers 54:219. 1957.

_____. Mississippi Crowder, a new disease-resistant cowpea. Phytopathology 47(9):565-566. 1957.(334

_____. New pea resists disease; will be easy to harvest. Mississippi Farm Research 28(12):1,4. 1965. (335

JOHNSON, P. R. y ALLEY, L. C. Texas Cream 12; a disease-resistant southern pea. Texas Agricultural Experiment Station. Progress Report no. 1555. 1953. 3 p. (336

LIGON, L. L. Cowpea variety tests in Oklahoma, 1924 to 1948: hay and seed yields, and disease resistance. Oklahoma Agricultural Experiment Station. Manuscript Report MRA-6. 1951. 3 p. (337

MILLER, A. C. et al. Lagreen, new wilt-resistant southern pea. Louisiana Agricultural Experiment Station. Circular no. 73. 1962. 4 p. (338

También en: Louisiana Agriculture 6(2):13. 1963.

PURSS, G. S. Studies on varietal resistance to stem rot (*Phytophthora vignae* Purss) in the cowpea. Queensland Journal of Agricultural Science 15(1):1-14. 1958. (339

_____. Caloona - stem rot resistant cowpea. Queensland Agricultural Journal 89(12):756-758. 1963. (340

REEDER, B.D., NORTON, J.D. y CHAMBLISS, O. L. Inheritance of bean yellow mosaic virus resistance in southern pea, *Vigna sinensis* (Torner) S. Journal of the American Society for Horticultural Science 97(2):235-237. 1972. (341

ROBERTSON, D. G. The local lesion reaction for recognizing cowpea varieties immune from and resistant to cowpea yellow mosaic virus. Phytopathology 55(8):923-925. 1965. (342

SINCLAIR, J. B. y WALKER, J. C. Inheritance of resistance to cucumber mosaic virus in cowpea. Phytopathology 45:563-564. 1955. (343

UPHOF, J. C. T. Variedades de caupí resistentes a la podredumbre de las raíces. Hacienda 37(8):326. 1942. (344

WELLS, D. G. y DEBA, R. Sources of resistance to the cowpea yellow mosaic virus. Plant Disease Reporter 45(11):878-881. 1961. (345

Selección para Resistencia a Insectos
(Breeding for Resistance to Insects)

CHANDOLA, R.P., TREHAN, K. B. y BAGRECHA, L. R. Varietal resistance to *Bruchus sp.* in cowpea (*Vigna sinensis*) under storage conditions. Current Science 38(15):370-371. 1969. (346

TODD, J. W. y CANERDAY, T. D. Resistance of southern peas to the cowpea curculio (*Chalcodermus aeneus*). Journal of Economic Entomology 61(5): 1327-1329. 1968. (347

WOLFENBARGER, D. y SLEESMAN, J. P. Resistance to the Mexican bean beetle (*Epilachna varivestis*) in several bean genera and species. Journal of Economic Entomology 54(5):1018-1022. 1961. (348

_____. y SLEESMAN, J. P. Resistance to the potato leafhopper (*Empoasca fabae*) in lima beans lines, interspecific *Phaseolus* crosses, *Phaseolus spp.*, the cowpea, and the Bonavist bean (*Dolichos lablab*). Journal of Economic Entomology 54(6): 1077-1079. 1961. (349

Selección para Resistencia a Nemátodos
(Breeding for Resistance to Nematodes)

HARE, W. W. Resistance to root-knot nematodes (*Meloidogyne spp.*) in cowpea (Abst.). Phytopathology 49(5):318. 1959. (350

También en: Proceedings of the Association of Southern Agricultural Workers 56:205. 1959.

SMITH, F. L. Better blackeyes coming; new "iron strains" herald varieties resistant to nematodes and cowpea wilt. Southern Seedsman 11(7):16, 42. 1948. (351

VARIEDADES - DESCRIPCION Y PRUEBAS DE RENDIMIENTO
(VARIETIES - DESCRIPTION AND YIELD TESTS)

AGUIRRE ESCOBAR, A. Evaluación de 35 variedades de cowpea (*Vigna sinensis* L. Endl.) bajo las condiciones de la Estación Experimental Agrícola 'Sabana Grande'. Tesis Ing. Agr. Guatemala, Universidad Autónoma de San Carlos, 1967. 40 p. (352

_____. y PALENCIA O., J. A. Evaluación de 35 variedades y selecciones de cowpea (*Vigna sinensis* L. Endl.) bajo las condiciones de la Estación Experimental Agrícola 'Sabana Grande'. Agronomía (Guatemala) 2(6): 27-42. 1967. (353

ALMESTAR SAAVEDRA, A. Comparativo de variedades de frijol caupí (*Vigna sinensis* L.) en la zona de El Tablazo de la irrigación y colonización San Lorenzo. Tesis Ing. Agr. Piura, Perú, Universidad Técnica, Facultad de Agronomía, 1967. 72 p. (354

BAIRD, E. W. The commercial production of green manure seed in the Cairns hinterland. Queensland Agricultural Journal 71:143-153. 1950. (355

BARRIE, A. G. Notes on new cowpea varieties. Queensland Society of Sugar Cane Technologists. Proceedings 28:195-201. 1961. (356

BARRIOS G., A. El cultivo de la variedad de frijol "Arauca". Maracay, Venezuela. Centro de Investigaciones Agronómicas. Circular no. 7. 1963. 11 p. (357

BLACKHURST, H. T. y PATERSON, D. R. Influence of variety, fertilizers, and irrigation on southern peas (*Vigna sinensis*) in Texas. (Abs.) Proceedings of the Association of Southern Agricultural Workers 55: 145. 1958. (358

BOWERS, J. L. y SISTRUNK, W. A. Southern pea breeding and variety testing. Arkansas Farm Research 12(3): 11. 1963. (359

_____. Crimson - a new southern pea. Arkansas Farm Research 14(1):12. 1965. (360

_____. Mekan - a southern pea for machine harvest. Arkansas Farm Research 16(3):3. 1967. (361

BRANTLEY, B. B. y DEMPSEY, A. H. Southern pea varieties for middle Georgia. Georgia Agricultural Experiment Station. Mimeograph Series no. 7. 1955. 10 p. (362

_____. Southern pea variety trials. Georgia Agricultural Experiment Station. Leaflet (n.s.) no. 34. 1962. 7 p. (363

_____. Dixiecream; a new southern pea for processing. Georgia Agricultural Experiment Station. Leaflet no. 45. 1965. 2 p. (364

BRITTINGHAM, W. H. A key to the horticultural groups of varieties of the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 48:478-480. 1946. (365

_____. Variety tests of edible cowpeas. Texas Agricultural Experiment Station. Progress Report no. 955. 1945. 3 p. (366

_____. Extra early blackeye - a reintroduced variety of southern pea. Texas Agricultural Experiment Station. Progress Report no. 1314. 1951. 3 p. (367

_____. Purple Hull no. 49, a new variety of southern pea. Texas Agricultural Experiment Station. Progress Report no. 1313. 1951. 5 p. (368

_____. y MORTENSEN, J. A. Varietal differences in shellout percentages in the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 58:257-262. 1951. (369

BRYSSINE, P. Behavior of varieties of *Vigna sinensis* Savi and possibilities of its culture in Morocco (En francés). Awamia no. 3:1-56. 1962. (370

BURGUNDY; a new purple hull southern pea. Texas Agricultural Experiment Station. Leaflet no. 580. 1962. 3 p. (371

BUZACOTT, J. H. Meringa cowpea - a new legume. Queensland Bureau. Sugar Experiment Station. Cane Growers' Quarterly Bulletin 27(4):119. 1964. (372

_____. Mulgrave cowpea. Queensland Bureau Sugar Experiment Station. Cane Growers' Quarterly Bulletin 29(2):60. 1965. (373

COPELAND, I. G. Are cowpeas in step with today's agriculture. In Southern Seedsmens Association. Proceedings. Report of the 47th Annual Convention, 1966? pp. 83-86. (374

CORLEY, W. L. Some preliminary evaluations of *Vigna* plant introductions. Georgia Agricultural Experiment Station. Bulletin (n.s.) no. 165. 1966. 23 p. (375

CHAMPION; a new cream southern pea. Texas Agricultural Experiment Station. Leaflet no. 581. 1962. 3 p. (376

DASS, N. y BATRA, P. C. Cowpea no. 10 excels in many ways. Indian Farming 15(2):4. 1965. (377

DOKU, E. V. Variability in local and exotic varieties of cowpea (*Vigna unguiculata* (L.) Walp.) in Ghana. Ghana Journal of Agricultural Science 5(2):139-143. 1970. (378

ELIAS, L. G., COLINDRES, R. y BRESSANI, R. The nutritive value of eight varieties of cowpea (*Vigna sinensis*). Journal of Food Science 29(1):118-122. 1964. (379

EZEDINMA, F.O.C. Some studies on the vegetative and reproductive patterns in cowpeas (*Vigna unguiculata* (L.) Walp.) in Southern Nigeria. Nigeria Agricultural Journal 2(1):32-34. 1965. (380

FARISH, L. R. Mississippi strains of cowpeas shown as outstanding in tests by the Delta Station. Mississippi Farm Research 10(3):1,8. 1947. (381

_____. Dixielee pea. Mississippi Agricultural Experiment Station. Service Sheet no. 418. 1950. 2 p. (382

FENNELL, J. L. New cowpeas resistant to mildew. Journal of Heredity 39(10):275-279. 1948. (383

También en: IICA. Reimpreso no.28. 1948. 5 p.

FRIJOL: el cultivo de la variedad Arauca. INAGRA (Venezuela) 4(29):64-65. 1963. (384

FURTADO, C. X. y HOLTTUM, R. E. Long beans. Mag. Malayan Agric.-Hort. Association 10:20-22. 1940. (385

GONZALEZ RODRIGUEZ, R. Evaluación de ocho variedades de frijol (*Vigna sinensis*) bajo condiciones de riego. Tesis Ing. Agr. Panamá, Universidad de Panamá, Facultad de Agronomía, 1967. 29 p. (386

HALSEY, L. H. Variety tests of commercial types and new breeding lines of southern pea. Florida State Horticultural Society. Proceedings 69:261-262. 1956. (387

HALSEY, L. H. Varieties and management of southern peas. Florida Agricultural Experiment Station. Research Report no. 2. 1957. 11 p. (388

_____. Southern pea varieties, culture and harvesting as related to production for handling and processing. Florida State Horticultural Society. Proceedings 74: 233-237. 1961. (389

_____. y LORZ, A. P. New southern peas to be released soon. Sunshine State Agricultural Research Report 6(1):10. 1961. (390

_____. y LORZ, A. P. Producer and Climax, two new southern pea (edible cowpea) varieties for the home and market. Florida Agricultural Experiment Station. Circular S-132. 1961. 10 p. (391

HARE, W. W. Progress made in breeding disease resistant peas. Mississippi Farm Research 17(11):2,6. 1954. (392

_____. Mississippi Crowder - a new cowpea. Mississippi Agricultural Experiment Station. Information Sheet no. 519. 1955. 2 p. (393

_____. Resistance to *Fusarium* wilt in Brown Sugar Crowder cowpeas. (Abs.). Phytopathology 45:347. 1955. (394

También en: Proceedings of the Association of Southern Agricultural Workers 52:148. 1955.

_____. Mississippi Crowder - a new disease-resistant cowpea. Phytopathology 47(9):565-566. 1957. (395

_____. y WATSON, W. W. 42 southern pea varieties tested in 6-year period. Mississippi Agricultural Experiment Station. Farm Research 21:3. 1958. (396

_____. Mississippi Silver, a new cowpea. Mississippi Agricultural Experiment Station. Information Sheet no. 910. 1965. 2 p. (397

_____. New pea resists disease; will be easy to harvest. Mississippi Farm Research 28(12):1,4. 1965. (398

HEATH, M. C. Haustorial sheath formation in cowpea leaves immune to rust infection. Phytopathology 61(4):383-388. 1971. (399

var. Queen Anne

HEBBS, L.G.S. y HILL, E. L. The papermaking properties of yawa fibre. Bulletin of the Imperial Institute 44:87-99. 1946. (400

HORST, K. TER. Producties van enige peulvruchten op het Lelydorpplan in 1957. Surinaamse Landbouw 6(1): 28-29. 1958. (401

_____. Pulse crops (En holandés). Suriname Landbouwproefstation. Jaarverslag 1958. Paramaribo, 1959. pp. 32-40. (402

_____. The selection of pulses in Suriname. III. Soybean, cowpea, blackeye pea, mungbean and miscellaneous pulses. Euphytica 10(3): 277-282. 1961. (403

_____. Selection of pulses in Surinam. IV. *Vigna sinensis*. (En holandés). Surinaamse Landbouw 10(1): 19-26. 1962. (404

Sumario en inglés

HURWITZ, S. y GOLDIN, A. Selection of "whippoorwill" cowpeas (En hebreo). Hassadeh 27:310-312. 1947. (405

HUSAIN, M. M. et al. Efficiency of designs in a cowpea (*Vigna sinensis* Walp.) varietal experiment. Indian Journal of Scientific and Industry 1(2):101-104. 1967. (406

ISBELL, C. I. These varieties give you more cowpea profits. Southern Seedsman 14(8):26,39,42. 1951. (407

_____. Giant blackeye, new variety of southern or table cowpea. Market Growers Journal 86:20. 1957. (408

JACQUINOT, L. Croissances et alimentations minerales comparées de quatre varieties de niébé (*Vigna unguiculata* Walp.). Agronomie Tropicale 22(6-7):575-640. 1967. (409

JOHNSON, P. R. y ALLEY, L. C. Texas Cream 12; a disease-resistant southern pea. Texas Agricultural Experiment Station. Progress Report no. 1555. 1953. 3 p. (410

JONES, S. T. e ISBELL, C. L. Selection of varieties for use as parents in the breeding of the southern pea. American Society for Horticultural Science. Proceedings 67:412-415. 1956. (411

_____. y CARLTON, C. C. Sources and quality of southern pea seed in Alabama, 1962-63. Highlights Agricultural Research 10(4):14. 1963. (412

KHAN, A. R. y BHATNAGAR, M. P. Cowpea varieties and culture. Indian Farming 6:212-213. 1945. (413

KIRBY, J. S. y GALEOTTI, C. Cowpea variety yield test. Oklahoma Agricultural Experiment Station. Progress Report no. 662. 1972. pp. 72-73. (414

KRUTMAN, S. et al. Testing of cowpea *Vigna sinensis* L. in Zona da Mata of northeast Brazil (En portugués). Agropecuária do Nordeste (Brasil) 3(2):63-74. 1971. (415

LEAL, J. C. Production of green material from varieties of soybeans and cowpeas (En portugués). Revista da Faculdade de Agronomia e Veterinária (Brasil) 4(2):71-75. 1961. (416

LIGON, L. L. Cowpea varieties; mungbean varieties. Oklahoma Agricultural Experiment Station. Mimeograph Circular no. M-120. 1944. 6 p. (417

_____. Cowpeas in Oklahoma: description of varieties and experimental yield results. Oklahoma Agricultural Experiment Station. Mimeograph Circular no. M-160. 1946. 6 p. (418

_____. Cowpea varieties for Oklahoma. Oklahoma Agricultural Experiment Station. Mimeograph Circular no. M-199. 1950. 3 p. (419

_____. Cowpeas for Oklahoma. Oklahoma Agricultural Experiment Station. Bulletin no. B-371. 1951. 15 p. (420

_____. Cowpea variety tests in Oklahoma, 1924 to 1948: hay and seed yields, and disease resistance. Oklahoma Agricultural Experiment Station. Miscellaneous Report no.6. 1951. 3 p. (421

LIGON, L. L. Characteristics of cowpea varieties (*Vigna sinensis*). Oklahoma Agricultural Experiment Station. Bulletin B-518. 1958. 47p. (422

_____. y MATLOCK, R. S. Versatile cowpea. Crops and Soils 12:12-13. 1959. (423

LORIA MARTINEZ, W. Investigaciones sobre variedades, fertilización y distancias de siembra de la rabiza (*Vigna sinensis* L.) en Costa Rica. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1961. 86 p. (424

LORZ, A. P. The development of new varieties of table legumes for production in Florida. Soil Science Society of Florida. Proceedings 13:64-70. 1953. (425

_____. y HALSEY, L. H. Topset: a new cream-type southern pea. Florida Agricultural Experiment Station. Circular S-130. 1961. 7 p. (426

_____. y HALSEY, L. H. Floricream, a new all-purpose cream-seeded southern pea variety. Florida Agricultural Experiment Station. Circular S-154. 1964. 12 p. (427

_____. y HALSEY, L. H. Snapea, a new cream type southern pea variety for snap pod use. Florida Agricultural Experiment Station. Circular S-160. 1964. 11 p. (428

McALEESE, C. M. Is it Black Eye 5 cowpea? Queensland Bureau Sugar Experiment Station. Cane Growers' Quarterly Bulletin 30(1):6. 1966. (429

MARCANO COELLO, L. y LINARES S., P. J. "Orinoco", nueva variedad de frijol blanco (*Vigna sinensis*). Agronomía Tropical (Venezuela) 6(2):87-90. 1956. (430

_____. y LINARES S., P. J. "Arauca" nueva variedad de frijol bayo (*Vigna sinensis*). Agronomía Tropical (Venezuela) 6(2):91-94. 1956. (431

_____. y LINARES S., P. J. "Caroní", nueva variedad de frijol rojo (*Vigna sinensis*). Agronomía Tropical (Venezuela) 6(2):95-97. 1956. (432

MATSUOKA, K. Studies on the characteristics of cowpea varieties (En japonés). (Abs.) Proceedings of the Crop Science Society of Japan 24:65. 1955. (433

MEDVEDEV, P. F. First varieties of *Vigna* and mungo bean for Northern Caucasus (En ruso). Selek. i Semen. 16(10):41-43. 1949. (434

MILES, J.F., NEAL-SMITH, C.A. y GRAY, S. G. Erect strains of cowpea for hay and green manure. In Australia. Commonwealth Scientific and Industrial Research Organization. Division of Plant Industry. Division Report no. 5. 1949. 45 p. (435

MILLER, A. C. et al. Lagreen - a new wilt-resistant southern pea. Louisiana Agricultural Experiment Station. Circular no. 73. 1962. 4 p. (436

También en: Louisiana Agriculture 6(2):13. 1963.

_____. et al. Calhoun Purplehull, a new southern pea. Louisiana Agricultural Experiment Station. Circular no. 83. 1966. 4 p. (437

También en: Louisiana Agriculture 10(3):3. 1967.

MITAL, S.P., SINGH, H.B. y THOMAS, T.A. Pick your cowpea; these well-tried, fodder and grain varieties should suit you. Indian Farming 10(4):17-18,37. 1960. (438

MORSE, W. J. Cowpeas: culture and varieties. U.S. Department of Agriculture. Farmers' Bulletin no.1148. 1947. 18 p. (439

NEW INTRODUCTIONS. American Vegetable Grower 11:22. 1963. (440

NEW TRIO. American Vegetable Grower 9:14. 1961. (441

OJEHOMON, O.O. A comparison of the vegetative growth, development and seed yield of three varieties of cowpea, *Vigna unguiculata* (L.) Walp. Journal of Agricultural Science 74(2):363-374. 1970. (442

PATHAK, G. N. y SAHAI, J. Type 2 - a triple purpose cowpea. Indian Farming 10(10):25. 1961. (443

PENNY, N. M. Production and marketing of cowpeas for canning. Georgia Agricultural Experiment Station. Bulletin no. 252. 1946. 22 p. (444

var. Groit

PHILLIPS, E. L. Research on peas, beans, potatoes in Coastal Plain. Mississippi Farm Research 18(5):7. 1955. (445

PRODUCTION OF cellulose pulp from Commonwealth raw materials. A report from the Natural Resources (Technical) Committee Working Party on Pulp Production. Colonial Plant and Animal Products 3(4):331-341. 1952-53. (446

PURSS, G. S. Caloona - stem rot resistant cowpea. Queensland Agricultural Journal 89(12):756-758. 1963. (447

REHBEIN, C. A. Another cowpea variety is available. Queensland Bureau. Sugar Experiment Station. Cane Growers' Quarterly Bulletin 30(2): 44. 1966. (448

SAVILE, A. H. y WRIGHT, W. A. Notes on Kenya agriculture. III. Oil seeds, pulses, legumes and root crops. East African Agricultural Journal 24(1):1-9. 1958. (449

SENE, D. Inventory of the chief varieties of cowpeas (*Vigna unguiculata* Walpers) grown in Senegal (En francés). Agronomie Tropicale 21(8): 927-933. 1966. (450

SHERWIN, H. S. y LEFEBVRE, C. L. Reaction of cowpea varieties to bacterial canker (*Xanthomonas vignae*). Plant Disease Reporter 35:303-317. 1951. (451

SILVESTRE, P. Note sur la production des légumineuses a graines alimentaires dans les territoires français d'Outre-Mer et leur commerce avec la Métropole. Riz et Riziculture 4(2-3):97-104. 1958. (452

SINGH, H. B. y SIKKA, S. M. Cowpeas that do better. Indian Farming 4(12):16-18. 1955. (453

SKINNER, J. C. High yields from new cowpeas bred by Bureau. Queensland Bureau. Sugar Experiment Station. Cane Growers' Quarterly Bulletin 27(1):28-30. 1963. (454

SRINIVASAN, V. y RAJAGOPALAN, C. K. An economic vegetable cowpea. Madras Agricultural Journal 49(1): 28-29. 1962. (455

STEPHENS, T. S. y CORREA, R. T. Variety and strain evaluation of southern peas. Journal of the Rio Grande Valley Horticultural Society 13: 129-134. 1959. (456

TEWARI, G. P. Note on a preliminary investigation of the efficiency of two introduced strains of a local cowpea variety at Ibadan, Western Nigeria. Empire Journal of Experimental Agriculture 30:155-158. 1962. (457

TEXAS CREAM no. 8 southern pea. Texas Agricultural Experiment Station. Leaflet no. 439. 1959. 3 p. (458

UPHOF, J. C. T. Variedades de caupí resistentes a la podredumbre de las raíces. Hacienda 37(8):326. 1942. (459

WAKANKAR, S. M. y MAHADIK, C. N. These cowpeas are capital for north M.P. (Madhya Pradesh). Indian Farming 12(4):14. 1962. (460

PRACTICAS DE CULTIVO (CULTURAL PRACTICES)

General (General)

ARAUJO, A. A. Two legumes for forage plants (En portugués). Lavoura Arrozeira (Brasil) 2(14):22-25. 1948. (461

AVILA, A. Cultivo del caupí (*Vigna sinensis*). Campo y Suelo Argentino 32(379):41. 1948. (462

También en: Argentina. Ministerio de Agricultura. Almanaque 23:255-256. 1948. ; Res (Argentina) 21: 27927-27928. 1953.

BALDONI, R. Short-duration fodder crops in Italian agriculture (En italiano). Sementi Elette 6(5): 44-54. 1960. (463

BARBER, J. M. Southern pea culture. Georgia University. Extension Circular no. 485. 1966.(rev.) 6 p. (464

BLACKHURST, H. T. Southern peas. Marketing Growers Journal 86(2):8-9,20. 1957. (465

BOLLATI, O. *Vigna sinensis* in seed culture (En italiano). Campagna Milan no. 7:2. 1950. (466

BOTT, W. Cowpea seed growing on Darling Downs. Queensland Agricultural Journal 96(11):722-726. 1970. (467

CASTILLO, J. J. El cultivo del frijol. Caracas, Venezuela. Consejo de Bienestar Rural. Serie de Cultivos no. 3. 1961. 48 p. (468

CLUTE, J. VAN. The cornfield pea. Organic Farmer 2(12):45-48. 1951. (469

COOLEY, J. S. Cowpeas - a cover crop for Narcissus plantings. Plant Life 5:114-115. 1949. (470

COTO V., O. El frijol "rabiza" nueva esperanza económica para los agricultores del atlántico. Cacaotero (Costa Rica) 5(4):7-9. 1963. (471

DURANTI, A. The influence of some technical cultivation factors in the production of sorghum (*Sorghum vulgare* Pers.) and cowpea (*Vigna sinensis* Endl.) in irrigated cultivations after wheat. Annali della Faculta di Science Agricola della Universita di Napoli no. 1:253-275. 1966. (472

ERVILHA DE vaca ou "cowpea" (*Vigna sinensis* Endl.). Rio de Janeiro, Instituto de Biologia Animal, 1943. 45 p. (Brasil. Instituto de Biologia Animal. Publicação no. 14) (473

EZEDINMA, F.O.C. Effect of preparatory cultivations on the general performance and yield of cowpeas. Nigeria Agricultural Journal 1(1):21-25. 1964. (474

FENNELL, J. L. El chícharo de vaca; una legumbre tropical para múltiples usos. Hacienda 41(2):53-55. 1946. (475

También en: IICA. Reimpreso no.12. 1946. 3 p.

FOX, N. F. Cowpeas in a cropping system for the Coastal Burnett. Queensland Agricultural Journal 86(11):673-676. 1960. (476

GUPTA, Y. C. Cowpea and its place in agriculture. Indian Farming 2(3): 24,27. 1952. (477

HAMILTON, A. Cowpea. Queensland Agricultural Journal 59:141-146. 1944. (478

HARTLEY, C. W. S. Experiments on the growing of off-season crops on padi land in Province Wellesley. Malayan Agricultural Journal 30:114-122. 1947. (479

HAUSSMANN, G. Results of summer plantings of sorghum and cowpeas (En italiano). Boletino dell'Agricoltura 87(27):1-2. 1953. (480

HELM, C. A. Growing cowpeas for hay. Missouri Agricultural College. Extension Leaflet no. 53. 1947. 2 p. (481

HILDEN, D. Crowder peas for northern gardens. Organic Gardening and Farming 10:34-35. 1963. (482

HURWITZ, S. The cultivation of cowpeas in Palestine. (En hebreo). Hassadeh 26:467-470. 1946. (483

ISBELL, C. L. Southern peas are claiming more attention. American Vegetable Grower 15(5):15,44. 1967. (484

JOHNSON, D. T. The cowpea in the African areas of Rhodesia. Rhodesia Agricultural Journal 67(3):61-64. 1970. (485

JOHNSON, P. R. Edible cowpeas...comin' up! New, productive strains resist disease. Southern Seedsman 7(3): 24,36. 1944. (486

KAVANAGH, L. R. Cultivation of cowpeas. Agricultural Gazette of New South Wales 69(2):79-83,92. 1958. (487

_____. Cultivation of cowpeas. 2 ed. Sydney, Blight, 1961. 8 p. (488

LEON JORDAN, H. Se viene cultivando en España el "caupí"? Siembra (España) no. 3:20-21. 1949. (489

LIGON, L.L. Seed and hay yields of cowpea. Seed World 55(12):50. 1944. (490

LINEDALE, A. I. Cowpeas for Moreton and Rocky Point. Queensland Bur. Sugar Experiment Station. Cane Growers' Quarterly Bulletin 35(3): 102-103. 1972. (491

LORZ, A. P. Improving production of cowpeas, English peas and beans in Costa Rica. San José, University of Florida. Report, 1965-1966. 26 p. (492

_____. et al. Production of southern peas (cowpeas) in Florida. Florida Agricultural Experiment Station. Bulletin no. 557. 1955. 28 p. (493

LOVERIDGE, J. Cowpeas for soil building and stock grazing. Power Farming Australia and New Zealand and Better Farming Digest 72(11):43, 45. 1963. (494

LUGOD, G. C. Grow sitao to reduce kitchen bills. Philippine Farms& Gardens 1(2):31. 1964. (495

MACKIE, W. W. Blackeye beans in California. California Agricultural Experiment Station. Bulletin no. 696. 1946. 56 p. (496

MANN, H. H. Pulse grain crops in the Middle East. Empire Journal of Experimental Agriculture 15:249-259. 1947. (497

MARIN, L. Cultivo del chícharo. México, D.F., Dirección General de Agricultura, s.f. 4 p. (498

MEAD, K. J. Broad-cut sod- seeding of cowpeas. Agricultural Gazette of New South Wales 71(12):617-625, 668. 1960. (499

MINKES, J. Experiments in the growing of cowpeas for seed (En hebreo). Hassadeh 30:63-67. 1949. (500

NOONAN, J. B. Fodder crops - some recommendations. Milk Board Journal 6(10):39. 1955. (501

SAUNDERS, A. R. Soyabeans, cowpeas, and other legumes. Farming in South Africa 19:251-254. 1944. (502

SELLSCHOP, J. P. F. Cowpeas, *Vigna unguiculata* (L.) Walp. Field Crop Abstracts 15(4):259-266. 1962. (503

SILVESTRE, P. Les legumineuses a grains. Agronomie Tropicale 20(10):987-989. 1965. (504

SINGH, H. B. y SIKKA, S. M. Cowpeas that do better. Indian Farming 4(12):16-18. 1955. (505

SINGH, D. y PANDYA, B. P. Cultivation of cowpea in Uttar Pradesh. Uttar Pradesh. Bureau of Agricultural Information. Technical Bulletin (n.s.) no. 4. 1958. 12 p. (506

SMITH, P. M. Growing southern peas. Auburn University. Extension Circular P-70. 1966. 6 p. (507

SOROCHENKOV, A. F. Growing forage sorghum with a companion crop in Uzbekistan. (En ruso). Vest. Sel'skokhoz. Nauki no. 5:36-39. 1962. (508

SPIVEY, C. D. y CATES, F. B. Southern pea culture. Georgia Agricultural College. Extension Circular no.485. 1961. 6 p. (509

STEPHENS, L. Cover crops you can eat. Organic Gardening and Farming 11(2): 82-90. 1964. (510

STUCKEY, H. P. Cowpeas come back. Southern Agriculture 77(5):16. 1947. (511

TARDIEU, M. Cultural requirements and cowpeas (En francés). Agronomie Tropicale 16(4):387-392. 1961. (512

_____. Cultural requirements and China dolichos (*Vigna sinensis*) (En francés). Institut de Recherches Agronomiques Tropicales et des Cultures Vivrieres. Bulletin Agronomique no. 18:112-117. 1962. (513

_____. y SENE, D. The cowpea (*Vigna unguiculata* Walpers) in Senegal (En francés). Agronomie Tropicale 21(8):918-926. 1966. (514

URANGA, A. Cultivo del chícharo de vaca. México, D.F., Dirección General de Agricultura, 1946. 3 p. (515

También en: Campesino de Morelia. Serie 1 (México) 1(14-16):6-7. 1946.

VERHOEVEN, G. Growing cowpeas for seed. Queensland Agricultural Journal 86(5):303-308. 1960. (516

VIEIRA, C. O. O feijoeiro-comum: Cultura, doenças e melhoramento. Viçosa, Brasil, Universidade Rural do Estado de Minas Gerais, 1967. 232 p. (517

Incluye *Vigna sinensis*

VOLANTI, U. Herbage of *Vigna sinensis* (En italiano). G. Agricole 76(31): 348. 1966. (518

WATTS, A.V., BRITTINGHAM, W. H. y STEWART, F. B. Southern peas. Virginia Polytechnic Institute. Extension Circular no. 1048. 1967. 4 p. (519

Epoca de siembra (Planting Date)

ANTAL, J. Experimental determination of the right time for sowing cowpeas as first and after-crop (En húngaro). Növénytermelés 6(3):193-202. 1957. (520

Sumario en inglés

BOWERS, J. L. Southern pea planting dates and rates. Arkansas Agricultural Experiment Station. Farm Research 7:10. 1958. (521

EZEDINMA, F. O. C. Some observations on the effect of time of planting on the cowpea (*Vigna unguiculata* (L.) Walp.) in southern Nigeria. Tropical Agriculture (Trinidad) 43(1):83-87. 1966. (522

TEWARI, G. P. Effects of planting dates on flowering and yields of cowpeas in Nigeria. Experimental Agriculture 1(4):253-256. 1965. (523

_____. Effect of planting-date on nodulation and dry-matter yield of cowpea in Nigeria. Experimental Agriculture 2(1):45-47. 1966. (524

WIT, C. T. DE. Second crop growing during the dry season in Lower Burma. Netherlands Journal of Agricultural Science 6(4):249-255. 1958. (525

Método de Siembra y Espaciamiento (Planting Method and Spacing)

BRANTLEY, B. B. Row spacings for southern peas. Georgia Agricultural Research 7(4):15. 1966. (526

ESTRADA, F., QUIROS, H. y ARJONA DE POLANCO, I. Estudios sobre densidad de siembra en frijol Arauca (*Vigna sinensis*). Panamá. Ministerio de Agricultura y Ganadería. Boletín Técnico no. 17. 1971. 12 p. (527

FERNANDO, M. Spacing experiments with vegetables. Tropical Agriculturist (Ceylon) 99:69-77. 1943. (528

GARCIA CADIZ, T. y CANONERO, E. C. Fertilizer and plant spacing test on sitao. Philippine Agriculturist 42(5):196-197. 1958. (529

Vigna sesquipedalis

HAMMETT, H. L. Study of spacing and fertilization of southern peas. Mississippi Farm Research 23:5. 1960. (530

HARPER, H. J. y GRAY, F. Effect of seven annual legumes on the yield of corn and oats on Norge loan. Agronomy Journal 49(6):293-296. 1957. (531

JENKINS, W. F. y HARE, W. W. Plant spacing of southern peas. American Society for Horticultural Science. Proceedings 69:405-407. 1957. (532

LORIA MARTINEZ, W. Investigaciones sobre variedades, fertilización y distancias de siembra de la rabiza (*Vigna sinensis* L.) en Costa Rica. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1961. 86 p. (533

OMRAN, R. y HAMDI, S. Effect of spacing and method of planting and fertilizers levels on the yield of cowpea (*Vigna sinensis* Savi). Alexandria Journal of Agricultural Research 12(2):325-339. 1964. (534

PAIVA, J. B. y ALBUQUERQUE, J. J. L.DE. Espaçamento em feijao-de-corda (*Vigna sinensis* Endl.) no Ceará. Turrialba (Costa Rica) 20(4):413-414. 1970. (535

SOTELO WINKELRIED, F. H. Estudio del efecto de la densidad de siembra en el cultivo del frijol cowpea chileno 40 en el valle del Chira, Departamento de Piura. Tesis Ing. Agr. Lima, Perú, Universidad Agraria, Facultad de Agronomía, 1967. 63 p. (536

STEWART, F. B. Row spacing of determinate, brunch-type southern peas. American Society for Horticultural Science. Proceedings 86:484-486. 1965. (537

_____. The effect of spacing and fertilization on yield of southern peas. Journal of the American Society for Horticultural Science 94(3):337-338. 1969. (538

VERNON, A. J. The effect of spacing on cowpeas (*Vigna catjang*). In Nigeria. Agricultural Department. Annual Report 1951-52. Lagos, 1954. pp. 45-46. (539

WIGGANS, S.C., MARSHALL, C.E. y MORRISON, R. D. The effect of phosphorus and potassium fertilization and plant spacing on yield of southern peas in eastern Oklahoma. Oklahoma Agricultural Experiment Station. Processed Series P-432. 1962. 9 p. (540

ZAVOI, A. Trials with the density of planting of cowpeas on sandy soils of Timburesti (En rumano). Craiova. Inst. Agron. "Tudor Vladimirescu" Lucrari Stiint. 8:201-207. 1966. (541

Sumario en inglés

Fertilizantes y Coberturas (Fertilizers and Mulches)

ABDEL SALAM, M. A., OSMAN, A. Z. y BASIOUNY, H. Interaction of the level and method of phosphorus fertilization on cowpea production in newly reclaimed soils. Isotope Radiation Research 1:33-39. 1968. (542

BLACKHURST, H. T. y PATERSON, D. R. Influence of variety, fertilizers and irrigation on southern peas (*Vigna sinensis*) in Texas. (Abs.) Proceedings of the Association of Agricultural Workers 55:145. 1958. (543

BRANTLEY, B. B. Responses of southern pea to photoperiod and nitrogen. American Society for Horticultural Science. Proceedings 85:409-413. 1964. (544

CARTER, O. G. The effect of chemical fertilizers on seedling establishment. Australian Journal of Experimental Agriculture and Animal Husbandry 7(25):174-180. 1967. (545

CROCIONI, A. Research on the consociation of maize and *Vigna sinensis* and the nitrogenous fertilization of the grassland (En italiano). Annali della Sperimentazioni Agraria (n.s.) 8:1599-1607. 1954. (546

EFFECT OF sulphur application on nodule formation in legumes (cowpeas, peas, peanuts). Agricultural and Agro-Industrial Journal 5(1):11-12. 1972. (547

EZEDINMA, F. O. C. The nutrient requirements of the cowpea, *Vigna sinensis* Endl. in Southern Nigeria. Ph.D. Thesis. s.n.t. (548

_____. Effects of inoculation with local isolates of cowpea Rhizobium and application of nitrate-nitrogen on the development of cowpeas. Tropical Agriculture (Trinidad) 41(3):243-249. 1964. (549

_____. Fertilizer placement for sole-crop cowpeas in southern Nigeria. Experimental Agriculture 1(4):299-303. 1965. (550

_____. The influence of seed size and fertilizer on the development and yield of cowpea (*Vigna sinensis* Endl.). Nigeria Agricultural Journal 2(2):75-79. 1965. (551

GARCIA CADIZ, T. y CANONERO, E. C. Fertilizer and plant spacing test on sitao. Philippine Agriculturist 42(5):196-197. 1958. (552

GAUDEFROY-DEMOMBYNES, P. Observations sur la couverture du sol. Bulletin Agronomique no. 15:25-33. 1957. (553

GAUTAM, O. P. y KHARE, B. G. Nitrogen, phosphorus and potassium fertilization of hybrid maize in an intensive rotation with wheat and fodder cowpea. Indian Journal of Agronomy 14(2):99-105. 1969. (554

GILL, A. S. et al. Effect of soil and and foliar application of phosphorus on seed yield of cowpeas (*Vigna sinensis*). Indian Journal of Agronomy 16(3):303-304. 1971. (555

GRAY, F. y MURPHY, H. F. A preliminary report on response of cowpeas to phosphate and nitric-phosphate fertilizers on sandy soils of south-central Oklahoma. (Abs.) Proceedings of the Association of Southern Agricultural Workers 51:53. 1954. (556

HALSEY, L. H. Influence of nitrogen fertilization and seed inoculation levels on yields of southern peas (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 75:517-520. 1960. (557

HAMMETT, H. L. Study of spacing and fertilization of southern peas. Mississippi Farm Research 23:5. 1960. (558

HORNER, G. M. y MOJTEHEDI, M. Yield of grain legumes as affected by irrigation and fertilizer regimes. Agronomy Journal 62(4):449-450. 1970. (559

KHARE, B. G. y GAUTAM, O. P. Nitrogen, phosphorus and potassium fertilization of hybrid maize in an intensive rotation with wheat and fodder cowpea. III. Indian Journal of Agronomy 14(4):253-257. 1969. (560

LORIA MARTINEZ, W. Investigaciones sobre variedades, fertilización y distancias de siembra de la rabiza (*Vigna sinensis L.*) en Costa Rica. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1961. 86 p. (561

MATA REYES, A. y SANCHEZ, C. Efecto del método de aplicación, fuente y dosis de fósforo en un suelo franco-arenoso de sabana (Estado Monagas) sobre el rendimiento del frijol (*Vigna sinensis* Endl.). In Jornadas Agronómicas, 7as, Acarigua, Venezuela, 1969. Memoria. Caracas, Sociedad Venezolana de Ingenieros Agrónomos, 1969. v. 3, 17 p. (Trabajo no. 42) (562

MELLO, F.A.F. DE y BRASIL, M. O. C. Effects of the incorporation of *Styzolobium atterrimum*, *Crotalaria juncea* and *Vigna sesquipedalis* (En portugués). Revista de Agricultura (Brasil) 35(4):249-255. 1960. (563

MISHRA, D. K. Role of legumes in crop husbandry of Western Rajasthan. Journal of Soil and Water Conservation (India) 9(3-4):124-134. 1961. (564

MOHTA, N. K. y DE, R. It pays to fertilize cowpea with phosphorus through leaves. Indian Farming 20(11):27-28. 1971. (565

OMRAN, R. y HAMDI, S. Effect of spacing and method of planting and fertilizers levels on the yield of cowpea (*Vigna sinensis* Savi). Alexandria Journal of Agricultural Research 12(2):325-339. 1964. (566

OZAKI, C. T. Phosphorus and potassium requirements of blackeye peas grown on Everglades peaty muck soil. Soil Science Society of Florida. Proceedings 15:49-52. 1955. (567

_____. The relative effectiveness of foliar applications of several manganese sources in correcting manganese deficiency. American Society for Horticultural Science. Proceedings 65:313-316. 1955. (568

PATE, J. S. y DART, P. J. Nodulation studies in legumes. IV. The influence of inoculum strain and time of application of ammonium nitrate on symbiotic response. Plant and Soil 15(4):329-346. 1961. (569

PATERSON, D. R. y BLACKHURST, H. T. Some effects of fertilizer on the yield and maturity of southern peas. Texas Agricultural Experiment Station. Progress Report no. 1757. 1955. 3 p. (570

_____. y BLACKHURST, H. T. Some effects of nitrogen, phosphorus and potash on the yield and maturity of southern pea (*Vigna sinensis*). (Abs.) Proceedings of the Association of Southern Agricultural Workers 52:119. 1955. (571

_____. y BLACKHURST, H. T. Some effects of irrigation, fertilizer and variety on the yield of southern peas. Texas Agricultural Experiment Station. Progress Report no. 2021. 1958. 4 p. (572

PAUL, N. B. y SEN, A. Nitrification of some summers wild legumes in soil. Indian Journal of Agricultural Science 31:129-138. 1961. (573

RAVIKOVITCH, S. y PORATH, A. The effect of nutrients on the salt tolerance of crops. Plant and Soil 26(1):49-71. 1967. (574

REDER, R. Effect of fertilizer and environment on the calcium, phosphorus, and iron content of cowpeas. Georgia Agricultural Experiment Station. Southern Cooperatives Ser. Bulletin no. 4. 1946. 16 p. (575

ROBLEDO DEL AGUILA, R. Respuesta del caupí - frijol chileno grande (*Vigna sinensis* L.) a diferentes niveles de abonamiento nitrofosforado. Tesis Ing. Agr. Piura, Perú, Universidad Técnica, Facultad de Agronomía, 1967. 83 p. (576

SCHÄFER, P. y HOBT, H. Fertilización de las leguminosas de grano. Boletín Verde (Alemania) no. 20:1-68. 1967. (577

caupí pp. 19, 25.

SEN, S. y BAINS, S. S. Phosphate manuring of legumes. V. Effect on the yield and quality of cowpeas and after effects on wheat. Journal of the Indian Society of Soil Science 4(4):285-289. 1956. (578

SILVESTRE, P. Les légumineuses a grains. Agronomie Tropicale 20(10):987-989. 1965. (579

SINGH, K., NARANG, M. M. y SHARMA, H.K. Effect of crop sequence and fertilizers on maize. Journal of Research of the Punjab Agricultural University 4(4):500-507. 1967. (580

STEWART, F. B. y REED, M. The effect of fertilization on yield, growth and mineral composition of southern peas. Journal of the American Society for Horticultural Science 94(3):258-260. 1969. (581

_____. Effect of spacing and fertilization on yield of southern peas. Journal of the American Society for Horticultural Science 94(3):337-338. 1969. (582

TERADA, S. Effect of method of applying organic matter on soil environment and plant growth in the Amazon region. Japanese Journal of Tropical Agriculture 15(1):11-19. 1971. (583

TEWARI, G. P. Note on effects of soil sterilization and some mineral nutrients on commercial strains of cowpea Rhizobium in Western Nigeria. Empire Journal of Experimental Agriculture 31(121):50-52. 1963. (584

WATSON, K. A. Fertilizers in northern Nigeria. Current utilization and recommendations for their use. Samaru Research Bulletin no. 38. 1964. 20 p. (585

WIGGANS, S.C., MARSHALL, C. E. y MORRISON, R. D. The effect of phosphorus and potassium fertilization and plant spacing on yield of southern peas in eastern Oklahoma. Oklahoma Agricultural Experiment Station. Processed Series P-432. 1962. 9 p. (586

YATES, R. A. An experiment with green manures. In Conference of the Queensland Society of Sugar Cane Technologists, 30th, 1963. Proceedings. s.l., 1963. pp. 123-126. (587

ZAVOI, A. The effect of mineral fertilizers on yields of cowpeas grown on sandy soils of Timburesti (En rumano). Craiova. Inst. Agron. "Tudor Vladimirescu" Lucrari Stiint. 8:185-192. 1966. (588

Sumario en inglés

Riego y Control de Humedad del Suelo (Irrigation and Soil Moisture Control)

BLACKHURST, H. T. y PATERSON, D. R. Influence of variety, fertilizers and irrigation on southern peas (*Vigna sinensis*) in Texas. (Abs.) Proceedings of the Association of Southern Agricultural Workers 55:145. 1958. (589

GONZALEZ RODRIGUEZ, R. Evaluación de ocho variedades de frijol (*Vigna sinensis*) bajo condiciones de riego. Tesis Ing. Agr. Panamá, Universidad de Panamá, Facultad de Agronomía, 1967. 29 p. (590

GUPTA, R.N. et al. Comparative value of different legumes in soil and water conservation. Journal of Soil and Water Conservation (India) 14(3-4):55-62. 1966. (591

HEIMANN, H. y RATNER, R. The irrigation with saline water and the ionic environment; field experiments with groundnuts and cowpeas. Oléagineux 20(3):157-162. 1965. (592

HORNER, G. M. y MOJTEHEDI, M. Yield of grain legumes as affected by irrigation and fertilizer regimes. Agronomy Journal 62(4):449-450. 1970. (593

LANZA, F. Contribution to the study of *Vigna sinensis* Endl. in irriguous culture (En italiano). Annali della Sperimentazioni Agraria (n. s.) 6:227-239. 1952. (594

PATERSON, D. R. y BLACKHURST, H. T. Some effects of irrigation, fertilizer and variety on the yield of southern peas. Texas Agricultural Experiment Station. Progress Report no. 2021. 1958. 4 p. (595

Control de Malas Hierbas y Herbicidas
(Weed Control and Herbicides)

BAILEY, D. R. Effect of some phenoxy herbicides on *Vigna marina* and *Glycine javanica*. Queensland Journal of Agricultural and Animal Sciences 24(1):121-124. 1967. (596

BURGIS, D. S. Evaluation of herbicides on southern peas (*Vigna sinensis*). Weeds 15(2):180-181. 1967. (597

CHISCI, G. C. Chemical weed control in summer sorghum-cowpea herbage (En italiano). Progresso Agricolo 9(4):439-452. 1963. (598

GENTNER, W. A. y DANIELSON, L. I. Evaluation of selected herbicides on several pulses. American Society for Horticultural Science. Proceedings 87:359-362. 1965. (599

GOLDSWORTHY, P. R. Further studies on the use of dalapon. Pesticide Abstracts 8(4):315-318. 1962. (600

GUPTA, O. P. y MANI, V. S. A note on response of some legumes to MCPB herbicide. Indian Journal of Agronomy 9(2):98-99. 1964. (601

HAMDI, Y. A. y TEWFIK, M. S. Effect of the herbicide Trifluralin on nitrogen fixation in Rhizobium and azotobacter and on nitrification. Acta Microbiologica Polonica BI(18):53-57. 1969. (602

JOHNSON, W. A. y AMLING, H. J. Herbicides for weed control in southern peas. In Southern Weed Conference, 17th Annual Meeting, 1964. Proceedings. p. 221. (603

_____. y AMLING, H. J. Chemical weed control in southern peas. Highlights Agricultural Research 12(2):14. 1965. (604

KASASIAN, L. Chemical weed control in tropical root and vegetable crops. Experimental Agriculture 4(1):1-16. 1968. (605

MEZ, E. Weed control in crops of carrots, celery, parsley, peas and *Vigna sinensis* (En italiano). Italia Agricola 99:893-896. 1962. (606

NOONAN, J. B. Strange grasses in cowpea crops. Milk Board Journal 13(2):15. 1962. (607

OGLE, W. L. A progress report on herbicide studies conducted with certain vegetables in 1964. South Carolina Agricultural Experiment Station. Research Series no. 61. 1965. 7 p. (608

_____. Chemical weed control in snap beans, southern peas (cowpeas) and okra. In Southern Weed Control Conference, 19th, Jacksonville, Florida, 1966. Proceedings. p. 194. (609

_____. An evaluation of herbicides for southern peas (cowpeas) and snap beans. American Society for Horticultural Science. Proceedings 90:290-295. 1967. (610

SANTELMANN, P. W., ELDER, W. C. y MATLOCK, R. S. The effect of several pre-emergence herbicides on guar, cowpeas, mung-beans and sesame. In Southern Weed Conference, 16th. Proceedings 1963:83-87. (611

TALBERT, R. E. Weed control studies in sweet potatoes and southern peas. In Southern Weed Control Conference, 19th, Jacksonville, Florida, 1966. Proceedings. pp. 176-180. (612

TAYLORSON, R. B. y TOLER, R. W. Preliminary experiments on weed control in southern pea (*Vigna sinensis* (Torner) Savi). In Southern Weed Control Conference, 18th, Dallas, Texas, 1965. Proceedings. p. 286. (613

_____. y TOLER, R. W. Weed control in southern pea (*Vigna sinensis*) and lima bean (*Phaseolus lunatus*). In Southern Weed Control Conference, 19th, Jacksonville, Florida, 1966. Proceedings. pp. 181-193. (614

VARELA ESPINO, J. C. Ensayo de dosificaciones de cinco herbicidas en frijol (*Vigna sinensis* Endl.). Tesis Ing. Agr. Panamá, Universidad de Panamá, Facultad de Agronomía, 1973. 82 p. (614a

Recolección o Cosecha (Harvesting)

ADAMS, N. H. New machine aids harvesting of cowpeas. Queensland Agricultural Journal 87(11):670-672. 1961. (615

BAILEY, F. L. y KATTAN, A. A. Factors affecting yields of 'once-over-harvested' southern peas. Arkansas Farm Research 13(1):9. 1964. (616

HOLMES, E. S. Harvesting southern peas with less labor. Florida State Horticultural Society. Proceedings 74:278-280. 1966. (617

HURWITZ, S. y GAVRIELIT-GELMOND, H. Harvesting periods of cowpeas for grain (En hebreo). Hassadeh 26:139-141. 1946. (618

_____, GOLDIN, A. y BENKER, A. Harvest-time for cowpeas (En hebreo). Hassadeh 29:477-479. 1949. (619

REID, J. T. y BRANTLEY, B. B. Mechanical harvesters for southern peas. Georgia Agricultural Experiment Station. Circular (n.s.) no.36. 1963. 18 p. (620

_____. Mechanical harvester for southern peas and lima beans. (Abs.) Agricultural Engineering 50:412-413. 1969. (621

Rotación y Siembras Intercaladas (Crop Rotation and Intercropping)

AALA, F. T. Corn in rotation with rice and legumes. Philippine Journal of Plant Industry 30(3-4):149-157. 1965. (622

ANDREWS, D. J. Intercropping with sorghum in Nigeria. Experimental Agriculture 8(2):139-150. 1972. (623

ANTHONY, K. R. M. y WILLYMOTT, S. G. Cotton interplanting experiments in the south-west Sudan. Empire Journal of Experimental Agriculture 25(97):29-36. 1957- (624

DASS, N. y BATRA, P. C. When green fodder is scarce try teosinte. Indian Farming 14(12):19. 1965. (625

DURANTI, A. The influence of some technical cultivation factors in the production of sorghum (*Sorghum vulgare* Pers.) and cowpea (*Vigna sinensis* Endl.) in irrigated cultivations after wheat. (En italiano). Annali della Faculta di Science Agricole della Universita di Napoli no. 1:253-275. 1966. (626

EKSTEEN, L. L. Effect of teff and cowpeas on the following maize crop. Farming in South Africa 20:377-380, 383. 1945. (627

KAIRON, M. S. y NANDAL, D. S. Economics of intercropping of mung and cowpeas in cotton. Allahabad Farmer 45(2): 240-241. 1971. (628

KHARE, B. G. y GAUTAM, O. P. Nitrogen, phosphorus and potassium fertilization of hybrid maize in an intensive rotation with wheat and fodder cowpea. III. Indian Journal of Agronomy 14(4):253-257. 1969. (629

KRUTMAN, S. Cultura consorciada cana x feijoeiro. Primeiros resultados. Pesquisa Agropecuária Brasileira 3:127-134. 1968. (630

LEMAITRE, C. Moyens propres a parer a l'usure des sols dans l'est du territoire du Niger, (Cercles de Gouré et de Nguigmi). Bulletin Agricole du Congo Belge 40:1489-1518. 1949. (631

MERWE, J. P. V. D. Crop-rotation systems for the Eastern Orange Free State. Farming in South Africa 26:383-386. 1951. (632

NIGERIA. DEPARTMENT OF AGRICULTURE. Annual Report for the year 1950-51. Lagos, 1953. 123 p. (633

caupí como siembra intercalada, p. 78.

PHILLIPS, L. J. y NORMAN, M. J. T. Fodder crop-cash crop sequences at Katherine, N.T. (Australia. C.S.I.R.O. Technical Paper no.20. 1962. 12 p. (634

ROSE, M. F. Possible crops for the cotton rotation in the Southern Jebels area of Kordofan, A. E. Sudan. Empire Cotton Growing Review 27:261-274. 1950. (635

SCHULTZ, E. F. El caupí para abono verde o para rotación con otras plantas cultivadas. Tucumán, Argentina. Estación Experimental Agrícola. Circular no. 82. 1939. 7 p. (636

SENEGAL. SERVICE DE L'AGRICULTURE. Mémoire concernant les mesures prises ou a prendre pour conserver aux terres a arachide leur potentiel de fertilité. Bulletin Agricole du Congo Belge 40:1557-1561. 1949. (637

STATEN, G. y HINKLE, D. A. Maintaining cotton yields. New Mexico Agricultural Experiment Station. Bulletin no. 340. 1947. 15 p. (638

TASHKO, G. Chinese cowpea (*Vigna sinensis* Endl.) as a summer-autumn forage plant. (Al). Bul. Shkencave Bujqesore 4:36-46. 1966. (639

Sumario en inglés

TIDBURY, G. E. The cultivation of rice land between successive crops. East African Agricultural Journal 12:212-215. 1947. (640

TIKVATI, A. Cowpeas mixed with Sudan grass (En hebreo). Hassadeh 35:414. 1955. (641

TIWARI, B. P. y TIWARI, S. R. A kharif forage legume can profitably precede wheat. Indian Farming 17(1): 21-22. 1967. (642

SUELOS
(SOILS)

General

GALL, O. E. y BARNETTE, R. M. Toxic limits of replaceable zinc to corn and cowpeas grown on three Florida soils. Journal of the American Society of Agronomy 32:23-32. 1940. (643

GUPTA, R. N. et al. Comparative value of different legumes in soil and water conservation. Journal of Soil and Water Conservation (India) 14(3-4):55-62. 1966. (644

HALSEY, L. H. Influence of nitrogen fertilization and seed inoculation levels on yields of southern peas. American Society for Horticultural Science. Proceedings 75:517-520. 1960. (645

KEATING, F. E. y MATHEWS, O. R. Soil and crop studies at the Big Spring (Texas) Field Station, 1916-1953. U.S. Department of Agriculture. Production Research Report no. 1. 1957. 31 p. (646

LANG, I. The effect of sandy soil subsoiling on the yield and nutrient uptake of cowpeas. (En húngaro). Agrókém. és Talajtan 10(3):389-404. 1961. (647

LEMAITRE, C. Moyens propres a parer a l'usure des sols dans l'est du territoire du Niger, (Cercles de Gouré et de Nguigmi). Bulletin Agricole du Congo Belge 40:1489-1518. 1949. (648

LUGO-LOPEZ, M. A. Response of some tropical soils and crops of Puerto Rico to applications of lime. Puerto Rico Agricultural Experiment Station. Technical Paper no. 28. 1959. 19 p. (649

MAHER, C. Soil conservation methods. (Including strip cropping and various mechanical anti-erosion methods). Bulletin Agricole du Congo Belge 40:1549-1556. 1949. (650

MITRA, S. P. y SHANKER, H. Studies on the influence of different Algerian rock phosphates when reinforced with leguminous plant material like cowpea (*Vigna sinensis*) on carbon transformations, exchangeable calcium and pH of the alkali soil. Bulletin of the Agricultural Chemistry Society of Japan 21(4):230-234. 1957. (651

OZAKI, C. T. Phosphorus and potassium requirements of blackeye peas grown on Everglades peaty muck soil. Soil Science Society of Florida. Proceedings 15:49-52. 1955. (652

RAVIKOVITCH, S. y PORATH, A. The effect of nutrients on the salt tolerance of crops. Plant and Soil 26(1):49-71. 1967. (653

SCHOFIELD, J. L. A comparison of soil nitrate nitrogen values under bare fallow and after ploughing in various perennial tropical legumes and cowpeas. Queensland Journal of Agricultural Science 2:170-189. 1945. (654

TEWARI, G.P. Note on effects of soil sterilization and some mineral nutrients on commercial strains of cowpea rhizobium in Western Nigeria. Empire Journal of Experimental Agriculture 31(121):50-52. 1963. (655

YU, C. H. y WU, Y. L. Preliminary report on the growth of potted vegetables in Lishan farm's soil (En chino). Journal of the Agricultural Association of China 29:59-64. 1960. (656

Abono Verde
(Green manure)

BARBOS, I. Alguns aspectos do problema das fertilizações organicas dos solos planálticos. Agronomia Angolana 2:45-57. 1949. (657

BARRIE, A.G. Some aspects of legume crop disposal. Queensland Bureau. Sugar Expt. Sta. Cane Growers' Q. Bulletin 23(1):22-23. 1959. (658

CHANDNANI, J. J. Manuring of wheat. Indian Journal of Agricultural Science 24(3):195-211. 1954. (659

CHANDRARATNA, M. F. Rice in Java. Tropical Agriculturist (Ceylon) 107:103-109. 1951. (660

DESIRABLE SOIL building crops for abandoned wheat acreage. Oklahoma Agricultural Experiment Station. Mimeographed Circular no. M-198. 1950. 1 p. (661

DION, H. G. Report of the second meeting of the International Rice Commission's Working Party on Fertilizers, 1952. FAO. Development Paper no. 37. 1953. 46 p. (662

EL FRIJOL de vaca (caupí) para abono verde. Nuestra Tierra Paz y Progreso (Nicaragua) no. 9-10:8. 1958. (663

FISHER, F. L. y SMITH, O. E. The influence of nutrient balance on yield and lodging of Texas Hybrid Corn no. 28. Agronomy Journal 52(4): 201-204. 1960. (664

HERNANDEZ, A. A. Abonos verdes. Anotaciones sobre leguminosas cultivadas en el Tolima. Agricultura Tropical (Colombia) 13(9):561-576. 1957. (665

HUNT, N. H. Frio County (Texas) uses peas to increase yields. Progress Farmer 63(6):24. 1948. (666

JIMENEZ CALDERON, L. F. Estudio de la edad apropiada de la rabiza (*Vigna sinensis* L.) para emplearla como abono verde o forraje. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1964. 69 p. (667

LINEDALE, A. I. Preliminary trials with rice beans in the far north of Queensland. Cane Growers' Quarterly Bulletin 29:21-22. 1965. (668

LIZARRAGA, H. y LITZENBERGER, S. C. El frijol de vaca para abono verde en Nicaragua. Nuestra Tierra Paz y Progreso (Nicaragua) no. 29:3-9. 1959. (669

MASCARENHAS, H. A. A. et al. Adubação verde do feijoeiro 'da seca' com ervilha-de-vaca. Bragantia (Brasil) 26:xxxvii-xl. 1967. (670

MEDCALF, J.C. Experimental programs in Brazil. Coffee horticulture and plant chemistry. Rio de Janeiro, IBEC Research Institute, 1955. pp. 9-30. (671

MELLO, F. DE A.F. DE y BRASIL SOBRINHO, M. DE O. C. DO. Composiçao química de alguns adubos verdes. Anais da Escola Superior de Agricultura "Luiz de Queiroz" (Brasil) 17:347-350. 1960. (672

_____. y BRASIL SOBRINHO, M.DE O.C. DO. Efeitos da incorporação de resíduos de mucuna preta, *Crotalaria juncea* e feijão baiano. I. Influência sobre a produção de arroz. Revista de Agricultura (Brasil) 35(1):33-40. 1960. (673

NETTO, J. A. S. A cultura do arroz na Fazenda Coroputaba. Revista de Agricultura (Brasil) 27(1-2):17-28. 1952. (674

PAO, T. P. y HO, F. W. Field experiments on the interplanting of autumn and spring planted cane with leguminous green manure crops (En chino). Taiwan Sugar Experiment Station. Report no. 11. 1953. pp. 7-40. (675

PETYAEV, S. I. Camphor tree cultivation (En ruso). Soviet Subtropics no. 3:63-70. 1938. (676

PREMSEKAR, S. y SUBRAMANIAM, A. A comparative study of cowpea (*Vigna sinensis*) and clusterbean (*Cyamopsis psoraloides*) as green manure crops for gardenlands. Madras Agricultural Journal 47(12):513-516. 1960. (677

RENARD, M. La régénération des terres épuisées du Soudan français. Bulletin Agricole du Congo Belge 40:2173-2188. 1949. (678

SCHULTZ, E. F. El caupí para abono verde o para rotación con otras plantas cultivadas. Tucumán, Argentina. Estación Experimental Agrícola. Circular no. 82. 1939. 7 p. (679

SHARMA, B. M. y SAXENA, M. C. Effect of crop sequences and levels of nitrogen and phosphate fertilization on the grain yield of wheat. Indian Journal of Agronomy 13(4): 219-223. 1968. (680

SINGH, U. B. After effects of green manure crops on uptake of nitrogen and phosphorus by wheat. Indian Journal of Agronomy 6(2):98-104. 1961. (681

TEXAS AGRICULTURAL EXPERIMENT STATION. Agricultural Research in Texas, 1947-49. College Station, 1950. 201 p. (682

caupí como abono verde, pp. 61-62.

TIMSON, S. D. Alternative green manure crops. Rhodesia Agricultural Journal 41:352-355. 1944. (683

_____. _____. Rhodesia Agricultural Journal 44:618-624. 1947. (684

WATKINS, J. M. y CANO, J. M. Mejore sus suelos sembrando leguminosas. El Salvador. Centro Nacional de Agronomía. Circular Agrícola no.23. 1950. 3 p. (685

YATES, R. A. An experiment with green manures. In Conference of the Queensland Society of Sugar Cane Technologists, 30th, 1963. Proceedings. s.l., 1963. pp. 123-126. (686

SEMILLA (SEED)

General

HOOVER, M. W. y DENNISON, R. A. Correlation of stages of maturity with certain physical measurements in the southern pea, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 62:391-396. 1953. (687

JONES, S. T. y CARLTON, C. C. Sources and quality of southern pea seed in Alabama, 1962-63. Highlights of Agricultural Research 10:14. 1963. (688

MINKES, J. Experiments in the growing of cowpeas for seed (En hebreo). Hassadeh 30:63-67. 1949. (689

PONTE, J.J. DA. Efeito do bicloreto de mercúrio sobre a germinação de sementes do feijão de corda, *Vigna sinensis* Endl. Boletim da Sociedade Cearense de Agronomia (Brasil) 4:45-48. 1963. (690

Tratamiento (Treatment)

CANNON, R. C. Protection of stored cowpea seed against insect damage. Queensland Agricultural Journal 63:148-150. 1946. (691

También en: Queensland. Division of Plant Industry. Advanced Leaflet no. 104. 1946. 3 p.

CARRASCO RUIDIAS, N. Estudio comparativo de fungicidas desinfectantes de semilla en el frijol caupí (*Vigna sinensis* L.). Tesis Ing. Agr. Piura, Perú, Universidad Técnica, Facultad de Agronomía, 1967. 79 p. (692

CASWELL, G. H. y CLIFFORD, H. T. Effect of fumigation and moisture content on the seedling growth of cowpea (*Vigna unguiculata*). Nature 182(4634):540-541. 1958. (693

CENTRAL AFRICA. AGRICULTURAL RESEARCH COUNCIL. Annual Report for 1966. Salisbury, s.f. 125 p. (694

caupí pp. 55-59

GAY, J. D. Fungicidal activity of potassium azide as a seed treatment. Plant Disease Reporter 54(7):604-605. 1970. (695

HARE, W. W. Seed treatment of cowpeas. Plant Disease Reporter 39(7):580-581. 1955. (696

HOLMES, F. O., LAL, S. B. y SHANTA, P. Cowpea inoculation test for diagnosis of coconut wilt disease in India. FAO Plant Protection Bulletin 13(2):30-34. 1965. (697

JOHNSTON, A. A note on fungicidal seed dressing of soya bean, groundnuts and long bean. Malaya Agricultural Journal 41(3):152-155. 1958. (698

JOUBERT, P. C. y DU TOIT, D. M. Tests with ethylene oxide in carbon dioxide as a grain fumigant. I. Small laboratory applications. South African Journal of Agricultural Sciences 8(3):797-816. 1965. (699

MOHANTY, P. K. y MISHRA, D. Post-vernalization seed treatment with vitamins in *Vigna catjang*. Science 138(3543):902-903. 1962. (700

NEEL, W. W. y BELCHER JUNIOR, E. W. Use of sistemic insecticides as seed treatments to control cowpea aphids on black locust seedling. Journal of Economic Entomology 60:964-968. 1967. (701

RAGGIO, M. y RAGGIO, N. M. DE. Ensayo de viabilidad de semillas con cloruro de 2,3,5-trifeniltetrazol. Boletín del Laboratorio de Botánica de La Plata (Argentina) no. 3:1-2. 1950. (702

UPRETY, D. C. Effect of gamma irradiation on growth and development of *Vigna unguiculata* L. (Walp.) var. *phalguni*. Indian Journal of Agronomy 13(3):177-180. 1968. (703

Análisis químico (Chemical Analysis)

Véase también: Alimentación Humana y Estudios Nutricionales

See also: Human Nutrition and Nutritional Studies

BUSSON, F., CARBIENER, R. y BERGERET, B. Étude de la fraction protidique des graines de *Vigna unguiculata* Walp. Qualitas Plantarum et Materiae Vegetabilis 6(1):11-15. 1959. (704

OGUNMODEDE, B. K. y OYENUGA, V. A. Vitamin B content of cowpeas (*Vigna unguiculata* Walp.); thiamine, riboflavin, and niacin. Journal of the Science of Food and Agriculture 20:101-103. 1969; 21:87-91. 1970. (705

TOURY, J. Analyse de quelques plantes entrant dans l'alimentation des populations de l'A.O.F. Qualitas Plantarum et Materiae Vegetabilis 3/4:256-261. 1958. (706

ENFERMEDADES Y PLAGAS (DISEASES AND PESTS)

Enfermedades parasíticas (Parasitic diseases)

General

GONDO, M. y ARIMURA, M. Soil-ecological studies on the soil-pathogens. IX. Effects of plant-root-juice on the growth of *Corticium rolfsii* (Sacc) Curzi. (En japonés). Kagoshima University. Faculty of Agriculture. Bulletin no. 16. 1966. pp. 111-114.

Sumario en inglés (707

HOLMES, F.O., LAL, S. B. y SHANTA, P. Cowpea inoculation test for diagnosis of coconut wilt disease in India. FAO Plant Protection Bulletin 13(2):30-34. 1964. (708

LARSH, H. W. Diseases on cowpeas in Arkansas and Oklahoma. Plant Disease Reporter 28:1005-1006. 1944. (709

NICHOLS, C.W. y STOUT, G. L. Witchweed, *Striga asiatica*, a green, seed producing, higher plant parasitic on corn and certain other crops. Bulletin of the Department of Agriculture of California 46(3):236-241. 1957. (710

PONTE, J. J. Da. Uma nova enfermidade do feijão de corda, *Vigna sinensis* Endl. Boletim da Sociedade Cearense de Agronomia (Brasil) 7:35-38. 1966. (711

SILVERA, G. A. Enfermedades del frijol. MAG (Panamá) 5(2):47-61. 1970. (712

Incluye caupí

SINGH, R. S. Wilt of lobia (cowpeas) in Uttar Pradesh. Science and Culture 19:454-456. 1954. (713

TOLER, R. W., THOMPSON, S. S. y BARBER, J. M. Cowpea (southern pea) diseases in Georgia, 1961-1962. Plant Disease Reporter 47(8):746-747. 1963. (714

Bacterias (Bacterias)

BOEWE, G. H. Bacterial canker of cowpea in Illinois. Plant Disease Reporter 32:275. 1948. (715

BURKHOLDER, W. H. *Xanthomonas vignicola* sp. nov. pathogenic on cowpeas and beans. Phytopathology 34:430-432. 1944. (716

HOFFMASTER, D. E. Bacterial canker of cowpeas. Phytopathology 34:439-441. 1944. (717

LAYNE, R. E. C. Cowpea, a new and useful host of *Erwinia amylovora*. Canadian Journal of Botany 42(12): 1711-1712. 1964. (718

LEFEBVRE, C. L. y SHERWIN, H. S. Observations on the bacterial canker of cowpea. (Abs.) Phytopathology 35: 487. 1945. (719

_____. y SHERWIN, H. S. Inheritance of resistance to bacterial canker (*Xanthomonas vignicola*) in cowpea, *Vigna sinensis*. (Abs.) Phytopathology 40:17-18. 1950. (720

PRESTON, D. A. Bacterial canker of cowpeas. Oklahoma Agricultural Experiment Station. Bulletin B-334. 1949. 11 p. (721

SHERWIN, H. S. y LEFEBVRE, C. L. Reaction of cowpea varieties to bacterial canker (*Xanthomonas vignae*). Plant Disease Reporter 35:303-317. 1951. (722

Hongos (Fungus)

ARMSTRONG, G. M. y ARMSTRONG, J. K. The Fusarium wilt of cowpeas and soybeans. (Abs.) Phytopathology 39:1-2. 1949. (723

_____. y ARMSTRONG, J. K. Biological races of the *Fusarium* causing wilt of cowpeas and soybeans. Phytopathology 40:181-193. 1950. (724

_____. *Phytophthora cactorum* on cowpeas in South Carolina. Plant Disease Reporter 35:418. 1951. (725

ARMSTRONG, G. M. y ARMSTRONG, J. K. Effect of cutting roots on the incidence of *Fusarium* wilt of cotton, tomatoes, cowpeas and other plants. (Abs.) Phytopathology 48(6):341. 1958. (726

También en: Proceedings of the Association of Southern Agricultural Workers 55:216. 1958.

BARRIE, A. G. Cowpeas resistant to wilt. Cane Growers' Quarterly Bulletin 21(2):39-41. 1957. (727

COOK, I. M. Cowpea wilt in "Black eye 5". Cane Growers' Quarterly Bulletin 27(2):50-51. 1963. (728

CHANDRASEKARAN, S. y RANGASWAMI, G. Studies on *Cercospora cruenta* occurring on *Vigna catjang*. Indian Phytopathology 13(1):96-99. 1960. (729

ELAROSI, H., MICHAIL, S. H. y ABD-EL-REHIM, M. A. Damping-off and foot-rot of cowpea in U.A.R. Alexandria Journal of Agricultural Research 18(1):119-122. 1970. (730

ERWIN, D. C. y THOMASON, I. J. Wilt resistant blackeye beans. California Agriculture 10(5):6. 1956. (731

FENNELL, J. L. New cowpeas resistant to mildew. Journal of Heredity 39(10):275-279. 1948. (732

También en: IICA. Reimpreso no.28. 1948. 5 p.

GALVEZ, G. Estudios fisiológicos de *Rhizoctonia solani* Kuhn en *Phaseolus vulgaris* L., *Phaseolus lunatus* L. y *Vigna sinensis* L. Tesis Ing. Agr. Medellín, Colombia, Universidad Nacional, Facultad de Ciencias Agrícolas, 1958. 87 p. (733

GAY, J. D. An apparent new race of cowpea rust on *Vigna*. Plant Disease Reporter 55(5):384-386. 1971. (734

Uromyces phaseoli vignae

GRIFFITHS, D. A. y LIM, W. C. Mechanical resistance in root hairs to penetration by species of vascular wilt fungi. Mycopathologia et Mycologia Applicata 24(2):103-112. 1964. (735

Verticillium y *Fusarium*

GRIFFITHS, D. A. Temporary control of inter-testal contamination during growth of seedlings on nutrient agar. Canadian Journal of Microbiology 11(6):1025-1027. 1965. (736

_____. y LIM, W. C. "Overgrowth" in Malayan crop plants following infection by *Fusarium solani* and F. *decemcellulare*. Plant Disease Reporter 49:979-980. 1965. (737

_____. y LIM, W. C. Intercellular colonization and the production of pectic enzymes by Malayan isolates of *Fusarium*. Plant Disease Reporter 50(2):116-118. 1966. (738

HARE, W. W. Reaction of cowpea varieties to Fusarium wilt. (Abs.) Phytopathology 42:283. 1952. (739

También en: Proceedings of the Association of Southern Agricultural Workers 49:135. 1952.

_____. A new race of *Fusarium* causing wilt of cowpea. (Abs.) Phytopathology 43:291. 1953. (740

También en: Proceedings of the Association of Southern Agricultural Workers 50:161-162. 1953.

_____. Seed treatment of cowpeas. Plant Disease Reporter 39(7):580-581. 1955. (741

_____. Resistance to *Fusarium* wilt in Brown Sugar Crowder cowpeas. (Abs.) Phytopathology 45:347. 1955. (742

También en: Proceedings of the Association of Southern Agricultural Workers 52:148. 1955.

_____. Some characters identified in cowpeas segregating for resistance to *Fusarium* wilt. (Abs.) Phytopathology 46:14. 1956. (743

_____. Inheritance of resistance of *Fusarium* wilt in cowpeas (Abs.). Phytopathology 47(5):312-313. 1957. (744

También en: Proceedings of the Association of Southern Agricultural Workers 54:219. 1957.

_____. Mississippi Crowder, a new disease-resistant cowpea. Phytopathology 47(9):565-566. 1957. (745

Fusarium oxysporum

HARE, W. W. Two fungi, but one disease in one cowpea plant. Mississippi Farm Research 27:7-8. 1964. (746

HEATH, M. C. Haustorial sheath formation in cowpea leaves immune to rust infection. Phytopathology 61(4): 383-388. 1971. (747

_____. y HEATH, I. B. Ultrastructure of an immune and a susceptible reaction of cowpea leaves to rust infection. Physiol. Plant Pathology 1(3):277-287. 1971. (748

Uromyces phaseoli vignae

_____. Ultrastructure of host and non host reactions to cowpea rust. Phytopathology 62(1):27-28. 1972. (749

HOOF, H. A. VAN. A disease of yard long beans (*Vigna unguiculata* Walp.) caused by an *Elsinoe spec.* (En holandés). Surinaamse Landbouw 11(1):27-30. 1963. (750

JHOOTY, J. S. y YARDWOOD, C. E. Heat-induced hypersesitivity in cowpea to *Erysiphe polygoni*. Phytopatholo gy 57(2):148-150. 1967. (751

KENDRICK JUNIOR, J. B. y MIDDLETON, J.T. *Cladosporium* spot of cowpea in south ern California. Plant Disease Reporter 32:478. 1948. (752

LEFEBVRE, C. L. y WEIMER, J. L. *Choanephora cucurbitarum* attacking cowpeas. Phytopathology 29:898-901. 1939. (753

_____. y STEVENSON, J. A. The fungus (*Aristastoma oeconomicum*) causing zonate leafspot of cowpea. Mycologia 37(1):37-45. 1945. (754

LUTTRELL, E. S. y WEIMER, J. L. *Macrophomina* stem canker and ashy stem blight of cowpea. Plant Disease Reporter 36:178-179. 1952. (755

MARRAS, F. Arachide, girasole e vigna nuovi ospiti di *Macrophomina phaseo lina* (Tassi) Goid., in Sardegna. Sassari. U. Ist. di Patologia Vet. Note Fitopatol. per la Sardegna no. 3. 1963. 9 p. (756

Sumario en inglés

MIDDLETON, J. T. y SNYDER, W. C. Pythium wilt of *Phaseolus*, *Pisum*, and *Vigna*. (Abs.) Phytopathology 38:917. 1948. (757

MOLINA LLARDEN, M. e IBAÑEZ, E. Identi ficación y clasificación del hongo que ataca al cowpea. AGA (Guatemala) 3(116-117):12-13. 1968. (758

MULLER, A. S. A foliar disease of legumes in Central America. FAO Plant Protection Bulletin 1:83-84. 1953. (759

Chaetoseptoria wellmanii

OLIVE, L. S. Leaf spot of cowpea and soybean caused by an undescribed species of *Helminthosporium* (*H. vignae* n. sp.). Phytopathology 35:822-831. 1945. (760

OLIVE, L. S., BAIN, D. C. y LEFEBVRE, C. L. A leaf spot of cowpea and soybean, caused by a new species of *Helminthosporium*. (Abs.) Phytopathology 35:488. 1945. (761

PAULECH, C. y HERRERA, S. A study of primary infection of cowpea (*Vigna sinensis* Savi) by powdery mildew (*Erysiphy polygoni* DC) (En francés). Biologia (Bratislava) 25(1):3-10. 1970. (762

PRASAD, N., AGARWAL, J. P. y AGNIHOTRI, J. P. The genus *Protomycopsis* in India. Indian Phytopathology 15(1):24-27. 1962. (763

PURSS, G. S. y BOWEN, G. D. A stem rot of cowpeas. Australian Plant Disease Recorder 4:43. 1952. (764

_____. Stem rot of cowpeas. Queens land Agricultural Journal 77(3): 139-142. 1953. (765

_____. Stem rot: a disease of cowpeas caused by an undescribed species of *Phytophthora*. Queensland Journal of Agricultural Science 14(3):125-154. 1957. (766

_____. Studies on varietal resistance to stem rot (*Phytophthora vignae* Purss) in the cowpea. Queensland Journal of Agricultural Science 15(1):1-14. 1958. (767

_____. Pathogenic specialization in *Phytophthora vignae*. Australian Journal of Agricultural Research 23(3):453-456. 1972. (768

RAO, V. G. A new species of *Septoria* on an economic host. Current Science 32(8):367-368. 1963. (769

SCHNATHORST, W. C. Effect of *Sporotrichum sp.* Link on cowpea and four other leguminous hosts. Phytopathology 44:478-479. 1954. (770

SCHROTH, M. N. y TEAKLE, D. S. Influence of virus and fungus lesions on plant exudation and chlamydospore germination of *Fusarium solani f. phaseoli*. Phytopathology 53(5):610-612. 1963. (771

SINGH, R. S. y SINHA, R. P. Studies on the wilt disease of cowpea in Uttar Pradesh. I. Occurrence and symptoms of the disease and identity of the causal organism. Journal of the Indian Botanical Society 34:375-381. 1955. (772

STRIDER, D. L. Control of *Cladosporium* spot of southern pea. Plant Disease Reporter 44(12):955. 1960. (773

_____. y TOLER, R. W. Efficacy of screening southern peas (*Vigna sinensis*) in the seedling stage for *Cladosporium* spot resistance. Plant Disease Reporter 47(6):493-496. 1963. (774

STROBEL, J. W. *Verticillium* wilt (*Verticillium alboatrum*) of okra and southern pea (*Vigna sinensis*) in southern Florida. Florida State Horticultural Society. Proceedings 74:171-175. 1961. (775

THOMASON, I. J., ERWIN, D. C. y GARBER, M. J. The relationship of the root-knot nematode, *Meloidogyne javanica*, to *Fusarium* wilt (*Fusarium oxysporum tracheiphilum*) of cowpea. Phytopathology 49(9): 602-606. 1959. (776

TOLER, R. W. Southern pea scab. Georgia Agricultural Experiment Station. Leaflet no. 30. 1962. 3 p. (777

Cladosporium vignae

_____. y DUKES, P. D. *Choanephora* pod rot of cowpeas. Plant Disease Reporter 49(4):347-350. 1965. (778

Choanpehora cucurbitarum

WEIMER, J. L. y LUTTRELL, E. S. A canker of cowpea and *Macrophomina phaseoli* of cowpea and snap bean. Plant Disease Reporter 29:127-129. 1945. (779

_____. Red stem canker of cowpea, caused by *Phytophthora cactorum*. Journal of Agricultural Research 78:65-75. 1949. (780

YARDWOOD, C. E. Predisposition to mildew by rust infection, heat, abrasion, and pressure. Phytopathology 55(12):1372. 1965. (781

Virus

ABEYGUNAWARDENA, D. W. W. y PERERA, S. M. D. Virus disease affecting cowpea in Ceylon. Tropical Agriculturist (Ceylon) 120(3-4):181-204. 1964. (782

ADSUAR, J. A mosaic disease of cowpea (*Vigna sinensis* Savi) in Puerto Rico. Journal of Agriculture of the University of Puerto Rico 48(3):264. 1964. (783

AGRAWAL, H. O. Identification of cowpea mosaic virus isolates. Thesis Ph. D. Wageningen, State Agricultural University, 1964. 53 p. (Wageningen. State University. Communication no. 64-5) (784

_____. y PEETOOM, F. Immuno-electrophoretic study of purified cowpea mosaic virus preparations and its role in the identification of different components. Wageningen. Landbouw. Lab. Virol. Mededelingen no. 23. 1964. (785

_____. y TREMAINE, J. H. Proteins of cowpea chlorotic mottle, broad bean mottle, and brome mosaic viruses. Virology 47(1):8-20. 1972. (786

ANDERSON, C. W. *Vigna* and *Crotalaria* viruses in Florida. Plant Disease Reporter 39:345-357. 1955. (787

_____. Seed transmission of three viruses in cowpea (Abs.). Phytopathology 47(9):515. 1957. (788

ANDERSON, C. W. *Vigna* and *Crotalaria* viruses in Florida. V. Comparative transmission tests with aphids and beetles. Phytopathology 49(2):117-118. 1959. (789

BANCROFT, J.B., HILLS, G.J. y MARKHAM,R. A study of the self-assembly process in a small spherical virus formation of organized structures from protein subunits in vitro. Virology 31(2): 354-379. 1967. (790

_____. et al. Properties of cowpea chlorotic mottle virus; its protein and nucleic acid. Virology 34(2): 224-239. 1968. (791

_____. et al. Self-assembly of a nucleic-acid free pseudotop component for a small spherical virus. Virology 36:146-149. 1968. (792

_____, BRACKER, C.E. y WAGNER, G. W. Structures derived from cowpea chlorotic mottle and brome mosaic virus protein. Virology 38(2):324-335. 1969. (793

_____. A virus made from parts of genomes of brome mosaic and cowpea chlorotic mottle viruses. Journal of General Virology 14(2):223-228. 1972. (794

_____. y FLACK, I. H. Behaviour of cowpea chlorotic mottle virus in Cs Cl. Journal of General Virology 15(3):247-251. 1972. (795

_____. et al. Some properties of a temperature-sensitive mutant of cowpea chlorotic mottle virus. Journal of General Virology 16(1):69-81. 1972. (796

BENDA, G. T. A. The effect of New Zealand spinach juice on the infection of cowpeas by tobacco ringspot virus (*Annulus tabaci*). Virology 2:438-454. 1956. (797

BENITEZ DE ROJAS, C. E. Transmisión de virus en frijol y soya a través de la semilla. In Seminario Panamericano de Semillas, 5°, Maracay, Venezuela, 1966. Documentos. pt. 1, 5 p. (798

BLISS, F.A. y ROBERTSON, D.G. Genetics of host reaction in cowpea to cowpea yellow mosaic virus and cowpea mottle virus. Crop Science 11(2): 258-262. 1971. (799

BOCK, K. R. Notes on East African plant virus diseases. I. Cowpea mosaic virus. East African Agricultural and Forestry Journal 37(1):60-62. 1971. (800

BRANTLEY, B. B., KUHN, C. W. y SOWELL, G. Effects of cucumber mosaic virus on southern pea (*Vigna sinensis*). American Society for Horticultural Science. Proceedings 87:355-358. 1965. (801

BRIERLEY, P. y SMITH, F. F. Three cowpea mosaic viruses from *Gladiolus*. Plant Disease Reporter 46(5):335-337. 1962. (802

BRUENING, G. y AGRAWAL, H. O. Infectivity of a mixture of cowpea mosaic virus ribonucleoprotein components. Virology 32:306-320. 1967. (803

_____. Inheritance of top component formation in cowpea mosaic virus. Virology 37:577-584. 1969. (804

CANER, J., SILBERSCHMIDT, K. y FLORES,E. Occorrência do vírus do mosaico da *Vigna* no Estado de São Paulo. Biológico (Brasil) 35(1):13-16. 1969. (805

CAPOOR, S.P., VARMA, P.M. y UPPAL, B.N. A mosaic disease of *Vigna catjang* Walp. Current Science 16:151. 1947. (806

_____. y VARMA, P. M. Studies on a mosaic disease of *Vigna cylindrica* Skeels. Indian Journal of Agricultural Science 26:95-103. 1966. (807

_____. Important virus diseases of field and garden crops in India and their control. Indian Council Agricultural Research. Technical Bulletin no. 12. 1967. 41 p. (808

CHANT, S. R. Viruses of cowpea, *Vigna unguiculata* L. (Walp.), in Nigeria. Annals of Applied Biology 47(3): 565-572. 1959. (809

_____. The effect of infection with tobacco-mosaic and cowpea yellow-mosaic viruses on the growth rate and yield of cowpea in Nigeria. Empire Journal of Experimental Agriculture 28(110):114-120. 1960.(810

CHANT, S. R. The use of *Chenopodium amaranticolor* in the study of Nigerian cowpea yellow mosaic virus. Phytopathology 51(5):332-333. 1961. (811

_____. Further studies on the host range and properties of Trinidad cowpea mosaic virus. Annals of Applied Biology 50(1):159-162. 1962. (812

CHENULU, V. V. y SACHIDANANDA, J. Cowpea, a local lesion host for pea mosaic virus. Current Science 36(9):244. 1967. (813

CHIDLOW, J. y TREMAINE, J. H. Limited hydrolysis of cowpea chlorotic mottle virus by trypsin and chymotrypsin. Virology 43(1):267-278. 1971. (814

DALE, W. T. Preliminary studies of the plant viruses of Trinidad. Tropical Agriculture (Trinidad) 20:228-235. 1943. (815

_____. Observations on a virus disease of cowpea in Trinidad. Annals of Applied Biology 36:327-333. 1949. (816

_____. Transmission of plant viruses by biting insects, with particular reference to cowpea mosaic. Annals of Applied Biology 40:384-392. 1953. (817

DAWSON, W. O. y KUHN, C. W. Enhancement of cowpea chlorotic mottle virus biosynthesis and in vivo infectivity by 2-thiouracil. Virology 47(1):21-29. 1972. (818

DeJAGER, C.P. y KAMMEN, A. VAN. The relationship between the components of cowpea mosaic virus. III. Location of genetic information for two biological functions in the middle component of CPMV. Virology 41(2):281-287. 1970. (819

DeZEEUW, D. J. y BALLARD, J. C. A test strain of black cowpea. Plant Disease Reporter 42(7):898. 1958. (820

_____. y CRUM, R. A. Inheritance of resistance to tobacco ringspot and cucumber mosaic viruses in black cowpea crosses. Phytopathology 53(3):337-340. 1963. (821

DeZEEUW, D. J. y TIMMER, L. W. A "T"-head inoculator for local-lesion assay of viruses. Phytopathology 54(2):196-198. 1964. (822

DEBROT, E. y BENITEZ DE ROJAS, C. E. Avances en el estudio de virosis en soya, tabaco, frijol, caraotas y batata. In Jornadas Agronómicas, 6as, Maracaibo, Venezuela, 1966. Memoria. Caracas, Sociedad Venezolana de Ingenieros Agrónomos, 1966. t. 2. (823

_____. y BENITEZ DE ROJAS, C. E. El virus del mosaico del frijol, *Vigna sinensis* Endl. (cowpea mosaic virus) en Venezuela. Agronomía Tropical (Venezuela) 17(1):3-15. 1967. (824

DIAZ, A. J. Estudio y caracterización de un mosaico del frijol de costa (*Vigna sinensis*) en El Salvador. (Abs.) Phytopathology 62(7):754. 1972. (825

DIENER, T. O., SCOTT, H. A. y KAPER, J.M. Highly infectious nucleic acid from crude and purified preparations of cucumber mosaic virus (Y strain). Virology 22(1):131-141. 1964. (826

DUNCAN, R. F. y BRUENING, G. Hydrogen ion effects on thermal inactivation of cowpea mosaic virus. Virology 46(3):973-976. 1971. (827

EDWARDSON, J. R. et al. A cytological comparison of inclusions as a basis for distinguishing two filamentous legumes viruses. Journal of General Virology 15(2):113-118. 1972. (828

EHARA, Y. y TADAO, M. Studies on the infection of cucumber mosaic virus. V. The observation of epidermal cell in the local lesion. Tohoku Journal of Agricultural Research 19(3):166-172. 1968. (829

FULTON, R. W. Mechanical transmission of tatter leaf virus from cowpea to citrus. Phytopathology 56(5): 575. 1966. (830

GAY, J. D. Specific infectivity of cowpea chlorotic mottle virus in different hosts. Dissertation Abstracts 28(6):2218. 1967. (831

GAY, J. D. y KUHN, C. W. Specific infectivity of cowpea chlorotic mottle virus from five hosts. Phytopathology 58:1609-1615. 1968. (832

_____. Effect of seed maturation on the infectivity of cowpea chlorotic mottle virus. Phytopathology 59(6):802-804. 1969. (833

GILL, C. C. Fluorescent metabolites in virus or rust-infected bean leaves. Canadian Journal of Botany 43:201-215. 1965. (834

GORBUNOVA, N. I. et al. Preparation of specific serum to mosaic virus of cowpea and mung bean (En ruso). Sel'skokhoz Biol. 4(4):493-505. 1969. (835

GOVINDASWAMY, C. V. et al. Studies on a cowpea mosaic virus disease. Madras Agricultural Journal 57(8): 405-414. 1970. (836

GROGAN, R. G. y KIMBLE, K. A. The relationship of severe bean mosaic virus from Mexico to southern bean mosaic virus and its related strain in cowpeas. Phytopathology 54(1): 75-78. 1964. (837

HAQUE, S. Q. y CHENULU, V. V. Seed transmission of cowpea mosaic virus. Tropical Agriculture (Trinidad) 49(1):73-75. 1972. (838

_____. y CHENULU, V. V. Influence of aphid-rearing plants and the developmental forms of the aphid on the transmission of cowpea mosaic virus. Tropical Agriculture (Trinidad) 49(2):183-184. 1972. (839

HARRIS, H. B. y KUHN, C. W. Influence of cowpea chlorotic mottle virus (soybean strain) on agronomic performance of soybeans. Crop Science 11(1):71-73. 1971. (840

HARRISON, A. N. y GUDAUSKAS, R. T. Cowpea viruses in Alabama. Highlights Agriculture Research 14(4): 14. 1967. (841

_____. y GUDAUSKAS, R. T. Effects of some viruses on growth and seed production of two cowpea cultivars. Plant Disease Reporter 52(7):509-511. 1968. (842

HIDAKA, Z. e ITO, T. Some characters of cowpea mosaic virus (En japonés). Kyushu Association of Plant Protection. Proceedings 15:54-56. 1969. (843

HIEBERT, E., BANCROFT, J. B. y BRACKER, C. E. The assembly in vitro of some small spherical viruses, hybrid viruses, and other nucleoproteins. Virology 34(3):492-508. 1968. (844

HINO, T. Studies on the asparagus-bean (*Vigna sesquipedalis*) mosaic virus. Annals of the Phytopathological Society of Japan 25(4):178-185. 1960. (845

HOOF, H. A. VAN. Transmission of the cowpea mosaic virus in Surinam (En holandés). Surinaamse Landbou 11(4):131-137. 1963. (846

Sumario en inglés

JANSEN, W. P. y STAPLES, R. Effect of cowpeas and soybeans as source or test plants of cowpea mosaic virus on vector, efficiency and retention of infectivity of bean leaf beetle and spotted cucumber beetle. Plant Disease Reporter 54(12,pt.1):1053-1054. 1970. (847

_____. y STAPLES, R. Transmission of cowpea virus by Mexican bean beetle (*Epilachna varivestis*). Journal of Economic Entomology 63(5):1719-1720. 1970. (848

_____. y STAPLES, R. Specificity of transmission of cowpea mosaic virus by species within subfamily Galerucinae, family Chrysomelidae. Journal of Economic Entomology 64(2):365-367. 1971. (849

JHOOTY, J. S. y YARDWOOD, C. E. Heat-induced hipersensitivity in cowpea to *Erysiphe polygoni*. Phytopathology 57:148-150. 1967. (850

KAMMEN, A. VAN. Purification and properties of the components of cowpea mosaic virus. Virology 31(4):633-642. 1967. (851

_____. The relationship between the components of cowpea mosaic virus. I. Virology 34(2):312-318. 1968. (852

KAMMEN, A. VAN y GRIENSVEN, L. J. L. D. VAN. The relationship between the components of cowpea mosaic virus. II. Further characterization of the nucleoprotein components of CPMV. Virology 41(2):274-280. 1970. (853

KARAS, J. G. Some aspects of growth regulator application to plants of *Zinnia elegans* and *Vigna sinensis* inoculated with tobacco ringspot virus. Dissertation Abstracts 23(5):1479-1480. 1962. (854

_____. et al. Inhibition of localized virus lesions by N-dimethylaminosuccinamic acid. Nature 203(4950):1197. 1964. (855

KARLE, H. P. The movement of peach yellow bud mosaic virus in host plants. Dissertation Abstracts 26(8):4162-4163. 1966. (856

_____. y SHALLA, T. A. Inability of peach yellow bud mosaic virus and C^{14} to move into opposite noninoculated primary leaves of cowpea. Phytopathology 56(5):562-563. 1966. (857

KHATRI, H. L. y CHENULU, V. V. Metabolism of resistant and susceptible cowpea varieties infected with cowpea mosaic virus. II. Changes in peroxidase and catalase enzyme activity. Indian Phytopathology 23(3):553-557. 1970. (858

KLESSER, P. J. Virus diseases of cowpea. Bothalia 7(2):233-251. 1960. (859

KUHN, C. W. Field occurrence and properties of the cowpea strain of southern bean mosaic virus. Phytopathology 53(6):732-733. 1963.(860

_____. Separation of cowpea virus mixtures. Phytopathology 54(6): 739-740. 1964. (861

_____. Purification, serology, and properties of a new cowpea virus. Phytopathology 54(7):853-857. 1964. (862

_____. Decline of specific infectivity of cowpea chlorotic mottle virus in vivo. Virology 25(1):9-14. 1965. (863

KUHN, C.W., BRANTLEY, B. B. y SOWELL,G. Immunity to bean yellow mosaic virus in cowpea (*Vigna sinensis*). Plant Disease Reporter 49(10):879-881. 1965. (864

_____, BRANTLEY, B.B. y SOWELL, G. Southern pea viruses: identification, symptomatology, and sources of resistance. Georgia Agricultural Experiment Station. Bulletin (n.s.) no. 157. 1966. 23 p. (865

_____. Identification and specific infectivity of a soybean strain of cowpea chlorotic mottle virus. Phytopathology 58:1441-1442. 1968. (866

_____. Cowpea chlorotic mottle virus local lesion area and infectivity increased by 2-thiouracil. Virology 43(1):101-109. 1971. (867

KVICALA, B.A., SMRZ, J. y BLANCO, N. Some properties of cowpea mosaic virus isolated in Cuba. Phytopat. Z. 69(3):223-235. 1970. (868

LAYNE, R. E. C. Cowpea, a new and useful host of *Erwinia amylovora*. Canadian Journal of Botany 42:1711-1712. 1964. (869

LOCKHART, B. E. y SEMANCIK, J. S. Growth inhibition, peroxidase and 3-indole-acetic acid oxidase activity, and ethylene production in cowpea mosaic virus-infected cowpea seedlings. Phytopathology 60:553-554. 1970. (870

LOVISOLO, O. y CONTI, M. Identification of an aphid-transmitted cowpea mosaic virus. Netherlands Journal of Plant Pathology 72(5):265-269. 1966. (871

McKEEN, C. D. Studies on the effect of pepper extract on local lesion production in cowpea and a few other indicator hosts. (Abs.). Proceedings of the Canadian Phytopathological Society 23:18. 1955. (872

MILBRATH, J. A. y McWHORTER, F. P. Response of cowpea varieties to strains of alfalfa mosaic virus. (Abs.) Phytopathology 44:498. 1954. (873

MILNE, R. G. Electron microscopy of leaves infected with sowbane mosaic virus and other small polyhedral viruses. Virology 32:589-600. 1967. (874

MISAWA, M., KATO, S. y SUZUKI, H. On the calculation of CMV by the local lesion method (En japonés). Soc. Plant Protection N. Japan. Annual Report 15:44-45. 1964. (875

_____. y EBARA, Y. The effect of washing on CMV infection (En japonés). Soc. Plant Protection N. Japan. Annual Report 15:45. 1964. (876

NIBLETT, C. L. y SEMANCIK, J. S. Conversion of the electrophoretic forms of cowpea mosaic virus in vivo and in vitro. Virology 38(4):685-693. 1969. (877

_____. y SEMANCIK, J. S. The significance of the coat protein in infection by the electrophoretic forms of cowpea mosaic virus. Virology 41(2):201-207. 1970. (878

ORDOSGOITTY F., A. Pruebas acerca de la transmisión por semillas del "cowpea mosaic virus" en variedades de frijol (*Vigna sinensis*). In Reunión Latinoamericana de Fitotecnia, 7a, Maracay, Venezuela, 1967. Resúmenes de los trabajos. Maracay, 1967. p. 162. (879

PEREZ, J. E. y CORTES-MONLLOR, A. A mosaic virus of cowpea from Puerto Rico. Plant Disease Reporter 54(3):212-216. 1970. (880

RAMALLO, J. C. y GARCIA, A. E. Influencia de las barreras vegetales e insecticidas en el control de insectos vectores de virus en los rendimientos del ají. Revista Agronómica del Noroeste Argentino 8(3-4):275-294. 1971. (881

RAYCHAUDHURI, S. P. y MOORTHY, B. R. The ultraviolet absorption spectra of mosaic viruses of sannhemp and cowpea. (Abs.) Indian Scientific Congress. Proceedings 36(4):11-12. 1949. (882

REEDER, B.D., NORTON, J.D. y CHAMBLIS, O.L. Inheritance of bean yellow mosaic virus resistance in southern pea, *Vigna sinensis* (Torner) S. Journal of the American Society for Horticultural Science 97(2):235-237. 1972. (883

ROBERTSON, D. G. Further studies on the host range of cowpea yellow mosaic virus. Tropical Agriculture (Trinidad) 40:319-324. 1963. (884

ROBERTSON, D. G. The local lesion reaction for recognizing cowpea varieties immune from and resistant to cowpea yellow mosaic virus. Phytopathology 55(8):923-925. 1965. (885

ROSS, A. F. Systemic resistance induced by localized virus infections in beans and cowpeas. (Abs.) Phytopathology 54:1436. 1964. (886

SANAI VASUDEVA, R. Mosaic disease of cowpea. Indian Journal of Agricultural Science 12:281-283. 1942. (887

SCHROTH, M. N. y TEAKLE, D. S. Influence of virus and fungus lesions on plant exudation and chlamydospore germination of *Fusarium solani f. phaseoli*. Phytopathology 53(5): 610-612. 1963. (888

SCOTT, H. A. y SLACK, S. A. Serological relationship of brome mosaic and cowpea chlorotic mottle viruses. Virology 46(2):490-492. 1971. (889

SEMANCIK, J. S. y WEATHERS, L. G. Partial purification of a mechanically transmissible virus associated with tatter leaf of citrus. Phytopathology 55(12):1354-1358. 1965. (890

_____. Studies on electrophoretic heterogeneity in isometric plant viruses. Virology 30(4):698-704. 1966. (891

SHANTA, P. y MENON, K. P. V. Cowpea (*Vigna sinensis* Endl.) an indicator plant for the coconut wilt virus. Virology 12(2):309-310. 1960. (892

_____. y MENON, K. P. V. Some virus diseases of plants commonly met with in coconut gardens. I. A note on symptoms and transmissibility of three new diseases. Indian Coconut Journal 13(2):67-69. 1960. (893

SHEPHERD, R. J. y FULTON, R. W. Identify of a seed-borne virus of cowpea. Phytopathology 52(6):489-493. 1962. (894

_____. Serological relationship between bean pod mottle virus and cowpea mosaic viruses from Arkansas and Trinidad. Phytopathology 53(7,pt.1):865-868. 1963. (895

SHEPHERD, R. J. Properties of a mosaic virus of cowpea and its relationship to the bean pod mottle virus. Phytopathology 54(4):466-473. 1964. (896

SILL JUNIOR, W. H. y WALKER, J. C. Cowpea as an assay host for cucumber virus I. Phytopathology 42: 328-330. 1952. (897

_____. y WALKER, J. C. Strain of cowpea susceptible to systemic infection by various strains of common cucumber mosaic virus. Phytopathology 42:442. 1952. (898

_____. et al. Electron microscopy of cucumber virus 1. Phytopathology 42:420-422. 1952. (899

_____. y WALKER, J. C. A virus inhibitor in cucumber in relation to mosaic resistance. Phytopathology 42:349-352. 1952. (900

_____. The effect of temperature upon the local lesion response of cowpea inoculated with cucumber virus 1. Kansas Academy of Sciences Transactions 58:328-329. 1955. (901

SINCLAIR, J. B. y WALKER, J. C. Inheritance of resistance to common cucumber mosaic virus in cowpea. (Abs.) Phytopathology 44:506. 1954. (902

_____. y WALKER, J. C. Extent of cross protection among strains of cucumber mosaic virus in cucumber and cowpea. Phytopathology 46:367-371. 1956. (903

SLACK, S. A. y SCOTT, H. A. Hemolymph as a reservoir for cowpea strain of southern bean mosaic virus in bean leaf beetle. Phytopathology 61(5):538-540. 1971. (904

SOWELL JUNIOR, G., KUHN, C. W. y BRANTLEY, B. B. Resistance of southern pea, *Vigna sinensis* to cowpea chlorotic mottle virus. American Society for Horticultural Science. Proceedings 86:487-490. 1965. (905

TASUGI, H., MISAWA, T. y KATO, S. Studies on the infection and the multiplication of plant viruses. I. Abnormal respiration of infected leaves with cucumber mosaic virus (En japonés). Annals of the Phytopathological Society of Japan 28(3):109-113. 1963. (906

Sumario en inglés

THORNBERRY, H. H. A cowpea local-lesion assay to presumably cherry ringspot virus. (Abs.). Phytopathology 47(1): 35. 1957. (907

TOLER, R. W. y MORTON, D. J. Cowpea strain of tobacco mosaic in Georgia. Georgia Agricultural Research 6(2): 9-10. 1964. (908

_____. Seed transmission of southern pea viruses in Georgia. Georgia Agricultural Research 8(2):10-12. 1966. (909

TOMARU, K. e HIKADA, Z. Studies on the biological assay of cucumber mosaic virus with cowpea (En japonés). Hatano Tobacco Experiment Station. Bulletin no. 58. 1967. 18 p. (910

Sumario en inglés

TREMAINE, J.B., AGRAWAL, H.O. y CHIDLOW, J. Partial sequence of N-terminal portion of protein of cowpea chlorotic mottle virus. Virology 48(1):245-254. 1972. (911

_____. The amino acid and nucleotide composition of the bean and cowpea strains of southern bean mosaic virus. Virology 30(3):348-354. 1966. (912

TSUCHIZAKI, T., YORA, K. y ASUYAMA, H. Seed transmission of viruses in cowpea and adsuki bean plants. I. Factors influencing seed transmission (En japonés). Annals of the Phytopathological Society of Japan 36(2):121-126. 1970. (913

_____, YORA, K. y ASUYAMA, H. Seed transmission of viruses in cowpea and azuki bean plants. II. Relations between seed transmission and gamete infection (En japonés). Annals of the Phytopathological Society of Japan 36(4):237-242. 1970. (914

_____, YORA, K. y ASUYAMA, H. Seed transmission of viruses in cowpea and azuki bean plants. III. Relations between seed transmission and embryo infection (En japonés). Annals of the Phytopathological Society of Japan 37(1):11-16. 1971. (915

TSUCHIZAKI, T. e HIBINO, H. Seed transmission of viruses in cowpea and azuki bean plants. IV. Relations between seed transmission and virus distribution in apical meristem of flower bud. (En japonés). Annals of the Phytopathological Society of Japan 37(1):17-21. 1971. (916

TYMCHENKO, V.I., IEFREMOVA, T. H. y DOVHAL', I.E.S. Spread of virus diseases of potatoes by aphids in relation to widespread isolation (Ukr.). Visnyk Sil's'kohospodar Nauk 10:66-68. 1971. (917

VAN VELSEN, R. J. Cowpea mosaic, a virus disease of *Vigna sinensis* in New Guinea. Papua and New Guinea Agricultural Journal 14(4):153-161. 1962. (918

VASUDEVA, R. S. A mosaic disease of cowpea. Indian Journal of Agricultural Science 12:281-283. 1942. (919

VLASOV, Y. L., KERAMIDIS, K. K. y TSYPLENKOV, A. E. Virus diseases of alfalfa and cowpeas (En ruso). Zashch. Rastenii 7:42. 1967. (920

WAGNER, G. W. y BANCROFT, J. B. The self assembly of spherical viruses with mixed coat proteins. Virology 34(4):748-756. 1968. (921

_____. y BANCROFT, J. B. Assembly of RNA-free mixed-coat capsids of small spherical viruses. (Cowpea chlorotic mottle, brome mosaic, broadbean mottle). Virology 45(1): 321-323. 1971. (922

WALTERS, H. J. y HENRY, D. G. Bean leaf beetle as a vector of cowpea strain of south bean mosaic virus. Phytopathology 60(1):177-178. 1970. (923

WARID, W. A. y PLAKIDAS, A. G. New viruses naturally infectious to cowpea (Abs.). Phytopathology 40:30-31. 1950. (924

_____. y PLAKIDAS, A. G. Thermophilic viruses naturally infectious to cowpea. Plant Disease Reporter 36:380-381. 1952. (925

WEINTRAUB, M. y RAGETLI, H. W. J. Electron microscopy of bean and cowpea strains of southern bean mosaic virus within leaf cells. Journal of Ultrastructure Research 32(1-2): 167-189. 1970. (926

WEINTRAUB, M. y RAGETLI, H. W. J. Identification of the constituents of southern bean mosaic virus in crystals of infected cells and other distribution within the virion. Virology 41:729-739. 1970. (927

WELKIE, G. W. y POUND, G. S. Temperature influence on the rate of passage of cucumber mosaic virus through the epidermis of cowpea leaves. Virology 5(2):362-370. 1958. (928

WELLS, D. G. y DEBA, R. Sources of resistance to the cowpea yellow mosaic virus. Plant Disease Reporter 45(11):878-881. 1961. (929

WILKIE, G. E., YANG, S. F. y MILLER, G.W. Metabolite changes induced by cucumber mosaic virus in resistant and susceptible strains of cowpeas. Phytopathology 57(5):472-475. 1967. (930

WOOD, H. A. Further characterization of the biological interaction between the nucleoprotein components of cowpea mosaic virus. Dissertation Abstracts 29(10):3629-3630. 1969. (931

_____. Buoyant density changes of cowpea mosaic virus components at different pH values. (Hydrogen-ion concentration). Virology 43(2): 511-513. 1971. (932

WU, G. J. y BRUENING, G. Two proteins from cowpea mosaic virus. Virology 46(3):596-612. 1971. (933

YARDWOOD, C.E., RESCONICH, E. C. y KADO, C. I. Translocated stimuli affecting plant virus infections. Virology 16(4):414-418. 1962. (934

_____. In vitro increase in virus infectivity. Plant Disease Reporter 50(9):639-640. 1966. (935

_____. Sulfite in plant virus inoculations. Virology 39(1):74-78. 1969. (936

_____. Reversible host adaptation in cucumber mosaic virus. Phytopathology 60(7):1117-1119. 1970. (937

YARDWOOD, C. E. y HECHT-POINAR, E. Magnesium silicate in virus transmission. Virology 41(3):436-443. 1970. (938

YU, T. F. A mosaic disease of cowpea (*Vigna sinensis* Endl.). Annals of Applied Biology 33:450-454. 1946. (939

ZABALA, S. El Lycopersicum virus 3 determinado en caupí y maní. Revista Agronómica del Noroeste Argentino 7(3-4):651-673. 1970. (940

ZETTLER, F. W. Heterogeneity of bean leaves as sources of bean common mosaic virus for aphids. Phytopathology 59:1109-1110. 1969. (941

Control

CAPOOR, S. P. Important virus diseases of field and garden crops in India and their control. Indian Council Agricultural Research. Technical Bulletin no. 12. 1967. 41 p. (942

CHIDLOW, J. y TREMAINE, J. H. Limited hydrolysis of cowpea chlorotic mottle virus by trypsin and chymotrypsin. Virology 43(1):267-278. 1971. (943

JOHNSON, P. R. Disease resistant edible cowpeas. Texas Agricultural Experiment Station. Progress Report no. 869. 1943. 2 p. (944

Insectos (Insects)

General

ABUL-NASR, S. y MAHOMOUD ABEL-HALIM, A. Some ecological aspects concerning the bean-fly, *Melanagromyza phaseoli* (Tryon) (Diptera: Agromyzidae). Bulletin of the Society of Entomology of Egypte 50(59):163-172. 1968. (945

APPERT, J. Faune parasitaire du niébé (*Vigna unguiculata* (L.) Walp. = *Vigna catjang* (Burm.) Walp.) en République du Sénégal. Agronomie Tropicale 19(10):788-799. 1964. (946

BARRAL, J. M. y STACUL, M. V. DE. Determinación de las especies de trips en cultivos de la región Centro-Chaqueña, con especial referencia al algodón. Revista de Investigaciones Agropecuarias. Serie 5 - Patología Vegetal (Argentina) 6(4):83-94. 1969. (947

Incluye caupí

BASTOS, J. A. M. Influência da cor do feijão-de-corda, *Vigna sinensis* Endl. no ataque do gorgulho, *Callosobruchus analis*. Turrialba (Costa Rica) 19(2):296-297. 1969. (948

_____. Substâncias orgânicas como atraentes para a postura do gorgulho, *Callosobruchus analis* Fabr., no feijão-de-corda, *Vigna sinensis* Endl. Pesquisa Agropecuária Brasileira 4:127-128. 1969. (949

BELL, J. V. y HAMALLE, R. J. A bacterium and dipterous parasite in wild populations of cowpea curculio larvae: effects of treatment with spores of *Metarrhizium anisopliae*. (*Chalcodermus aeneus*). Journal of Invertebrate Pathology 17(2):256-259. 1971. (950

BHATTACHARYA, A. K. y PANT, N. C. Growth and development of khapra beetle, *Trogoderma granarium* Everts (Col. Dermestidae) on pulses. Bulletin of Entomological Research 59(3):383-388. 1969. (951

BISSELL, T. L. Winter quarters of the spotted cucumber beetle and the cowpea cucurlio, and results of burning. Journal of Economic Entomology 32:546-553. 1939. (952

BOOKER, R. H. Pests of cowpea and their control in Northern Nigeria. Bulletin of Entomological Research 55(4):663-672. 1965. (953

_____. Observations on three bruchids associated with cowpea in Northern Nigeria. Journal of Stored Products Research 3(1):1-15. 1967. (954

BRAUER, A. Cephalogenesis in relation to the integration center of the beetle *Callosobruchus maculatus* Fabr. Journal of Morphology 78:155-179. 1946. (955

_____. Localization of presumptive areas in the blastoderm of the pea beetle *Callosobruchus maculatus* Fabr., as determined by ultraviolet (2537 A) irradiation injury. Journal of Experimental Zoology 112:165-193. 1949. (956

_____, Developmental patterns in treated and untreated eggs of the beetle, *Callosobruchus maculatus* Fabr. Ceskoslov Spolecnost Zool. Vest. 24(4):307-311. 1960. (957

CASWELL, G. H. The infestation of cowpeas in the Western Region of Nigeria. Tropical Science 3(4):154-158. 1961. (958

Bruchidius atrolineatus, *Callosobruchus maculatus*

CUTHBERT, F. P. y CHAMBLISS, O. L. Sources of resistance to cowpea curculio in *Vigna sinensis* and related species. Journal of Economic Entomology 65(2):542-545. 1972. (959

_____. y DAVIS, B. W. Factors contributing to cowpea curculio resistance in southern peas. Journal of Economic Entomology 65(3):778-781. 1972. (960

CHANDOLA, R. P., TREHAN, K. B. y BAGRECHA, L. R. Varietal resistance to *Bruchus sp.* in cowpea (*Vigna sinensis*) under storage conditions. Current Science 38(15):370-371. 1969. (961

EMERY, G. A. Bean fly. East African Farmer and Planter 2(3):37. 1957. (962

FUJII, K. Studies on interspecies competition between azuki bean weevil and southern cowpea weevil. IV. Competition between strains. Research Population Ecology 11(1): 84-91. 1969. (963

_____. Studies on interspecies competition between azuki bean weevil, *Callosobruchus chinensis*, and southern cowpea weevil, C. *maculatus*. V. Research Population Ecology 12(2): 233-242. 1970. (964

HETRICK, L. A. On the biology of the cowpea curculio in Virginia. Journal of Economic Entomology 39: 405. 1946. (965

_____. The cowpea curculio (*Chalcodermus aeneus*) its life history and control. Virginia Agricultural Experiment Station. Bulletin no. 409. 1947. 23 p. (966

HOWE, W. L. y GORZ, H. J. Feeding preferences of the cowpea aphid (*Aphis medicaginis*) among species of *Melilotus*. Annals of the Entomological Society of America 53(5): 696-697. 1960. (967

JANSEN, W. P. y STAPLES, R. Transmission of cowpea virus by Mexican bean beetle (*Epilachna varivestis*). Journal of Economic Entomology 63(5):1719-1720. 1970. (968

_____. y STAPLES, R. Specificity of transmission of cowpea mosaic virus by species within subfamily Galerucinae, family Chrysomelidae. Journal of Economic Entomology 64(2):365-367. 1971. (969

KOEHLER, C. S. y METHA, P. N. Fffects of attack by *Melanagromyza chalcostoma* Spencer on germination and development of cowpea. East African Agricultural and Forestry Journal 36(1):83-87. 1970. (970

KOURA, A. et al. Preference of cowpea weevil, *Callosobruchus maculatus* F., to some legume seeds and weights loss due to insect infestation. Agricultural Research Review (Egipto) 49(1):35-40. 1971. (971

LOVISOLO, O. y CONTI, M. Identification of an aphid-transmitted cowpea mosaic virus. Netherlands Journal of Plant Pathology 72(5):265-269. 1966. (972

MIDDLEKAUFF, W. W. y STEVENSON, E. E. Insect injury to blackeye bean seeds in central California. Journal of Economic Entomology 45(6):940-946. 1952. (973

_____. Relationship of *Lygus* bug populations to blackeye bean necrosis (Abst.). Bulletin of the Entomological Society of America 2(3): 20. 1956. (974

NIGERIA. SURVEY DEPARTMENT. Map showing cocoa evacuation from western provinces and importation of tobacco beetle infested cowpeas. Lagos, 1953. (975

PHELPS, R. J. y OOSTHUIZEN, M. J. Insects injurious to cowpeas in the Natal Region. Journal of the Entomological Society of South Africa 21(2):286-295. 1958. (976

PREVETT, F. F. Field infestation of cowpea (*Vigna unguiculata*) pods by beetles of the families Bruchidae and Curculionidae in Northern Nigeria. Bulletin of Entomological Research 52(4):635-645. 1961. (977

PUNJ, G. K. y PRASAD, S. K. Growth and developmental response of *Trogoderma granarium* Overts on certain pulses. Bulletin of Grain Technology 7(2):80-86. 1969. (978

RISBEC, J. La faune entomologique des cultures au Sénégal et au Soudan Français. Lab. d'Entomologique du Secteur Soudanais de Recherche Agronomique. Travaux. 1950. v. 1, 507 p. (979

ROBERTS, J. E. y BARNES, G. Insects of southern peas. Arkansas University. Extension Leaflet no. 231. 1966. 6 p. (980

SHARMA, V. K., ANAND, R. K. y RAI, S. New record of parasites of cowpea leafminer, *Acrocercops sp.* (Gracillariidae: Lepidoptera) and *Lema sp.* (Chrysomelidae: Coleoptera). Indian Journal of Entomology 31(4): 376-377. 1969. (981

SMITH, W. K. y GORZ, H. J. Sweetclover improvement. IX. Insects. - C. Other insects. Advances in Agronomy 17:220. 1965. (982

cowpea aphid (*Aphis craccivora* Koch)

STRONG, R. G. Rearing stored-product insects for laboratory studies; bean and cowpea weevils. Journal of Economic Entomology 61:747-751. 1968. (983

SUBRAMANIAN, T. R. Biology of *Colobodes dolichotis* Marshall- a pest of *Dolichos lablab L.* in South India. Indian Journal of Entomology 21(1): 35-45. 1959. (984

Incluye Curculionidae (en caupí)

SUBRAMANIAN, T. R. *Colobodes dolichotis* Marshall as a pest of cowpea. Current Science 28(1):26. 1959. (985

TAYLOR, T. A. The field pests problem on cowpeas (*Vigna sinensis* L.) in Southern Nigeria. Nigerian Growers and Producers 3(2):17-21. 1964. (986

Maruca testulalis, *Laspeyresia ptychora*

_____. An attempt at quantitative estimation of major insect damage on cowpeas. Proceedings of the Agricultural Society of Nigeria 4:50-53. 1965. (987

TODD, J. W. y CANERDAY, T. D. Resistance of southern peas to the cowpea curculio (*Chalcodermus aeneus*). Journal of Economic Entomology 61(5):1327-1329. 1968. (988

TOLER, R. W. Cowpea scab hits crops in Southeast. Crops and Soils 15:24. 1962. (989

_____. Southern pea scab. Georgia Agricultural Experiment Station. Leaflet no. 30. 1962. 3 p. (990

UTIDA, S. Photoperiod as a factor inducing the flight form in the population of southern cowpea weevil, *Callosobruchus maculatus*. Japanese Journal of Applied Entomology and Zoology 13(3):129-134. 1969. (991

WALTERS, H. J. y HENRY, D. G. Bean leaf beetle as a vector of cowpea strain of south bean mosaic virus. Phytopathology 60(1):177-178. 1970. (992

WATSON, M. A. y OKUSANYA, B. A. M. Studies on the transmission of groundnut rosette virus by *Aphis craccivora* Koch. Annals of Applied Biology 60:199-208. 1967. (993

WENE, G. P. Lesser cornstalk borer (*Elasmopalpus lignosellus*) injury to blackeyed peas. Rio Grande Valley Horticultural Institute. Proceedings 8:55-58. 1954. (994

WILSON, J. W. y GENUNG, W. G. Insect problems in the production of southern peas (cowpeas). Florida State Horticultural Society. Proceedings 69:217-223. 1956. (995

WOLFENBARGER, D. A. y SLEESMAN, J. P. Resistance to the Mexican bean beetle (*Epilachna varivestis*) in several bean genera and species. Journal of Economic Entomology 54(5):1018-1022. 1961. (996

_____, y SLEESMAN, J. P. Resistance to the potato leafhopper (*Empoasca fabae*) in lima bean lines, interspecific *Phaseolus* crosses, *Phaseolus spp.*, the cowpea, and the Bonavist bean (*Dolichos lablab*). Journal of Economic Entomology 54(6):1077-1079. 1961. (997

_____. Seasonal incidence of cowpea curculio larvae (*Chalcodermus aeneus*) and percent punctured peas. Texas Agricultural Experiment Station. Progress Report no.2288. 1963. 3 p. (998

_____. y CORREA, R. T. Variations in southern pea varieties to cowpea curculio (*Chalcodermus aeneus*) infestations. Texas Agricultural Experiment Station. Progress Report no. 2286. 1963. 11 p. (999

WYLIE, W. D. Cowpea and bean weevils. Arkansas Academy of Sciences. Proceedings 7-8:130-133. 1955. (1000

Callosobruchus maculatus
Acanthoscelides obtectus

Insectos del Grano Almacenado
(Insects of Stored Grain)

APPERT, J. Faune parasitaire du niébé (*Vigna unguiculata* (L.) Walp. = *Vigna catjang* (Burm.) Walp.) en République du Sénégal. Agronomie Tropicale 19(10):788-799. 1964. (1001

BASTOS, J. A. M. Proteção de alguns tipos de embalagens contra o ataque do gorgulho do feijão-de-corda, *Callosobruchus analis* Fabr., 1775 (Col.,Bruchidae) e do gorgulho do milho, *Sitophilus zeamais* Motschulsky, 1877(Col., Curculionidae). In Sociedade Brasileira de Defensivos para a Lavoura e Pecuária, 1a Reunião Anual, São Paulo, 1967. pp. 66-69. (1002

BASTOS, J. A. M. Influência das embalagens no contrôle do gorgulho *Callosobruchus analis* em feijão-de-corda, *Vigna sinensis*. Turrialba (Costa Rica) 18(1):76-79. 1968. (1003

CANNON, R. C. Protection of stored cowpea seed against insect damage. Queensland Agricultural Journal 63:148-150. 1946. (1004

También en: Queensland. Division of Plant Industry. Advance Leaflet no. 104. 1946. 3 p.

GERBERG, E. J. y GOLDHEIM, S. L. Weight loss in stored corn and beans caused by insect feeding. Journal of Economic Entomology 50:391-393. 1957. (1005

OOSTHUIZEN, M. J. Cowpea weevil; serious pest of cowpeas in storage. Farming in South Africa 15:70. 1940. (1006

PARKIN, E. A. y BILLS, G. T. Insecticidal dusts for the protection of stored peas and beans against bruchid infestation. Bulletin of Entomological Research 46(3):625-641. 1955. (1007

POINTEL, J.-G. Contribution to cowpea storage (En francés). Agronomie Tropicale 22(10):925-932. 1967. (1008

Control

ABDEL-SALAM, A.M. et al. Field studies on controlling cowpea (*Vigna sinensis*) pests in United Arab Republic. Z. Angew Entomology 70(3):332-336. 1972. (1009

ALLEN, N. et al. Effect of soil treatments with DDT, benzene hexachloride, and toxaphene on tobacco, cotton, and cowpeas. US. Department of Agriculture. Technical Bulletin no. 1047. 1951. 22 p. (1010

BASS, M. H. y CANERDAY, T. D. Control of lesser cornstalk borer and cowpea curculio on southern field peas. Highlights Agricultural Research 14(2):10. 1967. (1011

BASTOS, J. A. M. Ação de alguns insecticidas orgânicos sintéticos sobre *Callosobruchus analis* Fabr., 1775 (Col., Bruchidae). I. Ação preventiva do malathion e das misturas lindano e DDT. II. Ação curativa do malathion. Turrialba (Costa Rica) 15(2):145-149. 1965. (1012

BELL, J. V. y HAMALLE, R. J. Three fungi tested for control of the cowpea curculio, *Chalcodermus aeneus*. Journal of Invertebrate Pathology 15(3):447-450. 1970. (1013

BOOKER, R. H. Pests of cowpea and their control in Northern Nigeria. Bulletin of Entomological Research 55(4):663-672. 1965. (1014

DUNAVAN, D. Cowpea curculio. In South Carolina Agricultural Experiment Station. Fifty-seven Annual Report. Clemson, 1944. pp. 61-62. (1015

_____. Cowpea curculio control in sight. In South Carolina Agricultural Experiment Station. Sixty-first Annual Report. Clemson, 1950. pp. 45-46. (1016

DUPREE, M. Cowpea curculio. In Georgia Agricultural Experiment Station. Sixty Annual Report. Athens, 1947-1948. pp. 71-72. (1017

_____. Cowpea curculio. In Georgia Agricultural Experiment Station. Sixty-first Annual Report. Athens, 1948-49. p. 43. (1018

_____. y BECKHAM, C. M. Progress report - control of cowpea curculio (*Chalcodermus aeneus*). Georgia Agricultural Experiment Station. Mimeograph Series N.S. 16. 1950. 7 p. (1019

_____. y BECKHAM, C. M. The cowpea curculio - a pest of southern peas. Georgia Agricultural Experiment Station. Bulletin N.S. 6. 1955. 32 p. (1020

_____. Studies on control of the cowpea curculio (*Chalcodermus aeneus*). Georgia Agricultural Experiment Station. Mimeograph Series N.S. 167. 1963. 9 p. (1021

_____. Ultra-low-volume insecticide sprays for control of the cowpea curculio. Journal of the Georgia Entomological Society 5(1):39-41. 1970. (1022

EL-SEBAE, A. H. y SALEH, M. R. Aphicidal properties of safer insecticides against *Aphis craccivora* on cowpea crop. Alexandria Journal of Agricultural Research 18(1):131-134. 1970. (1023

FARRELL, J. A. K. y ADAMS, A. N. Entomology. In Central Africa. Agricultural Research Council. Annual report for 1967. Salisbury, s.f. pp. 91-98. (1024

aplicación de insecticidas en caupí (DDT y Aldrín)

GENUNG, W. G. Control of insects attacking cabbage and southern peas. Florida Everglades Experiment Station. Mimeo Report EES65-27. 1965. 5 p. (1025

GREEN, H. B. y THOMAS, W. O. Control of cowpea curculio studied. Mississippi Farm Research 27:3. 1964. (1026

HARRIS, E. D. The cowpea curculio (*Chalcodermus aeneus*). Georgia University. Extension Leaflet no. 56. 1966. 7 p. (1027

control con Toxaphene y Phosdrin

_____. Insect control on commercial beans and southern peas. Georgia University. Extension Circular no. 567. 1967. 7 p. (1028

HETRICK, L. A. Control of the cowpea curculio. Journal of Economic Entomology 39:268-269. 1946. (1029

_____. The cowpea curculio, *Chalcodermus aeneus*: its life history and control. Virginia Agricultural Experiment Station. Bulletin no. 409. 1947. 23 p. (1030

HO THIAN HUA. The bean-fly (*Melanagromyza phaseoli* Coq.) and experiments on its control. Malaysian Agricultural Journal 46(2):149-157. 1967. (1031

JERATH, M. L. Insecticidal control of *Maruca testulalis* on cowpea in Nigeria. Journal of Economic Entomology 61(2):413-416. 1968. (1032

JONES, R. J. The use of cyclodiene insecticides as liquid seed dressings to control bean fly (*Melanagromyza phaseoli*) in species of *Phaseolus* and *Vigna marina* in southeastern Queensland. Australian Journal of Experimental Agriculture and Animal Husbandry 5(19):458-465. 1965. (1033

LANGSTON, J. M. Life history notes on the cowpea curculio, *Chalcodermus aeneus* Boh. Journal of Economic Entomology 32(3):374-377. 1939. (1034

NEEL, W. W. y BELCHER JUNIOR, E. W. Use of sistemic insecticides as seed treatments to control cowpea aphids on black locust seedling. Journal of Economic Entomology 60:964-968. 1967. (1035

RAMALLO, J. C. y GARCIA, A. E. Influencia de las barreras vegetales e insecticidas en el control de insectos vectores de virus en los rendimientos del ají. Revista Agronómica del Noroeste Argentino 8(3-4):275-294. 1971. (1036

RIHERD, P. T. Chlorinated insecticides for control of cowpea insects. Journal of Economic Entomology 42:991-992. 1949. (1037

SUBER, E. F., CHALFANT, R. B. y CANERDAY, T. D. Toxicity of insecticides to cowpea curculio in laboratory. Journal of Economic Entomology 64(5):1080-1081. 1971. (1038

TAYLOR, T. A. y EZEDINMA, F. O. C. Preliminary investigations on field pests of cowpeas and methods of control. Nigerian Agricultural Journal 1(1):8-11. 1964. (1039

También en: Nigeria Federation. Department of Agriculture. Research Memoir no. 51. 1964. 11 p.

_____. Observations on the bionomics of *Laspeyresia ptychora* Meyr. (Lepidoptera, Eucosmidae) infesting cowpea in Nigeria. Bulletin of Entomological Research 55:761-773. 1965. (1040

_____. The effects of insecticide applications on insect damage and the performance of cowpea in Southern Nigeria. Nigerian Agricultural Journal 5(1):29-37. 1968. (1041

TAYLOR, T. A. Preliminary studies on the integrated control of the pest complex on cowpea, *Vigna unguiculata* Walp., in Nigeria. Journal of Economic Entomology 62(4):900-902. 1969. (1042

THOMAS, W. O. y GREEN, H. B. Cowpea curculio control studied. Mississippi Farm Research 29(5):6. 1966. (1043

_____. y GREEN, H. B. Chemical control of cowpea curculio, (*Chalcodermus aeneus*). Mississippi Agricultural Experiment Station. Information Sheet no. 1156. 1971. 2 p. (1044

TILTON, E. W. y BROWER, J. H. Sexual competition of gamma-sterilized male cowpea weevils, (*Callosobruchus maculatus*). Journal of Economic Entomology 64(5):1337-1338. 1971. (1045

WENE, G. P. Control of the cowpea curculio. Journal of Economic Entomology 41(3):514-515. 1948. (1046

_____. Lesser cornstalk borer injury to blackeyed peas. Rio Grande Valley Horticultural Institute. Proceedings of the 8th Annual Meeting. 1954. pp. 55-58. (1047

_____. y OTEY, G. W. Control of bean leafhopper. Rio Grande Valley Horticultural Institute. Proceedings of the 9th Annual Meeting, 1955. pp. 30-32. (1048

_____. y OTEY, G. W. Control of the cowpea curculio (*Chalcodermus aeneus*). Journal of the Rio Grande Valley Horticultural Society 10:87-89. 1956. (1049

WOLFENBARGER, D. A. y SCHUSTER, M. F. Insecticides for control of the cowpea curculio, *Chalcodermus aeneus*, on southern peas (*Vigna sinensis*). Journal of Economic Entomology 56(6):733-736. 1963. (1050

_____. Effect of insecticides, rates, intervals between, and number of applications and insecticide-oil and surfactant combinations for insect control on southern peas. Journal of Economic Entomology 57:966-969. 1964. (1051

WYLIE, W. D. Control of cowpea curculio (*Chalcodermus aeneus*) on southern field peas. Arkansas Farm Research 7(5):12. 1958. (1052

Nemátodos (Nematodes)

HARE, W. W. Resistance to root-knot nematodes (*Meloidogyne spp.*) in cowpea. (Abs.) Phytopathology 49(5): 318. 1959. (1053

También en: Proceedings of the Association of Southern Agricultural Workers 56:205. 1959.

McBETH, C. W. Observations on repeated applications of D-D (dichloropropene-dichloropropane). Plant Disease Reporter 35:243-244. 1951. (1054

MADAMBA, C. P. et al. Yield responses of some vegetables and field crops to soil fumigation for the control of plant parasitic nematodes. Philippine Agriculturist 50(8):804-816. 1967. (1055

SMITH, F. L. Better blackeyes coming; new "iron strains" herald varieties resistant to nematodes and cowpea wilt. Southern Seedsman 11(7):16, 42. 1948. (1056

THOMASON, I. J. The effect of the root-knot nematode, *Meloidogyne javanica*, on blackeye bean wilt. (Abs.) Phytopathology 48(8):398. 1958. (1057

_____, ERWIN, D. C. y GARBER, M. J. The relationship of the root-knot nematode, *Meloidogyne javanica* to Fusarium wilt (*Fusarium oxysporum tracheiphilum*) of cowpea. Phytopathology 49(9):602-606. 1959. (1058

_____. y McKINNEY, H. E. Reaction of cowpeas, *Vigna sinensis*, to root-knot nematodes, *Meloidogyne spp.* Plant Disease Reporter 44(1): 51-53. 1960. (1059

WELLS, D. G. Influence of fungicides upon root-knot development of cowpeas and lima beans. Crop Science 1(5):336-338. 1961. (1060

TECNICA EXPERIMENTAL DE CAMPO (FIELD PLOT TECHNIQUE)

HUSAIN, M. M. et al. Efficiency of designs in a cowpea (*Vigna sinensis* Walp.) varietal experiment. Indian Journal of Science and Industry 1(2):101-104. 1967. (1061

MONZON P., D., ORTEGA, S. y GARCIA, A. Ensayo de uniformidad con frijol (Resumen). In Reunión Latinoamericana de Fitotecnia, 8a, Bogotá, Colombia, 1970. Resúmenes. Bogotá, 1970. p. 170. (1062

caupí, var. Arauca

_____, PACHECO G., J. J. y MARTINEZ R., O. Efectos de competencia y de bordura en ensayos de variedades de frijoles (Resumen). In Reunión Latinoamericana de Fitotecnia, 8a, Bogotá, Colombia, 1970. Resúmenes. Bogotá, 1970. p. 171. (1063

caupí, var. Arauca, Caroní e I.7

ALIMENTACION HUMANA Y ESTUDIOS NUTRICIONALES (HUMAN NUTRITION AND NUTRITIONAL STUDIES)

Véase también: Análisis químico

See also : Chemical analysis

ADRIAN, J. Study of the protein value of three African domestic legumes (Congo goober, hyacinth, Dolichos, cowpeas) (En francés). Annales de la Nutrition et de l'Alimentation 18(2):1-18. 1964. (1064

BRESSANI, R. Valor nutritivo del caupí. Guayacán (Guatemala) 7(37):18-19. 1969. (1065

CHAVES, N. et al. As proteínas do feijão Macássar na nutrição. Revista Brasileira de Medicina 9:603-607. 1952. (1066

EHEART, M. S. y SHOLES, M. I. Nutritive value of cooked, immature and mature cowpeas. Journal of the American Dietetic Association 24:769-772. 1948. (1067

ELIAS, L. G., COLINDRES, R. y BRESSANI, R. Nutritive value of eight varieties of cowpea (*Vigna sinensis*). Journal of Food Science 29(1):118-122. 1964. (1068

GALLUP, W. D. y REDER, R. E. Sprouted cowpeas as a source of protein and vitamins. Oklahoma Academy of Sciences. Proceedings 24:53-55. 1944. (1069

GANAPATHI, S. et al. Supplementary relations of the proteins of horse gram and cowpea to those of Italian millet (*Setaria italica*). Food Science 7(1):7-8. 1958. (1070

HOOVER, M. W. Factors influencing consumer preference of southern peas (cowpeas). Florida State Horticultural Society. Proceedings 69:213-215. 1956. (1071

ISBELL, C. L. Southern table peas. Alabama Agricultural Experiment Station. Bulletin no. 317. 1959. 38 p. (1072

JENKINS, W. F. Varietal desirability and nutritive value of southern peas before and after freezing and cooking. American Society for Horticultural Science. Proceedings 69:408-411. 1957. (1073

LAGO, E. S. et al. Valor protêico de seis associações de produtos vegetais do nordeste brasileiro. I. Eficiência protêica de dietas com o mesmo score químico. Archivos Latinoamericanos de Nutrición (Venezuela) 20:429-443. 1970. (1074

MUNSELL, H. E. Composition of food plants of Central America. Food Research 14:144-164; 15:16-52,263-296,355-365,379-404,421-453. 1949-1950. (1075

OGUNMODEDE, B. K. y OYENUGA, V. A. Estimation of vitamins A, D, and E values of varieties of cowpea (*Vigna unguiculata* (L.) Walp.) grown in Nigeria. Nigerian Agricultural Journal 5:65-67. 1968. (1076

SAMBANDAM, R., RAJAGOPALAN, C. K. y DEVAKUMAR, L.P. A note on the quality of pods in vegetable cowpea. Madras Agricultural Journal 52(1): 35-36. 1965. (1077

SHERWOOD, F. W. Fffect of cooking and of methionine supplementation on the growth-promoting property of cowpea (*Vigna sinensis*). Journal of Nutrition 52:199-208. 1954. (1078

SIVARAMAN, E. y MENACHERY, M. Studies on the nutritive values of cowpea (*Vigna catjang*) and tur dhal (*Cajanus cajan*). Indian Veterinary Journal 44(2):162-169. 1967. (1079

TOURY, J. Analyse de quelques plantes entrant dans l'alimentation des populations de l'A.O.F. Qualitas Plantarum et Materiae Vegetabilis 3-4:256-261. 1958. (1080

TECNOLOGIA DEL ALIMENTO (FOOD TECHNOLOGY)

AMMERMAN, G. R. y SEALE JUNIOR, A. D. Canned southern pea quality as affected by fill weight and time and temperature of blanch. Food Technology 24:478-481. 1970. (1081

COVER, S. et al. Development of safe methods for canning blackeye peas at home. Texas Agricultural Experiment Station. Bulletin no. 707. 1948. 26 p. (1082

CULVER, W. H. y CAIN, R. F. Nature, causes and correction of discoloration of canned blackeye and purple hull peas. Texas Agricultural Experiment Station. Bulletin no. 748. 1952. 23 p. (1083

FORD, K. E. Brands, retail prices, and the quality of canned field peas. Georgia Agricultural Experiment Station. Bulletin N.S. 13. 1956. 38 p. (1084

GATES, J. E. et al. Development of objective methods for measuring the character factor of quality in canned southern peas, *Vigna sinensis*. American Society for Horticultural Science. Proceedings 84:399-408. 1964. (1085

JENKINS, W. F. Study shows post-harvest changes in southern peas. Mississippi Farm Research 17(3):6-7. 1954. (1086

JENKINS, W. F. Post-harvest changes in refrigerated and non-refrigerated southern peas. American Society for Horticultural Science. Proceedings 64:327-330. 1954. (1087

_____. Varietal desirability and nutritive value of southern peas before and after freezing and cooking. American Society for Horticultural Science. Proceedings 69: 408-411. 1957. (1088

LOPEZ, A. et al. Catalase and peroxidase activity in raw and blanched southern peas, *Vigna sinensis*. Food Research 24:548-551. 1959. (1089

MALCOM, H. R. et al. Objective measurements of the maturity of raw and canned field peas, *Vigna sinensis*. Food Technology 10:463-469. 1956. (1090

MAYER, E. L. y NELSON, H. D. Fumigation of dry beans and cowpeas on the packaging line. U.S. Department of Agriculture. Agricultural Marketing Service. AMS-4. 1955. 11 p. (1091

MONTELARO, J. Outlook for the production of southern field peas for freezing. Florida State Horticultural Society. Proceedings 69:216-217. 1956. (1092

PADGETT, J. H. y RISSE, L. The economics of producing southern peas for canning in Georgia. Georgia Agricultural Experiment Station. Mimeograph Series N.S. 129. 1961. 12 p. (1093

PARK, J. R. et al. Chemical changes and amylase activity of freshly shelled southern peas, *Vigna sinensis*. Journal of the American Society for Horticultural Science.96(4): 419-421. 1971. (1094

PENNY, N. M. Production and marketing of cowpeas for canning. Georgia Agricultural Experiment Station. Bulletin no. 252. 1946. 22 p. (1095

POWERS, J. J. et al. Gelation of canned peas and pinto beans as influenced by processing conditions, starch and pectic content. Food Technology 15:41-47. 1961. (1096

PROCEDURE FOR the fumigation of dry beans and cowpeas on the packaging line. US. Department of Agriculture. Agricultural Marketing Service. AMS-5. 1955. 6 p. (1097

PRODUCTION OF cellulose pulp from Common wealth raw materials. A report from the Natural Resources (Technical) Committee Working Party on Pulp Production. Colonial Plant and Animal Products 3(4):331-341. 1952-53. (1098

RISSE, L. y PADGETT, J. H. Economic analysis of model southern pea canning plants. Georgia Agricultural Experiment Station. Bulletin N.S. 107. 1963. 34 p. (1099

SISTRUNK, W. A. y BAILEY, F. L. Discoloration of canned southern peas. Arkansas Farm Research 13(2):4. 1964. (1100

_____. y BAILEY, F. L. Relationship of processing procedure to discoloration of canned blackeye peas. Food Technology 19:871-873. 1965. (1101

_____, BAILEY, F. L. y KATTAN, A. A. Influence of maturity on yield and quality of fresh and canned southern peas. American Society for Horticultural Science. Proceedings 86: 491-497. 1965. (1102

STEPHENS, T.S., LIME, B. J. y GRIFFITHS, F. P. Use of the tenderometer to determine maturity of blackeye and purple hull peas for canning. (Abs.) Proceedings of the Association of Southern Agricultural Workers 51: 130-131. 1954. (1103

_____. A laboratory model rotary screen grader for southern peas. Journal of the Rio Grande Valley Horticultural Society 15:94-98. 1961. (1104

_____. y GRIFFITHS, F. P. Tenderometer values used to estimate canfill for canning of California Blackeye no. 5 variety of southern peas. Journal of the Rio Grande Valley Horticultural Society 17:158-169. 1963. (1105

WENE, G.P., OTEY, G.W. y GRIFFITHS, F.P. Effect of benzene hexachloride and lindane on the flavor of purple hull peas. American Society for Horticultural Science. Proceedings 64: 390-392. 1954. (1106

WOODROOF, J. G. Canning southern field peas. Southern Canner and Packer May 1951. (1107

NUTRICION ANIMAL (ANIMAL NUTRITION)

AGUILAR S., L. D. Sustitución de alfalfa (*Medicago sativa* L.) por rabiza (*Vigna sinensis*) y de harina de pescado por una fuente comercial conteniendo factores desconocidos del crecimiento en raciones para gallinas ponedoras. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1970. 58 p. (1108

ARAUJO, A. A. Two legumes for forage plants (En portugués). Lavoura Arrozeira (Brasil) 2(14):22-25. 1948. (1109

BAIA, G. y GEORGESCU, D. Contributions to the enlargement of possibilities of improving the protein value in the feeding of dairy cows and fattening cattle by using pole beans and common cowpeas (*Vigna sinensis*) as green feed (En rumano). Bucharest. Inst. Cercet. Zooteh. Lucrarile Stiint. 25:41-50. 1967. (1110

Sumario en inglés

BALDONI, R. Short-duration fodder crops in Italian agriculture (En italiano). Sementi Elette 6(5):44-54. 1960. (1111

BHAID, M. U. Vegetable (large pods) variety of green cowpea with pods as a forage for cattle. Gosamvardhana 12(4):20-21. 1964. (1112

_____, y TALAPATRA, S. K. Cowpea as a dual purpose crop. Indian Journal of Dairy Science 18(4):153-155. 1965. (1113

_____, Green cowpea with pods forage for more milk production. Gosamvardhana 14(12):19-21. 1967. (1114

BRAVO PEREZ, E. Pruebas de henificación en rabiza (*Vigna sinensis*) bajo condiciones naturales. Tesis Ing.Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1965. 86 p. (1115

COETZEE, C. G. Maize, sunflowers, and cowpeas are suitable for fattening sheep in the highveld. Farming in South Africa 37(7):25,27. 1961. (1116

CHAUHAN, D.S., MAHAJAN, J.M. y TOMAR, V.P.S. Cowpea for forage in Himachal Pradesh. Indian Farming 21(8):39-40. 1971. (1117

CHAUHAN, M. C. Cowpea has many advantages. Intensive Agriculture 4(7):25. 1966. (1118

DRY, J. G. Efficient method of storing cowpea hay. Farming in South Africa 34(10):42-43. 1959. (1119

HEITMAN, H. y HOWARTH, J. A. Blackeye peas (*Vigna sinensis*) as a swine feed. Journal of Animal Science 19(1):164-166. 1960. (1120

HELM, C. A. Growing cowpeas for hay. Missouri Agricultural Experiment Station. Extension Leaflet no. 53. 1947. 2 p. (1121

ICHHPONANI, J. S. y SIDHU, G. S. Studies on the biochemical processes in the rumen. II. The production of volatile fatty acids (VFA) in the rumina of cattle and the buffalo fed on mixtures of wheat straw-concentrate and green bajra-cowpea. Indian Journal of Veterinary Science and Animal Husbandry 35(4):316-321. 1965. (1122

JIMENEZ CALDERON, L. F. Estudio de la edad apropiada de la rabiza (*Vigna sinensis* L.) para emplearla como abono verde o forraje. Tesis Ing. Agr. San José, Universidad de Costa Rica, Facultad de Agronomía, 1964. 69 p. (1123

LANZA, F. Contribution to the study of *Vigna sinensis* Endl. in irrigated culture; availability, production of dry substance, unit water consumption and nutritive value of the forage (En italiano). Sta. Chim. Agr. Sper. di Roma. Ann. Ser. III. P.60. 1951. 12 p. (1124

LEAL, J. C. Production of green material from varieties of soybeans and cowpeas (En portugués). Revista de la Faculdade de Agronomia e Veterinária (Brasil) 4(2):71-75. 1961. (1125

LOVERIDGE, J. Cowpeas for soil building and stock grazing. Power Farming Australia and New Zealand & Better Farming Digest 72(11):43,45. 1963. (1126

LYMAN, C. M. et al. Essential amino acid content of farm feeds. Journal of Agriculture and Food Chemistry 4(12):1008-1013. 1956. (1127

MALIK, H. C. Cowpea - a high yielding nutritious forage. Indian Farming 3(2):30-31. 1953. (1128

MAUST, L.E., SCOTT, M.L. y POND, W. G. Metabolizable energy of rice bran, cassava flour, and blackeye cowpeas for growing chickens. Poultry Science 51(4):1397-1401. 1972. (1129

MUTCH, C. B. Grazing cowpeas. Queensland Agricultural Journal 90(2):82. 1964. (1130

NOONAN, J. B. Cowpeas for dairy fodder. Milk Board Journal 4(10):14. 1953. (1131

_____. Fodder crops - some recommendations. Milk Board Journal 6(10):39. 1955. (1132

ONLEY, J. Cowpeas boost milk production. Queensland Agricultural Journal 87(12):725-728. 1961. (1133

OOSTHUIZEN, S. A. Cowpea hay. Farming in South Africa 32(6):50-52. 1956. (1134

OWUSU-DOMFE, K., CHRISTENSEN, D. A. y OWEN, B. D. Nutritive value of some Ghanaian feed-stuffs. Canadian Journal of Animal Science 50(1):1-14. 1970. (1135

POPE, L. S. et al. Cowpeas as a protein feed for fattening steer calves. Oklahoma Agricultural Experiment Station. Bulletin no. B-399. 1953. 7 p. (1136

También en: Texas Livestock Journal 12(8):63-64. 1953.

RANJHAN, S.K., TALAPATRA, S. K. y KALA, A. C. Yield and nutritive value of dual purpose crop cowpea (*Vigna catjang*) - cowpea hay as a growth production ration. Indian Journal of Dairy Science 20(3):146-149. 1967. (1137

ROCHA, G. L. DA y RAIMO, H. F. Contribuição para o estudo dos substitutos dos farelos de trigo na alimentação das aves. III. Mucuna preta. IV. Caupí. Boletim de Indústria Animal (Brasil) 14:31-44. 1954. (1138

SAXENA, J. S. Cowpea - a valuable fodder crop. Indian Veterinary Journal 36(5):259-261. 1959. (1139

_____, UPADHYAYA, R. B. y JOHRI, C.B. Chemical composition and nutritive value of empty cowpea pods. Indian Veterinary Journal 48(5):513-516. 1971. (1140

SERFONTEIN, P. J. Cowpeas as a poultry feed. Farming in South Africa 19:653-660. 1944. (1141

SKERMAN, P. J. Cropping for fodder conservation and pasture production in the wool-growing areas of Western Queensland. Queensland University. Dept. of Agriculture. Paper 1(3): 89-146. 1958. (1142

VAN WYK, H. P. D. y VERBEEK, W. A. Cowpea hay and lucerne meal in pig rations. Farming in South Africa 27:285-288. 1952. (1143

VOLCANI, R. y SCHINDLER, H. A comparison of cowpeas with maize as feed for dairy cows. Ktavim 4:5-8. 1953. (1144

ALMACENAMIENTO DEL GRANO (GRAIN STORAGE)

BARAT, H. The protection of foods in storage (En francés). Agronomie Tropicale 20(10):1044-1045. 1965. (1145

BONLIEU, A. Post-harvest treatment of food crops, millet, sorghum, cowpea and hyacinth bean (*Dolichos lablab*). In United Nations. Conference on Applied Science and Technology - Benefit Less Developed Areas, 1962. v. 2, 6 p. (Working Papers, Agr. no. 64) (1146

_____, NICOU, R. y TOURTE, R. La conservation des récoltes au Sénégal; essais sur le mil, le sorgho, le paddy, le niébé. Agronomie Tropicale 19(1):7-44. 1964. (1147

También en: Institute de la Recherche Agronomique Tropicale et de Cultures Vivrieres. Bulletin Agronomique no. 22:191-229. 1966.

CASWELL, G. H. The storage of cowpea in the northern States of Nigeria. Proceedings of the Agricultural Society of Nigeria 5:4-6. 1968. (1148

HALL, D. W. Report on storage problems in Northern Rhodesia. Colon. Office Publ., 1954. 38 p. (1149

HOOVER, M. W. Influence of maturity and storage on the seed shell-out of southern peas. American Society for Horticultural Science. Proceedings 70:291-296. 1957. (1150

KNAPP, F. W. y KUHN, G. D. The effects of storage conditions on sugar content of fresh blackeye peas. Florida State Horticultural Society. Proceedings 75:311-317. 1962. (1151

KUHN, G. D. A study of the microbiological activity and other deterioration in cold storage of fresh southern peas. Florida State Horticultural Society. Proceedings 74:259-262. 1961. (1152

LEPIGRE, M. Étude sur les possibilités d'amélioration de la conservation des haricots au Togo en milieu rural. Agronomie Tropicale 20(4):388-430. 1965. (1153

Sumario en español

OPUTA, C. O. Cowpea storage in a concrete bin. In Nigeria. West African Stored Products Research Unit. Annual Report 1962. Lagos, 1963. pp. 91-94. (1154

POINTEL, J.-G. Contribution a la conservation du niébé. Agronomie Tropicale 22(10):925-932. 1967. (1155

_____. Contribution a la conservation du niébé, du voandzou, du mais, des arachides et du sorgho. Agronomie Tropicale 23(9):982-986. 1968. (1156

INVESTIGACIONES Y PROGRAMAS (RESEARCH AND PROGRAMS)

AUSTRALIA. QUEENSLAND DEPARTMENT OF AGRICULTURE AND STOCK. Annual Report for the year 1954-55. Brisbane, 1955. 99 p. (1157

_____. Annual Report for the year 1955-56. Brisbane, 1956. 126 p. (1158

EMPIRE COTTON GROWING CORPORATION. Progress report from experiment stations. Season 1954-55. Lake Province, Tanganyika, 1956. 24 p. (1159

FLORIDA AGRICULTURAL EXPERIMENT STATION. Annual report for the fiscal year ending June 30, 1953. Gainesville, 1954? 354 p. (1160

_____. Annual Report for the fiscal year ending June 30, 1955. Gainesville, 1956? 356 p. (1161

INDIAN AGRICULTURAL RESEARCH INSTITUTE. Scientific report for the year ended 30th June, 1946. New Delhi, 1946. p. irr. (1162

JAMAICA. DEPARTMENT OF AGRICULTURE. Investigations 1949-50. Jamaica. Department of Agriculture. Bulletin no. 47. 1951. 127 p. (1163

caupí pp. 48-50.

MALAYA. DIRECTOR OF AGRICULTURE. Report on agriculture in Malaya for the year 1946. Kuala Lumpur, 1947. 85 p. (1164

MISSISSIPPI AGRICULTURAL EXPERIMENT STATION. 63rd Annual Report for the fiscal year ending June 30, 1950. State College, 1950. 84 p. (1165

caupí, pp. 14-15.

NIGERIA. DEPARTMENT OF AGRICULTURE. Annual Report for the year 1950-51. Lagos, 1953. 123 p. (1166

caupí, p. 78.

_____. Annual Report for the year 1952-53. Lagos, 1955. pt. 2, 47 p. (1167

NIGERIA. DEPARTMENT OF AGRICULTURE. Annual Report for the year 1953-54. Lagos, 1956. pt. 2, 53 p. (1168

_____. Annual Report for the year 1961-1962. Lagos, 1964. 75 p. (1169

caupí, pp. 24-26.

NIGERIA. NORTHERN REGION. DEPARTMENT OF AGRICULTURE. Annual Report for the year 1954-55. Research and Specialist Services. Kaduna, 1956. 100 p., pt. 2. (1170

NORTHERN RHODESIA. DEPARTMENT OF AGRICULTURE. Annual Report for the year 1949. Lusaka, 1950. 19 p. (1171

caupí, p. 17.

_____, Annual Report for the year 1952. Lusaka, 1953. 27 p. (1172

caupí, p. 19.

NYASALAND PROTECTORATE. DEPARTMENT OF AGRICULTURE. Report for the year 1949. II. Experimental work. Zomba, 1951. 23 p. (1173

caupí, p. 14.

_____. Annual Report for the year 1953-54. Zomba, 1954. pt. 2, 64 p. (1174

PALESTINE. AUDIT UNION OF THE WORKERS' AGRICULTURAL CO-OPERATIVE SOCIETIES LTD. The Palestine agricultural economy under war conditions. s.l., 1946. 51 p. (1175

RATTRAY, A.G.H. Agricultural Experiment Station, Salisbury. Annual report of experiments, season 1953-54. Rhodesia Agricultural Journal 52(3):246-261. 1955. (1176

caupí, p. 259.

SCHLIPPE, P. DE. Sous-station d'essais de l'INEAC a Kurukwata - extraits du premier rapport annuel. Bulletin Agricole du Congo Belge 39:361-402. 1948. (1177

SOUTH AFRICA. DEPARTMENT OF AGRICULTURE. Annual Report of the Secretary of Agriculture for the year ended 31st August 1954. Farming in South Africa 30(348):75-199. 1955. (1178

SOUTHERN RHODESIA. SABI VALLEY EXPERIMENT STATION. The first five years at the Sabi Valley Experiment Station. Progress Report. Rhodesia Agricultural Journal 53(2):285-327; (3):335-396. 1956. (1179

SURINAM. AGRICULTURAL EXPERIMENT STATION. Annual Report 1962. Paramaribo, 1963. 97 p. (1180

caupí, p. 35.

TANGANYIKA. DEPARTMENT OF AGRICULTURE. Annual Report 1952. Dar es Salaam, 1953. 104 p. (1181

caupí, p. 80.

TEXAS AGRICULTURAL EXPERIMENT STATION. Agricultural Research in Texas, 1947-49. College Station, 1950. 201 p. (1182

caupí, pp. 61-62.

VIETNAM. DIRECTORATE OF NATIONAL AGRICULTURE. Annual Progress Report 1960-1961. Cropping systems. pp. 140-143. (1183

WEST AUSTRALIA. KIMBERLEY RESEARCH STATION. Progress Report, 1947-1949. Journal of the Department of Agriculture of Western Australia 27:199-209. 1950. (1184

caupí, variedad 033

WEST INDIES. UNIVERSITY. Report of the Faculty of Agriculture 1969-1970. Department of Crop Science, Section F. Cowpeas. St. Augustine, s.f. p. irr. (1185

ECONOMIA DE LA PRODUCCION (ECONOMICS OF PRODUCTION)

ARJONA DE POLANCO, I. El cultivo del frijol en Panamá. MAG (Panamá) 5(2):34-40. 1970. (1186

Incluye *Vigna sinensis*

ARYEETEY, A. N. Increasing cowpea production in Ghana. Ghana Farmer 15(2):51-55,83. 1971. (1187

AVRAMOVIC, T., LAZIC, M. y LARIC, Z. Study of the production of *Vigna* and soybean for feed from the economic and cultural practice point of view. (Se). Savremena Poljoprivreda 13(3):207-222. 1965. (1188

Sumario en inglés

CATES, F. B. Cinderella of the vegetable industry; the "lowly cowpea" - known today as the southern pea - has become queen of Georgia's vegetable industry. American Vegetable Grower 12(3):13,48. 1964. (1189

COWPEAS: Production, farm disposition, and value, by States, 1924-1944. Washington, D.C., US. Bureau of Agricultural Economics, 1948. 11p. (1190

EBONG, U. U. Cowpea production in Nigeria. Nigerian Journal of Science 2(2):67-72. 1968. (1191

EZEDINMA, F. O. C. Research on cowpea (*Vigna sp.*) in Nigeria. Nigeria. Federal Department of Agricultural Research. Memoir no. 68. 1964. 45 p. (1192

JOHNSON, D. T. Cowpea in African areas of Rhodesia. Rhodesia Agricultural Journal 67(3):61-64. 1970. (1193

LORZ, A. P., WILSON, J. W. y KELSHEIMER, E. G. Production of southern peas (cowpeas) in Florida. Florida Agricultural Experiment Station. Bulletin no. 557. 1955. 28 p. (1194

MULLER, H. M. y SELLSCHOP, J. The production of cowpeas. Farming in South Africa 29:253-254. 1954. (1195

PADGETT, J. H. y RISSE, L. Economics of producing southern peas for canning in Georgia. Georgia Agricultural Experiment Station. Mimeograph Series N.S. 129. 1961. 12 p. (1196

PENNY, N. M. Production and marketing of cowpeas for canning. Georgia Agricultural Experiment Station. Bulletin no. 252. 1946. 22 p. (1197

TARDIEU, M. Les cultures d'appoint dans la zone d'action du Centre de Recherches Agronomiques de Bambey. Bulletin Agronomique no. 17:5-54. 1958. (1198

_____. y SENE, D. Cowpeas (*Vigna unguiculata*) in Senegal. Agronomie Tropicale 21(8):918-926. 1966. (1199

US. CROP REPORTING BOARD. Soybeans, cowpeas, and velvetbeans by States, 1924-1953: acreage, yield, production, price, and value. US. Department of Agriculture. Statistical Bulletin no. 211. 1957. 41 p. (1200

****
******
**

INDICE DE AUTORES
(AUTHOR INDEX)

Aala, F. T. 622
Abd-El-Rehim, M. A. 730
Abdel Salam, M. A. 542, 1009
Abeygunawardena, D. W. W. 782
Abichandani, C. T. 555
Abul-Nasr, S. 945
Acosta, J. C. 248
Adams, A. N. 1024
Adams, N. H. 615
Adrián, J. 1064
Adsuar, J. 783
Agarwal, J. P. 763
Agarwal, O. P. 591, 644
Agboola, A. A. 180
Agnihotri, J. P. 763
Agrawal, H. O. 784,785,786,803,911
Aguilar S., L. D. 1108
Aguirre Escobar, A. 298, 352, 353
Ahmed, M. K. 406
Albuquerque, J. J. L. de 535
Alcover, M. 670
Allen, E. K. 138, 214
Allen, N. 1010
Allen, T. J. 107
Alley, L. C. 336, 410
Allison, F. E. 87
Almeida, L. D. de F. 670
Almestar Saavedra, A. 354
Amling, H. J. 603, 604
Ammerman, G. R. 1081
Amoria, M. C. 591, 644
Anand, R. K. 981
Anderson, C. W. 787-789
Andrews, D. J. 623
Antal, J. 520
Anthony, K. R. M. 624
Appert, J. 946, 1001
Araújo, A. A. 461, 1109
Archibong, D. 88
Arimura, M. 707
Arjona de Polanco, I. 527, 1186
Armstrong, G. M. 323, 723-726
Armstrong, J. K. 323, 723,724,726
Aryeetey, A. N. 1187
Asuyama, H. 913-915
Australia. Queensland Department of Agriculture and Stock 1157, 1158
Avanesjan, D. V. ter 291
Avila, A. 462
Avramovic, T. 1188

Bagni, N. 51
Bagrecha, L. R. 346, 961
Baia, G. 1110
Bailey, D. R. 596
Bailey, F. L. 616, 1100-1102
Bain, D. C. 761
Bains, S. S. 578
Baird, E. W. 355
Bajpai, P. N. 181
Baldoni, R. 463, 1111
Ballard, J. C. 257, 325, 326, 820
Ballón, F. B. 249
Bancroft, J. B. 790-796,844,921,922
Banerjee, A. K. 111
Banerjee, S. N. 250
Baranov, M. P. 14
Barat, H. 1145
Barber, J. M. 464, 714
Barbos, I. 657
Barnes, G. 980
Barnette, R. M. 643
Barral, J. M. 947
Barrie, A. G. 324, 356, 658, 727
Barrios G., A. 357
Basiouny, H. 542
Bass, M. H. 1011
Bastos, E. G. 415
Bastos, J. A. M. 948,949,1002,1003, 1012
Batra, P. C. 377, 625
Beckham, C. M. 1019, 1020
Belcher Junior, E. W. 701, 1035
Bell, J. V. 950, 1013
Benda, G. T. A. 797
Benítez de Rojas, C. E. 798,823,824
Benker, A. 619
Berezovikov, A. D. 66, 117
Bergeret, B. 704
Bhaid, M. U. 1112-1114
Bhatnagar, M. P. 413
Bhattacharya, A. K. 951
Bhide, V. P. 139
Bhowal, J. G. 23, 39, 283-285
Bills, G. T. 1007
Bingham, F. T. 182
Bissell, T. L. 952
Blackhurst, H. T. 2, 227, 358, 465, 543, 570-572, 589, 595
Blanco, N. 868
Bliss, F. A. 251, 799
Bock, K. R. 800
Bocklet, M. F. 119
Boewe, G. H. 715
Bollati, O. 466
Bonlieu, A. 1146, 1147
Booker, R. H. 953, 954, 1014
Bott, W. 467
Bowen, G. D. 764
Bowers, J. L. 89,299,300,359-361,521
Bracker, C. E. 793, 844
Brantley, B. B. 108,183,362-364,526, 544,620,801,864,865,905
Brasil Sobrinho, M. de O.C. do 563, 672, 673
Brauer, A. 955-957
Bravo Pérez, E. 1115
Bressani, R. 379, 1065, 1068
Brierley, P. 802
Brittingham, W. H. 29,30,252,272, 365-369,519

Brower, J. H. 1045
Bruening, G. 803, 804, 827, 933
Bryssine, P. 370
Burgis, D. S. 597
Burkholder, W. H. 716
Burns, E. E. 52, 253
Burton, J. C. 140, 141
Busson, F. 53, 704
Buzacott, J. H. 372, 373
Byth, D. E. 216

Cain, R. F. 1083
Caner, J. 805
Canerday, T. D. 347,988,1011,1038
Cannon, R. C. 691, 1004
Cano, J. M. 685
Canonero, E. C. 529, 552
Capinpín, J. M. 254, 263
Capoor, S. P. 806-808, 942
Carbiener, R. 704
Carlton, C. C. 412, 688
Carrasco Ruidias, N. 692
Carter, O. G. 545
Castillo, J. J. 468
Caswell, G. H. 693, 958, 1148
Cates, F. B. 509, 1189
Central Africa. Agricultural Research Council 694
Christensen, D. A. 1135
Christie, R. G. 828
Cizek, J. 255
Clifford, H. T. 693
Cloonan, M. J. 142
Clute, J. van 469
Coetzee, C. G. 1116
Colindres, R. 379, 1068
Collins, J. L. 54
Commonwealth Bureau of Soils 1
Constantin, M. J. 256
Conti, M. 871, 972
Cook, I. M. 728
Cook, R. L. 195
Cooley, J. S. 470
Copeland, I. G. 374
Corley, W. L. 375
Correa, A. M. N. 83
Correa, R. T. 456, 999
Cortés-Monllor, A. 880
Coto V., O. 471
Cover, S. 1082
Cowley, W. R. 60,190,211,223,224
Crocioni, A. 546
Crofts, F. C. 143
Crum, R. A. 258, 327, 821
Culver, W. H. 1083
Cuthbert, F. P. 959, 960

Chalfant, R. B. 1038
Chambliss, O. L. 276,341,883,959
Chandnani, J. J. 659
Chandola, R. P. 346, 961
Chandraratna, M. F. 660
Chandrasekaran, S. 729
Chant, S. R. 809-812
Chatterjee, S. K. 109
Chauhan, D. S. 1117
Chauhan, M. C. 1118
Chaves, N. 1066
Chenulu, V. V. 116,813,838,839,858
Chevalier, A. 31
Chidlow, J. 814, 911, 943
Chisci, G. C. 598

Dale, W. T. 815-817
Danielson, L. I. 599
Dart, P. J. 90,144-147,168, 184, 185, 215, 569
Das, H. H. 55, 109-112
Dass, N. 377, 625
Datta, R. M. 250
Davis, B. W. 960
Dawson, W. O. 818
Day, J. M. 147
De, R. 565
DeJager, C. P. 819
DeZeeuw, D. J. 257,258,325-327,820-822
Deba, R. 345, 929
Debrot, E. 823, 824
Dempsey, A. H. 362
Dennison, R. A. 62, 687
Devakumar, L. P. 78, 242, 1077
Diatloff, A. 148
Díaz, A. J. 825
Diener, T. O. 826
Dion, H. G. 662
Doku, E. V. 113, 149, 150, 151, 259, 294, 378
Dorosinskii, L. M. 152
Doughty, J. 10
Dovhal', I. F. S. 917
Dry, J. G. 1119
Du Toit, D. M. 699
Dukes, P. D. 778
Dunavan, D. 1015, 1016
Duncan, R. F. 827
Dupree, M. 1017-1022
Duranti, A. 472, 626

Ebara, Y. 876
Ebong, U. U. 1191
Edey, J. M. 216
Edwardson, J. R. 828
Egami, F. 127
Ehara, Y. 829
Eheart, M. S. 1067
Eksteen, L. L. 627
El-Sebae, A. H. 1023
Elarosi, H. 730
Elder, W. C. 611
Elías, L. G. 379, 1068

Emery, G. A. 962
Empire Cotton Growing Corporation 1159
Erwin, D. C. 328, 731, 776, 1058
Estrada, F. 527
Evans, H. J. 120, 121
Evans, I. R. 828
Ezedinma, F. O. C. 15,91,92,114,154, 155,217-220,260,380,474,522,548-551, 1039, 1192

Faris, D. G. 12, 261, 262
Farish, L. R. 381, 382
Farrell, J. A. K. 1024
Fayemi, A. A. A. 180
Fennell, J. L. 301, 329, 383,475,732
Fernando, M. 528
Filho, J. X. 84
Fisher, F. L. 664
Flack, I. H. 795
Flores, E. 805
Floresca, E. T. 263
Florida Agricultural Experiment Station 1160, 1161
Ford, K. E. 1084
Fox, N. F. 476
Frahm-Leliveld, J. A. 264
Frantskevich, I. A. 835
Fujii, K. 963, 964
Fujii, Y. 26
Fukui, H. 186
Fulton, R. W. 830, 894
Furtado, C. X. 385

Galeotti, C. 414
Gall, O. E. 643
Galli, F. 156
Gallup, W. D. 1069
Gálvez, G. 733
Ganapathi, S. 56, 1070
Garber, M. J. 776, 1058
Garcha, J. S. 57
García, A. 1062
García, A. E. 881, 1036
García Cádiz, T. 58, 529, 552
Gardner, H. R. 27, 175
Garg, K. P. 187
Gargantini, H. 157
Garrison, C. S. 295
Gaskins, M. H. 209, 221
Gates, J. E. 1085
Gaudefroy-Demombynes, P. 553
Gausman, H. W. 47, 234
Gautam, O. P. 554, 560, 629
Gavrielit-Gelmond, H. 618
Gay, J. D. 695, 734, 831-833
Gentner, W. A. 599
Genung, W. G. 995, 1025
Georgescu, D. 1110
Gerberg, E. J. 1005
Ghisleni, P. L. 93
Gikic, M. 255
Gill, A. S. 555
Gill, C. C. 834
Goldheim, S. L. 1005
Goldin, A. 405, 619
Goldsworthy, P. R. 600
Gondo, M. 707
González Rodríguez, R. 386, 590
Gopal, B. V. 24
Gorbunova, N. I. 835
Gorz, H. J. 967, 982
Govindaswamy, C. V. 836
Gowda, P. M. 241
Gray, F. 531, 556
Gray, S. G. 435
Green, H. B. 1026, 1043, 1044
Griensven, L. J. L. D. van 853
Griffiths, D. A. 735-738
Griffiths, F. P. 1103, 1105, 1106
Grogan, R. G. 837
Gudauskas, R. T. 841, 842
Guljaev, E. I. 210
Gumarova, K. F. 835
Gupta, O. P. 601
Gupta, R. N. 591, 644
Gupta, Y. C. 477

Habish, H. A. 158
Hall, D. W. 1149
Halsey, L. H. 159,188,302,387-391, 426-428,557,645
Halverson, J. O. 59
Hamalle, R. J. 950, 1013
Hamdi, S. 534, 566
Hamdi, Y. A. 160, 602
Hamilton, A. 478
Hammett, H. L. 115, 530, 558
Hanawa, J. 16
Haque, S. Q. 838, 839
Hare, W. W. 303,304,330-335,350,392-398,532,696,739-746,1053
Harper, H. J. 531
Harris, E. D. 1027, 1028
Harris, H. B. 840
Harrison, A. N. 841, 842
Hartley, C. W. S. 479
Haussmann, G. 480
Hawthorne, P. L. 305,338,436,437
Heath, I. B. 748
Heath, M. C. 399, 747-749
Hebbs, L. G. S. 400
Hecht-Poinar, E. 938
Hegwood, D. A. 115
Heimann, H. 189, 592
Heitman, H. 1120
Helm, C. A. 481, 1121
Hendricksen, R. E. 222
Henry, D. G. 923, 992
Hepper, F. N. 32
Hernández, A. A. 665
Herrera, S. 762
Hetrick, L. A. 965, 966, 1029, 1030
Hibino, H. 916

Hidaka, Z. 265, 843
Hiebert, E. 844
Hikada, Z. 910
Hilden, D. 482
Hill, E. L. 400
Hills, G. J. 790
Hinkle, D. A. 638
Hino, T. 845
Hipp, B. W. 60, 190, 211, 223, 224
Ho, F. W. 675
Ho Thian Hua 1031
Hobt, H. 577
Hoffmaster, D. E. 717
Holmes, E. S. 617
Holmes, F. O. 697, 708
Holttum, R. E. 385
Hoof, H. A. van 750, 846
Hoover, M. W. 61-63, 94, 687,1071, 1150
Horner, G. M. 559, 593
Horst, K. ter 306, 401-404
Hotta, Y. 17, 266
Howarth, J. A. 1120
Howe, W. L. 967
Hunt, N. H. 666
Hurwitz, S. 405, 483, 618, 619
Husain, M. M. 406, 1061

Ibáñez, E. 758
Ichhponani, J. S. 1122
Iefremova, T. H. 917
Iijina, T. 18
Indian Agricultural Research Institute 1162
Indira, P. 225
Irabagon, T. A. 254
Ireland, J. C. 4
Isbell, C. L. 308, 407, 408, 411, 484, 1072
Iswaran, V. 161
Ito, T. 265, 843
Ivanoff, S. S. 162, 191

Jacquinot, L. 192, 226, 409
Jain, T. C. 203, 204
Jamaica. Department of Agriculture 1163
Jansen, W. P. 847-849, 968, 969
Jenkins, H. V. 143
Jenkins, W. F. 64,532,1073,1086-1088
Jerath, M. L. 1032
Jhooty, J. S. 751, 850
Jiménez Calderón, L. F. 667, 1123
Johnson, D. T. 485, 1193
Johnson, P. R. 336,410,486,944
Johnson, R. M. 65
Johnson, W. A. 603, 604
Johnston, A. 698
Johri, C. B. 1140
Jones, R. J. 1033
Jones, S. T. 296, 307, 308,309,411, 412, 688
Jordán Molero, F. 227
Joubert, P. C. 699

Kado, C. I. 984
Kairon, M. S. 628
Kala, A. C. 1137
Kamath, M. B. 161
Kammen, A. van 819, 851-853
Kaper, J. M. 826
Karas, J. G. 228, 854, 855
Karle, H. P. 856, 857
Kasasian, L. 605
Kato, S. 875, 906
Kattan, A. A. 616, 1102
Katz, H. 50, 102, 202
Kavanagh, L. R. 487, 488
Kavimandan, S. K. 161
Kawakami, M. 122
Kawatra, B. L. 57
Keating, F. E. 646
Kelsheimer, F. G. 1194
Kendrick Junior, J. B. 752
Keramidis, K. K. 920
Khairi, S. M. 158
Khan, A. R. 413
Khan, S. B. 406
Khanna, M. L. 591, 644
Khanna, S. S. 196
Khare, B. G. 554, 560, 629
Khatri, H. L. 116, 858
Kheradnam, M. 267, 310
Kimberley Research Station, West Australia 1184
Kimble, K. A. 837
Kirby, J. S. 414
Klesser, P. J. 859
Klimenkov, V. G. 66, 67, 117
Klydzhev, V. K. 68
Knapp, F. W. 118, 1151
Knapp, R. 95
Koehler, C. S. 970
Kohli, K. S. 271, 315
Konde, B. K. 163
Koura, A. 971
Kozak, M. 69, 193
Kramer, M. 69, 193
Krutman, S. 415, 630
Kubota, S. 186
Kuhn, C. W. 801, 818, 832, 840, 860-867, 905
Kuhn, G. D. 1151, 1152
Kumada, H. 194
Kvicala, B. A. 868

Lago, E. S. 1074
Lal, S. B. 697, 708
Lang, I. 69, 193, 647
Langston, J. M. 1034
Lanza, F. 594, 1124
Laric, Z. 1188

Larsh, H. W. 709
Laubscher, F. X. 318
Lawton, K. 195
Layne, R. E. C. 718, 869
Lazareva, N. M. 152
Lazic, M. 1188
Leal, J. C. 416, 1125
Lefebvre, C. L. 268,451,719,720,722, 753, 754, 761
Lemaitre, C. 631, 648
León, J. 13, 19
León Jordán, H. 489
Leonov, G. B. 66, 117
Lepigre, M. 1153
Ligon, L. L. 5, 269, 337, 417-423,490
Lim, W. C. 735, 737, 738
Lime, B. J. 1103
Linagre, E. T. 96
Linares S., P. J. 430-432
Linedale, A. I. 491, 668
Litzenberger, S. C. 669
Lizárraga, H. 669
Lockhart, B. E. 870
Lopes, M. D. 415
López, A. 119, 1089
Loría Martínez, W. 424, 533, 561
Lorz, A. P. 311-314, 390, 391, 425-428, 492, 493, 1194
Love, J. E. 256
Loveridge, J. 494, 1126
Lovisolo, O. 871, 972
Lugo-López, M. A. 649
Lugod, G. C. 495
Luttrell, E. S. 755, 779
Lyman, C. M. 1127

McAleese, C. M. 429
McBeth, C. W. 1054
McKeen, C. D. 872
McKinney, H. E. 1059
McKnight, T. 164
McWhorter, F. P. 873
Mackie, W. W. 496
Madamba, C. P. 1055
Mahadik, C. N. 460
Mahajan, J. M. 1117
Mahajan, K. K. 196
Maher, C. 650
Maheshwari, M. L. 70, 212
Mahomoud Abel-Halim, A. 945
Malaya. Director of Agriculture 1164
Malcom, H. R. 1090
Malik, H. C. 1128
Mani, V. S. 601
Mann, H. H. 497
Marcano Coello, L. 430-432
Marechal, R. 20, 33, 34
Marín, L. 498
Markham, R. 790
Marras, F. 756
Marsh Junior, H. V. 120-121
Marshall, C. E. 540, 586
Martínez R., O. 1063
Mascarenhas, H. A. A. 670
Masefield, G. B. 165
Mata Reyes, A. 562
Mathews, O. R. 646
Matlock, R. S. 5, 423, 611
Matrone, G. 120, 121
Matsuoka, K. 122, 433
Maust, L. E. 1129
Mayer, E. L. 1091
Mead, K. J. 499
Medcalf, J. C. 671
Medvedev, P. F. 434
Mehlich, A. 197
Mehndiratta, P. D. 270, 289
Mehra, K. L. 271, 315
Meissner, R. 229
Mello, F. de A. F. de 563, 672, 673
Menachery, M. 1079
Menon, K. P. V. 892, 893
Menzel, R. G. 49, 132, 198
Mercer, F. V. 90,144,145,184,215
Merwe, J. P. V. D. 632
Metha, P. N. 970
Mez, E. 606
Michail, S. H. 730
Middlekauff, W. W. 973, 974
Middleton, J. T. 752, 757
Milbrath, J. A. 873
Miles, J. F. 435
Miller, A. C. 338, 436, 437
Miller, G. W. 930
Milne, R. G. 874
Minkes, J. 500, 689
Misawa, M. 875, 876
Misawa, T. 906
Mishra, B. 233
Mishra, D. 123,124,166, 230-233, 564, 700
Missingham, L. J. 7
Mississippi Agricultural Experiment Station 1165
Mistry, P. D. 101, 130
Mital, S. P. 438
Mitra, S. P. 651
Miyasaka, S. 670
Mohanty, B. 123,124,166,231,232
Mohanty, P. K. 700
Mohanty, S. K. 230
Mohta, N. K. 565
Mojtehedi, M. 559, 593
Molina Llardén, M. 758
Moniz, L. 163
Montelaro, J. 1092
Monzón P., D. 1062, 1063
Moorthy, B. R. 882
Morgan, P. W. 47, 234
Morrison, R. D. 540, 586
Morse, W. J. 439
Mortensen, J. A. 272, 369
Morton, D. J. 908
Motoyama, E. 186
Moura, R. J. de 415
Moursi, A. 167
Mukherjee, P. 55, 112
Müller, A. S. 759
Müller, H. M. 1195

Munsell, H. E. 71, 1075
Murphy, H. F. 556
Mutch, C. B. 1130

Naganna, B. 125
Nandal, D. S. 628
Narang, M. M. 580
N'Diaye, S. M. 319
Neal-Smith, C. A. 435
Neel, W. W. 701, 1035
Nelson, H. D. 1091
Netto, J. A. S. 674
Niblett, C. L. 877, 878
Nichols, C. W. 710
Nicou, R. 1147
Nigeria. Department of Agriculture 633, 1166-1170
Nigeria. Survey Department 975
Niknejad, M. 267, 310
Njoku, E. 97, 98, 126, 235, 236
Noonan, J. B. 501, 607, 1131, 1132
Norman, M. J. T. 634
Northern Rhodesia. Department of Agriculture 1171, 1172
Norton, J. D. 276, 341, 883
Nyasaland Protectorate. Department of Agriculture 1173, 1174

Ogle, W. L. 608-610
Ogunmodede, B. K. 72-74, 705, 1076
Ohashi, H. 35
Ohmachi, K. 127
Ohwi, J. 35
Ojehomon, O. O. 213, 237-239, 442
Ojomo, O. A. 273, 274
Okamoto, H. 99
Okusanya, B. A. M. 993
Olive, L. S. 760, 761
Omran, R. 534, 566
Omueti, J. O. 75, 199
Onley, J. 1133
Oosthuizen, M. J. 976, 1006
Oosthuizen, S. A. 1134
Oota, Y. 128
Oputa, C. O. 1154
Ordosgoitty F., A. 879
Orraca-Tetteh, R. 10
Ortega, S. 1062
Osman, A. Z. 542
Otey, G. W. 1048, 1049, 1106
Owen, B. D. 1135
Owusu-Domfe, K. 1135
Oyama, K. 179
Oyenuga, V. A. 72-75, 199, 705, 1076
Ozaki, C. T. 567, 568, 652

Pacheco G., J. J. 1063
Padgett, J. H. 1093, 1099, 1196
Paiva, J. B. 535
Palencia O., J. A. 298, 353
Palestine. Audit Union of the Workers' Agricultural Co-operative Societies Ltd. 1175
Pancho, J. V. 263
Pandey, R. K. 555
Pandey, R. M. 48, 200
Pandya, B. P. 506
Pant, N. C. 951
Pao, T. P. 675
Park, J. R. 1094
Parkin, F. A. 1007
Pate, J. S. 168, 569
Patel, G. J. 101, 130
Paterson, D. R. 358, 543, 570-572, 589, 595
Pathak, G. N. 443
Paul, N. B. 573
Paulech, C. 762
Pavlova, A. M. 21, 316
Peetoom, F. 785
Pellegrin, F. 36, 37
Penny, N. M. 444, 1095, 1197
Perera, S. M. D. 782
Pérez, J. F. 880
Petrache, M. L. 248
Petrushenko, O. P. 129, 169
Petyaev, S. I. 676
Phelps, R. J. 976
Phillips, F. L. 445
Phillips, L. J. 634
Philpotts, H. 100, 170
Plakidas, A. G. 924, 925
Platsynda, V. A. 67
Pointel, J.-G. 1008, 1155, 1156
Pond, W. G. 1129
Ponte, J. J. da 690, 711
Pope, L. S. 1136
Porath, A. 574, 653
Pound, G. S. 928
Powers, J. J. 1096
Prasad, N. 763
Prasad, S. K. 978
Premsekar, S. 275, 677
Preston, D. A. 721
Prevett, F. F. 977
Pucaric, A. 255
Punj, G. K. 978
Purss, G. S. 339, 340, 447, 764-768

Ouirós, H. 527

Rabechault, H. 38
Ragetli, H. W. J. 926, 927
Raggio, M. 702
Raggio, N. M. de 702
Rai, S. 981
Raimo, H. F. 1138
Rajagopalan, C. K. 78,242,455,1077
Ramadasan, A. 225
Ramallo, J. C. 881, 1036
Raney, W. A. 87
Rangaswami, G. 729

Ranjhan, S. K. 70, 212, 1137
Rao, M. N. 56
Rao, P. S. 101, 130
Rao, V. G. 769
Ratner, R. 189, 592
Rattray, A. G. H. 1176
Ravikovitch, S. 574, 653
Raychaudhuri, S. P. 882
Raymond, W. D. 65
Reddi, S. N. 406
Reder, R. 76, 201, 575, 1069
Reed, J. F. 197
Reed, M. 82, 244, 581
Reeder, B. D. 276, 341, 883
Rehbein, C. A. 448
Reid, J. T. 620, 621
Reid, M. E. 77, 240
Renard, M. 678
Resconich, E. C. 934
Richharia, R. H. 278, 317
Riherd, P. T. 1037
Rimikhanov, A. A. 131
Risbec, J. 979
Risse, L. 1093, 1099, 1196
Roberts, J. E. 980
Roberts Junior, H. 49, 132
Robertson, D. G. 251, 342, 799
Robledo del Aguila, R. 576
Rocha, G. L. da 1138
Rodale, R. 8
Roller, E. M. 87
Romero Credes, J. L. 277
Ronsal', G. A. 210
Rose, M. F. 635
Rothschild, D. I. de 22, 171
Roy, R. S. 278, 317
Roy, S. C. 109, 110, 111
Rutledge, A. D. 241

Sabi Valley Experiment Station, Southern Rhodesia 1179
Sachidananda, J. 813
Saevich, L. F. 129, 169
Sahai, J. 443
Saleh, M. R. 1023
Sambandam, R. 78, 242, 1077
Sánchez, C. 562
Santelmann, P. W. 611
Santos Candelario, J. 133
Sarma, K. S. B. 174
Saunders, A. R. 279-282, 318, 502
Savile, A. H. 449
Saxena, J. S. 1139, 1140
Saxena, M. C. 680
Schäfer, P. 577
Schindler, H. 1144
Schlippe, P. de 1177
Schnathorst, W. C. 770
Schoch, P. G. 133
Schofield, J. L. 654
Schroth, M. N. 771
Schultz, E. F. 636, 679
Schuster, M. F. 1050
Scott, H. A. 826, 904
Scott, M. L. 1129
Seale Junior, A. D. 1081
Sellschop, J. P. F. 9, 503, 1195
Semancik, J. S. 870,877,878,890,891
Sen, A. 573
Sen, N. K. 23, 39, 283-285
Sen, S. 578
Sene, D. 40, 286, 319, 450,514, 1199
Sénégal. Service de l'Agriculture 637
Serfontein, P. J. 1141
Sethuraj, M. R. 243
Shah, G. L. 24
Shalla, T. A. 857
Shanker, H. 651
Shanta, P. 697, 708, 892, 893
Sharma, A. K. 187
Sharma, B. 297
Sharma, B. M. 680
Sharma, H. K. 580
Sharma, V. K. 981
Shemetaite, L. B. 79, 80
Shepherd, R. J. 894, 895, 896
Sherwin, H. S. 268,451,719,720,722
Sherwood, F. W. 59, 1078
Shevtsova, L. B. 835
Sholes, M. I. 1067
Sidhu, G. S. 172, 173, 1122
Siev, D. 50, 102, 202
Sikka, K. C. 81
Sikka, S. M. 453, 505
Silberschmidt, K. 805
Sill Junior, W. H. 103, 897-901
Silvera, G. A. 712
Silvestre, P. 320, 452, 504, 579
Sinclair, J. B. 287,288,343,902,903
Singh, C. B. 271, 315
Singh, D. 506
Singh, H. B. 438, 453, 505
Singh, H. D. 81
Singh, K. 580
Singh, K. B. 270, 289
Singh, M. 181, 555
Singh, N. 172, 173
Singh, R. 172, 173
Singh, R. M. 203, 204
Singh, R. S. 713, 772
Singh, S. 81
Singh, U. B. 681
Sinha, R. P. 772
Sistrunk, W. A. 299, 359, 1100-1102
Sivaraman, E. 1079
Skerman, P. J. 1142
Skinner, J. C. 321, 454
Slack, S. A. 904
Sleesman, J. P. 348, 349, 996, 997
Smith, F. F. 802
Smith, F. L. 290, 351, 1056
Smith, P. M. 507
Smith, O. E. 664
Smith, W. K. 982
Smrz, J. 868
Snyder, W. C. 757
Soejima, M. 26
Soitout, M. 320

Sorochenkov, A.F. 508
Sotelo Winkelried, F. H. 536
South Africa. Department of Agriculture 1178
Sowell Junior, G. 801, 864, 865, 905
Spivey, C. D. 509
Srinivasan, V. 455
Stacul, M. V. de 947
Stanton, W. R. 10
Staples, R. 847-849, 968, 969
Staten, G. 638
Steele, W. 10
Stephens, L. 510
Stephens, T. S. 456, 1103-1105
Stevenson, E. E. 973
Stevenson, J. A. 754
Stewart, F. B. 82,244, 519, 537, 538, 581, 582
Stout, G. L. 710
Strider, D. L. 773, 774
Strobel, J. W. 775
Strong, R. G. 983
Stuckey, H. P. 511
Suber, E. F. 1038
Subra-Rao, N. S. 174
Subrahmanyan, V. 56
Subramaniam, A. 677
Subramanian, T. R. 984, 985
Sugiura, M. 134, 245
Sunobe, Y. 134, 245
Surinam. Agricultural Experiment Station 1180
Suzuki, H. 875
Swaminathan, M. 56
Swingle, H. D. 241

Tadao, M. 829
Takaoki, T. 135, 208
Takata, K. 128
Talapatra, S. K. 1113, 1137
Talbert, R. E. 612
Tanaka, N. 25, 26
Tanaka, S. 205
Tanganyika. Department of Agriculture 1181
Taniguchi, S. 127
Tardieu, M. 512-514, 1198, 1199
Tashko, G. 639
Tasugi, H. 906
Taylor, H. M. 27, 175
Taylor, J. C. 338, 436, 437
Taylor, T. A. 986, 987, 1039-1042
Taylorson, R. B. 613, 614
Teakle, D. S. 771
Terada, S. 246, 583
Tewari, G. P. 136, 176-178, 206, 322, 457, 523, 524, 584, 655
Tewfik, M. S. 160, 602
Texas Agricultural Experiment Station 682, 1182
Thakur, B. S. 187
Thomas, T. A. 438
Thomas, W. O. 1026, 1043, 1044
Thomason, I. J. 328, 731, 776, 1057-1059
Thompson, S. S. 714
Thornberry, H. H. 907
Thorne, W. 207
Tidbury, G. E. 640
Tikvati, A. 641
Tilton, E. W. 1045
Timmer, L. W. 822
Timson, S. D. 683, 684
Tiwari, B. P. 642
Tiwari, S. R. 642
Todd, J. W. 347, 988
Toler, R. W. 613, 614, 714, 774, 777, 778, 908, 909, 989, 990
Tolmasquim, E. 83
Tolmasquim, S. T. 83
Tomar, V. P. S. 1117
Tomaru, K. 910
Tourte, R. 1147
Toury, J. 706, 1080
Trehan, K. B. 346, 961
Tremaine, J. B. 911, 912
Tremaine, J. H. 786, 814, 943
Trumble, H. C. 45
Tsuchizaki, T. 913-916
Tsyplenkov, A. E. 920
Tymchenko, V. I. 917

Ueda, H. 179
US. Crop Reporting Board 1200
Université Catholique de Louvain. Faculté des Sciences Agronomiques 41
Upadhyaya, R. B. 1140
Uphof, J. C. T. 344, 459
Uppal, B. N. 806
Uprety, D. C. 247, 292, 703
Uranga, A. 515
Utida, S. 991

Vallaeys, G. 42
Van Wyk, H. P. D. 1143
Varela Espino, J. C. 614a
Varma, P. M. 806, 807
Vasudeva, R. S. 919
Velsen, R. J. van 918
Venezuela. Ministerio de Agricultura y Cría 11
Ventura, M. M. 84
Verbeek, W. A. 1143
Verdcourt, B. 43
Verhoeven, G. 516
Vernon, A. J. 539
Vidal, A. A. 85
Vieira, C. O. 517
Vietnam. Directorate of National Agriculture 1183
Viguier, R. 44
Viljoen, N. J. 86
Vincent, M. J. 142

Visser, J. H. 104
Vlasov, Y. L. 920
Volanti, U. 518
Volcani, R. 1144

Wagle, D. S. 57
Wagner, G. W. 793, 921, 922
Wakankar, S. M. 460
Walker, J. C. 287, 288, 343, 897,898, 900, 902, 903
Walters, H. J. 923, 992
Warid, W. A. 924, 925
Watkins, J. M. 685
Watson, K. A. 585
Watson, M. A. 993
Watson, W. W. 396
Watts, A. V. 519
Weathers, L. G. 890
Weimer, J. L. 753, 755, 779, 780
Weintraub, M. 926, 927
Welkie, G. W. 928
Wells, D. G. 345, 929, 1060
Wene, G. P. 994, 1046-1049, 1106
West Indies University 1185
Whyte, R. O. 45
Wienk, J. F. 137
Wiggans, S. C. 540, 586
Wilczek, R. 46
Wildon, D. C. 146, 185
Wilkie, G. E. 930
Willymott, S. G. 624
Wilson, J. W. 995, 1194
Winzer, J. W. 52, 253
Wit, C. T. de 525
Wittmann, W. 28
Wolfenbarger, D. A. 348, 349, 996-999, 1050, 1051
Wood, C. B. 119
Wood, H. A. 931, 932
Woodroof, J. G. 1107
Woodward, R. S. 338, 436, 437
Wright, W. A. 449
Wu, G. J. 933
Wu, Y. L. 656
Wutke, A. C. P. 157
Wylie, W. D. 1000, 1052

Yang, S. F. 930
Yardwood, C. F. 105, 106, 751, 781, 850, 934-938
Yarnell, S. H. 293
Yates, R. A. 587, 686
Yora, K. 913-915
York, T. L. 249
Yu, C. H. 656
Yu, T. F. 939

Zabala, S. 940
Zavoi, A. 541, 588
Zettler, F. W. 828, 941

****
****
***
*

FECHA DE DEVOLUCION			


IICA
DIA-23
BIBLIOGRAFIA SOBRE
FRIJOL DE COSTA
Autor
Título
Fecha
Devolución
Nombre del solicit